

| As | phalt Roller Risk Assessm | ent | |
|---|----------------------------------|----------------------------------|---------------------------|
| Business Name: | | ABN: | |
| Business Address: | | | |
| Contact Person: | Phone: | Emai | |
| | | | |
| THIS RISK ASSESS | MENT IS APPROVED BY THE PCI | | |
| Under the Work Health and Safety Regulation (WHS Regulation), a pis prepared before the proposed work starts. | person conducting a busine or un | ndertaking PCBU required to ensu | re that a RISK ASSESSMENT |
| Full Name: | | | |
| Signature: | | ntle: | Date: |
| | | | |
| CLY | OR PRI CIL CO. TRACTOR I | DETAILS | |
| Client: | | SCOPE OF | WORKS |
| Project Name: | | | |
| Project Address: | | | |
| Project Manager: | | | |
| Contact Phone: | | | |
| Date Risk Assessment supplied to Project New York | | | |



| RISK MATRIX | | | | | | | |
|---|--|---------------------|---------------------------------------|--------------------|---|--|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE MA | JOR CATASTROPH | | | HIERARCHY OF CONTROLS |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | | 4 4 JTE ACUTE | SCORE | ACTION | Elimination Remove the hazard. |
| LIKELY | 2 MODERATE | 3 HIGH | U U U U U U U U U U U U U U U U U U U | 4 4 JTE ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. Isolation |
| POSSIBLE | 1 LOW | 2 MODERATE | | 4 JTE ACUTE | 3H HIGH | Rev before work art | Isolate People from the hazard Engineering Isolate the |
| UNLIKELY | 1 LOW | 1 LOW | | 3 Z GH ACU E | MC RATE | Ensure control measures in place. | Activité istrativ e Chang |
| RARE | 1 LOW | 1 LOW | | 3 GH H. 1 | 1L LOW | Monitor and keep records. | PP |
| Risk Rating & Required Action: 4A Stop work. The risk is intolerable, cominate the hazard predesign the activity before proceeding. A Safe Work Method Statement (SWMS) or higher-level authorisation is required. 3H Review and approve additional controls for exact task parts. Senior supervisor sign-off needed. 2M Ensure all nominated controls are imprace and efficience. Proceed with caution; monitor conditions. 1L Proceed, following standard operating procedures Monitor and keep records. Consequence Scale: | | | | | | Notes on Hierarchy of Controls: Remember to apply controls in the preferred order shown by the coloured pyramid: 1. Eliminate 2. Substitute 3. Isolate 4. Engineering 5. Administrative 6. PPE | |
| Consequence | | injury/illness) | Project / Ass | Significant regula | pliance / Reputat ator intervention; c | | Always document why a lower-order control is accepted if |
| Catastrophic Major | Fatality or perma Serious injury/illr days) | | | wn prosecution | tice; major media | | elimination or substitution is not reasonably practicable. aligned with Safe Work Australia's Managing the risk of fatigue at |
| Moderate | Medical-treatmen | nt injury; lost-tim | e > 1 moderate dela | y Minor breach; ad | lverse client comn | nent | work (2023) and ISO 45001:2018 clauses 6–8. |
| Minor | First-aid only, no | lost time | negligible dela | y Isolated non-con | formance | | |
| | nificant No injury no schedule impact Deviation caught and corrected on site | | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Incorrect PPE usage, Weather conditions | ЗН | Conduct PPE check before starting work Monitor weather forecasts and adjust work secondles accordingly Provide additional training on PPE usage Use adequate protective clothing as per the natif Establish a communication dan for weather up uses Provide briefing on emergence procedures in case of accurse weather Check all equipment non-indine mand compliance Ensure hydroion supplies the available for indiceam Identify design red archivor PPE storie Schub work to noid peak heat times | 2М |
| 2. Site Inspection | Uneven ground, Preserver debris | | Condult a through statinspection prior to starting work The leveling exament to mitigate uneven ground Remained debris from the site before equipment operation Tark hazardous areas with visible signs Ewsure all ground hazards are noted and communicated to workers Maintain regular site checks during operation Provide operators with site maps highlighting uneven areas Instruct workers on the hazards of uneven and debris-laden surfaces Implement a system for reporting new hazards promptly Conduct toolbox talks to update teams on site-specific risks | 2М |
| 3. Equipment Inspection | Faulty machinery, Lack of maintenance records | 4A | Implement a pre-start inspection checklist for the roller Conduct regular maintenance according to manufacturer specifications Check maintenance records are up-to-date before operation Train staff on recognising equipment faults Tag and report faulty machinery immediately Keep a dedicated inventory of spare parts Establish a maintenance schedule and assign responsibilities Secure the roller when not in use to prevent unauthorised operation | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Use only qualified personnel for equipment repairs | |
| | | | - Perform functionality tests in a controlled environment | |
| 4. Loading | Load imbalance, Slipping surfaces | ЗН | | 2М |
| 5. Operation Start | Unexpected equipment behaviour, Inadequate communication | 44 | | 2М |
| 6. Paving | Exposure to hot materials, Dust generation | ЗН | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|---------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 7. Roller Operation | Operator fatigue, Blind spots | 4A | | 2М |
| 8. Edge Rolling | Edge collapse, Unser Lacund | JA | | 1L |
| 9. Watering | Slippery surfaces, Contaminated water | ЗН | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 10. Shutdown | Residual energy, Isolation failures | 4A | | 1L |
| 11. Clean Up | Littered tools, Chemical exposure | ЗН | | 1L |
| 12. Post-Operation Inspection | Overlooked damage, Unreported hazards | ЗН | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 13. Maintenance Planning | Maintenance delays, Resource shortages | 4A | | 2M |
| 14. Report and Review | Inaccurate reporting, Data loss | ЗН | | 1L |
| 15. Toolbox Talks | Lack of engagement, Incomplete information dissemination | 2М | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | S | | | |



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| | REFERENCES | | | | |
|---|---|--|--|--|--|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE | | | | | |
| Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice | Victoria Occupational Health and Safety Acta 24 Occupational Health and Infeture gulations 2017 Legis from VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulaters</u> Unles on wactice VICe. <u>https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u> | | | | |
| New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic | Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u> | | | | |
| Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws Codes of Practice NT: https://worksafe.nt.gov.au/formed-compliance/workplace-serve-laws Codes of Practice NT: https://worksafe.nt.gov.au/formed-compliance/workplace-serve-laws Codes of Practice NT: https://worksafe.nt.gov.au/formed-compliance/workplace-serve-laws | Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> | | | | |
| South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_saces/codes-of-practice#COPs</u> | Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes | | | | |
| Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice | First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work | | | | |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work | Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work | | | | |

- Any required documents.