

Assisting	Stranded Motorists Risk A	ssessment	
Business Name:		ABN:	
Business Address:			
Contact Person:	Phone:	Ema.	
THIS RISK ASSESSI	MENT IS APPROVED BY THE PC	BU OI ' PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a is prepared before the proposed work starts.	person conducting a busine or un	ndertaking PCBU required to ensu	re that a RISK ASSESSMENT
Full Name:			
Signature:		ıtle:	Date:
CL	OR PRICE LCO. TRACTOR I	DETAILS	
Client:		SCOPE OF	WORKS
Project Name:			
Project Address:			
Project Manager:			
Contact Phone:			
Date Risk Assessment supplied to Project Iv			

Version 2.5 Authorised by Review # Review Date:



#### **RISK MATRIX LIKELIHOOD** INSIGNIFICANT MINOR MODERATE MAJOR CATASTROPHIC HIERARCHY OF CONTROLS SCORE ACTION Elimination ALMOST 3 HIGH 3 HIGH 4 4 ACUTE ACUTE ACUTE **CERTAIN** Remove the hazard. Substitution 4 DO NOT Replace the hazard. LIKELY MODERATE HIGH HIGH ACUTE ACUTE ACUTE ROCEED Isolation Isolate People from the hazard 2 3 4 3H Rev before POSSIBLE MODERATE ACUTE ACUTE LOW HIGH HIGH. work Engineering Isolate the l/Acchanich. Ensure control 2 3 2M istrativ UNLIKELY measures in LOW LOW MODERATE HIGH ACU RATE е place. Chang 2 MODERATE 3 HIGH 1L Monitor and RARE LOW LOW LOW keep records.

### Risk Rating & Required Action:

4A	Stop work. The risk is intolerable, minate the hazard predesign the activity before proceeding. A Safe Work
	Method Statement (SWMS) or hit er-level authorisation is required.
3H	Review and approve additional controls to the last arts. Senior supervisor sign-off needed.
2M	Ensure all nominated controls are in prace and efficiency roceed with caution; monitor conditions.
1L	Proceed, following standard operating procedures. Monitor and keep records.

### **Consequence Scale:**

Consequence	People (injury/illness)	Project / Assets	Compliance / Reputation
Catastrophic	Fatality or permanent total disability	project shutdown	Significant regulator intervention; criminal prosecution
Major	Serious injury/illness (hospital > 5 days)	critical delay	Improvement notice; major media coverage
ivioderate	Medical-treatment injury; lost-time > 1 day	moderate delay	Minor breach; adverse client comment
Minor	First-aid only, no lost time	negligible delay	Isolated non-conformance
Insignificant	No injury	no schedule impact	Deviation caught and corrected on site

#### Notes on Hierarchy of Controls:

Remember to apply controls in the preferred order shown by the coloured pyramid:

- 1. Eliminate
- Substitute
- Isolate
- 4. Engineering
- 5. Administrative
- 6. PPE

Always document **why** a lower-order control is accepted if elimination or substitution is not reasonably practicable.

aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Insufficient tools, Lack of communication	3H	- Ensure all tools are checked and in working order before leaving  - Carry spare parts and emergency repair kits  - Maintain a functional communication device with charge chatteries  - Check network coverage areas along the rob  - Prepare a list of emergency contacts and roads chassistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before departure  - Always inform someone about the whereabouts are assistance cambers before	2M
2. Arrival at Scene	Traffic hazards, Unstahlus Surface		<ul> <li>Park v nicle to a safe to sition away from moving traffic</li> <li>the hat and light to increase visibility</li> <li>Plactoric visibility warning triangles at a safe distance behind the vehicle</li> <li>Iways exit vehicle from the side away from traffic</li> <li>Assess the road surface for stability before walking on it</li> <li>Wear a high-visibility vest for increased visibility</li> <li>Communicate intentions to other team members on arrival</li> <li>Evaluate the need for additional traffic management resources</li> <li>Use cones or indicators to delineate a safe working area</li> <li>Stay vigilant of changing traffic conditions</li> </ul>	2M
3. Assessing Situation	Miscommunication, Environmental hazards	ЗН	- Use clear and concise communication while assessing the situation - Ensure all parties understand their role in the process - Document all observations systematically - Monitor weather updates continuously - Be aware of changing environmental conditions that may affect safety - Consult with team members to form a coherent plan - Establish a common point of contact for decisions and instructions - Encourage feedback to ensure awareness of potential hazards	2M



4

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Conduct a brief site assessment to identify specific risks	
			- Use visual aids for clearer communication when necessary	
4. Securing the Area	Uncontrolled pedestrian access, Vehicle intrusion	зн		2M
5. Initial Vehicle Check	Electrical hazards floving medical parts	ЗН		1L
6. Checking Fluids and Levels	Hot fluids, Contaminated fluids	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Battery Check	Chemical burns, Short-circuiting	зн		2M
8. Tyre Inspection	Slips and falls, Inflation hazards	зн		2M
9. Basic Repairs	Tool misuse, Prolonged exposure to the elements	3Н		2M



6

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Replacement of Parts	Incorrect fitting, Running engines	3H		2M
11. Final Check	Human error, Overlooking and	2M		1L
12. Communication With Motorist	Miscommunication, Aggressive behaviour	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Ready for Departure	Forgotten equipment, Unstable load	3H		1L
14. Documentation and Reporting	Data omission, Misrepresentation	ЗН		1L
15. Continuous Improvement	Complacency, Unaddressed deficiencies	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
PECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUA RISK



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-oi racti

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Codes of Practice NT: https://worksafe.nt.gov.au/f

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work\_aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health at Safety Act 34

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

#### Safe Work Australia Links

Law and Regulation (All States): <a href="https://www.safeworkaustralia.gov.au/law-and-regulation">https://www.safeworkaustralia.gov.au/law-and-regulation</a> Model Codes of Practice: <a href="https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice">https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice</a>

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work