

| Avoid Excessive Use | Of Stump Grinding Chemi | cals Risk Assessment | |
|---|----------------------------------|----------------------------------|----------------------------|
| Business Name: | | ABN: | |
| Business Address: | | | |
| Contact Person: | Phone: | Emai | |
| | | | |
| THIS RISK ASSESS | MENT IS APPROVED BY THE PCI | BU OF THE PROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a pis prepared before the proposed work starts. | person conducting a busine or ur | ndertaking PCBU required to ensu | ire that a RISK ASSESSMENT |
| Full Name: | | | |
| Signature: | | ntle: | Date: |
| CLY | | DETAILS | |
| Client: | | SCOPE OF | WORKS |
| Project Name: | | | |
| Project Address: | | | |
| Project Manager: | | | |
| Contact Phone: | | | |
| Date Risk Assessment supplied to Project Manual. | | | |



| | | | | F | RISK MATRIX | | |
|---|---|---------------------|---------------------------------------|--|---|---|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE MA | JOR CATASTROPH | | | HIERARCHY OF CONTROLS |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | | 4 4 JTE ACUTE | SCORE | ACTION | Elimination Remove the hazard. |
| LIKELY | 2 MODERATE | 3 HIGH | U U U U U U U U U U U U U U U U U U U | 4 4 JTE ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. Isolation |
| POSSIBLE | 1 LOW | 2 MODERATE | | 4 JTE ACUTE | 3H HIGH | Rev before work art | Isolate People from the hazard Engineering Isolate the |
| UNLIKELY | 1 LOW | 1 LOW | | 3 Z GH ACU E | MC RATE | Ensure control measures in place. | Activité istrativ e Chang |
| RARE | 1 LOW | 1 LOW | | 3 GH H. 1 | 1L LOW | Monitor and keep records. | PP |
| Risk Rating & Required Action: 4A Stop work. The risk is intolerable, cominate the hazard predesign the activity before proceeding. A Safe Work Method Statement (SWMS) or his er-level authorisatic is required. 3H Review and approve additional controls to constask parts. Senior supervisor sign-off needed. 2M Ensure all nominated controls are in prace and efficience with caution; monitor conditions. 1L Proceed, following standard operating procedurer Monitor and keep records. Consequence Scale: | | | | | | | Notes on Hierarchy of Controls: Remember to apply controls in the preferred order shown by the coloured pyramid: 1. Eliminate 2. Substitute 3. Isolate 4. Engineering 5. Administrative 6. PPE |
| Consequence | | injury/illness) | Project / Ass | Significant regula | pliance / Reputat | | Always document why a lower-order control is accepted if |
| Catastrophic Major | Fatality or perma Serious injury/illr days) | | | wn prosecution | Significant regulator intervention; criminal prosecution Improvement notice; major media coverage | | elimination or substitution is not reasonably practicable. aligned with Safe Work Australia's Managing the risk of fatigue at |
| Moderate | Medical-treatmen | nt injury; lost-tim | e > 1 moderate dela | y Minor breach; ad | Minor breach; adverse client comment | | work (2023) and ISO 45001:2018 clauses 6–8. |
| Minor | First-aid only, no | lost time | negligible dela | y Isolated non-con | formance | | |
| | | | no schedule | Deviation caught and corrected on site | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|---|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | chemical exposure, incorrect PPE usage | ЗH | Conduct a pre-job briefing to communicate task data is and risks. Ensure all personnel use correct PPE including groves, goggles, and masks. Check that all PPE meets safety standard before use Identify and mark areas where chemicals where standed. Restrict unauthorised access to areas where chemicals are stand or used. Verify safety data sheet availability for all chemical use Conduct a safety data sheet provinciation area before beginning. Implement build y systems o ensure PPE ana pliance. Provinciation PPE and mark ensure. Rev. Warege provincedures for chemical exposure incidents. | 2М |
| 2. Equipment Setup | equipment malfunction and cal spill | 22 | Ensure all exponents in proper working order before use. Ensure all exponents in proper working order before use. Indud regulationaintenance checks and keep records updated. Use contrarys to catch any spills during equipment setup. Tain personnel on emergency responses for equipment malfunctions. Ensure all operators are competent and hold the required licenses. Perform a pre-operation safety check of the equipment. Have appropriate spill kits readily available for immediate use. Mark spill response equipment locations clearly. Only trained personnel to handle the setup of chemicals into equipment. Isolate equipment malfunction incidents and cease operations immediately. | 2M |
| 3. Site Assessment | incorrect site evaluation, environmental hazards | ЗН | Conduct a full hazard assessment of the site before commencing work. Evaluate potential environmental impacts of chemical usage. Include environmental experts in the assessment team as needed. Obtain necessary environmental approvals and permits. Communicate findings of site assessment to all personnel involved. Establish control zones based on site findings for safe chemical use. Use clearly visible signage to denote safe and hazardous areas. Monitor weather conditions and post warnings accordingly. | 2М |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Prepare environmental protection equipment like barriers and covers. | |
| | | | - Review site assessment with team for agreement or findings. | |
| 4. Chemical Handling | chemical exposure, inhalation risk | 4A | | 2M |
| 5. Application | incorrect dosing, chemical dispersion | 4A | | 2M |
| 6. Clean-up | residual chemical exposure, accidental contamination | ЗН | | 2M |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 7. Incident Management | chemical accidents, emergency situations not managed promptly | 4A | | 2M |
| 8. Post-Work Review | undetected exposures, latent environmental impact | ЗН | | 1L |
| 9. Training and Competence | lack of training on new procedures, skill fade | ЗН | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | |
| | | | | |
| 10. Monitoring and Maintenance | undetected equipment faults, chemica resistance issues | | | 2M |
| 11. Waste Management | chemical waste leakage, inadequate disposal | 4A | | 2M |
| | | | | |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 12. Stakeholder Engagement | miscommunication, stakeholder dispute | ЗН | | 1L |
| 13. Health Monitoring | long-term exposure effects under exted symptoms | 4A | | 2M |
| 14. Chemical Procurement | purchase of unapproved chemicals, supply chain disruptions | 4A | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 15. Continuous Improvement | outdated procedures, resistance to change | ЗН | | 1L |
| | | | | |



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE R | EFERENCES |
|---|---|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEG | ISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE |
| Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.gld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> | Victoria Occupational Health and Safety Act and 4 Occupational Health and Safety Act and 4 Occupational Health and Safety Subject Safety Safet |
| New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: <u>https://www.safework.nsw.gov.au/legal-obligations/legislati</u> Codes of Practice NSW: <u>https://www.safework.nsw.gov.au/resource-library/lis</u> | Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u> |
| Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formered-resources/compliance/workplace-serve-laws</u> | Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> |
| South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legulation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_daces/codes-of-practice#COPs</u> | Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes |
| Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice | First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): Permits from local council Authorisation to commence work | Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work |

- Any required documents.