

| Ceil | ling Cleaning Risk Assessr | ment | |
|--|----------------------------------|----------------------------------|---------------------------|
| Business Name: | | ABN: | |
| Business Address: | | | |
| Contact Person: | Phone: | Emai | |
| | · | | |
| THIS RISK ASSESS | IENT IS APPROVED BY THE PCI | BU ON Y PROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a p is prepared before the proposed work starts. | person conducting a busine or un | ndertaking PCBU required to ensu | re that a RISK ASSESSMENT |
| Full Name: | | | |
| Signature: | | ritle: | Date: |
| | | | |
| CL | OR PRI. CIN. L.CO. TRACTOR I | DETAILS | |
| Client: | | SCOPE OF | WORKS |
| Project Name: | | | |
| Project Address: | | | |
| Project Manager: | | | |
| Contact Phone: | | | |
| Date Risk Assessment supplied to Project New York | | | |



| RISK MATRIX | | | | | | | | | |
|---|---|---------------------|--|--|--------------------|--|--|--|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE MA | JOR CATASTROPH | | | HIERARCHY OF CONTROLS | | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | | 4 4 JTE ACUTE | SCORE | ACTION | Elimination Remove the hazard. | | |
| LIKELY | 2 MODERATE | 3 HIGH | U U U U U U U U U U U U U U U U U U U | 4 4 JTE ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. Isolation | | |
| POSSIBLE | 1 LOW | 2 MODERATE | | 4 JTE ACUTE | 3H HIGH | Rev before work art | Isolate People from the hazard Engineering Isolate the | | |
| UNLIKELY | 1 LOW | 1 LOW | | 3 Z GH ACU E | MC RATE | Ensure control measures in place. | Activité istrativ e Chang | | |
| RARE | 1 LOW | 1 LOW | | 3 GH H. 1 | 1L LOW | Monitor and keep records. | PP | | |
| Risk Rating & Required Action: 4A Stop work. The risk is intolerable, cominate the hazard predesign the activity before proceeding. A Safe Work Method Statement (SWMS) or his er-level authorisatic is required. 3H Review and approve additional corrols to compare and effective. Proceed with caution; monitor conditions. 2M Ensure all nominated controls are imprace and effective. Proceed with caution; monitor conditions. 1L Proceed, following standard operating procedurer wonitor and keep records. Consequence Scale: | | | | | | | Notes on Hierarchy of Controls: Remember to apply controls in the preferred order shown by the coloured pyramid: 1. Eliminate 2. Substitute 3. Isolate 4. Engineering 5. Administrative 6. PPE | | |
| Consequence | | injury/illness) | Significant regulator intervention: criminal Always document why a low | | | Always document why a lower-order control is accepted if | | | |
| Catastrophic Major | Fatality or perma Serious injury/illr days) | | | wn prosecution | tice; major media | | elimination or substitution is not reasonably practicable. aligned with Safe Work Australia's Managing the risk of fatigue at | | |
| Moderate | Medical-treatmen | nt injury; lost-tim | e > 1 moderate dela | y Minor breach; ad | lverse client comn | nent | work (2023) and ISO 45001:2018 clauses 6–8. | | |
| Minor | First-aid only, no | lost time | negligible dela | y Isolated non-con | formance | | | | |
| | | | | Deviation caught and corrected on site | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------|---|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Slippery floors, Falling objects | ЗH | Conduct a safety briefing before commencing work. Ensure all tools and equipment are accounter or and secured. Use non-slip footwear. Mark hazard zones with cones and warning the attraction of the safety of the safety | 2M |
| 2. Selection of Tools | Incorrect tool use, Fault seament | 21 | Ensure cools are suitable for the task at hand. Ensure cools for sible damage or fault prior to use. Train orderers in correct tool usage. applement a tool tagging system for faulty equipment. Store tools safely when not in use. Perform regular maintenance checks on all tools. Use PPE when handling equipment. Develop a procedure for reporting defects. Reference manufacturer instructions for each tool. Keep a record of all inspections and maintenance. | 1L |
| 3. Access Equipment | Falling from height, Equipment collapse | 4A | Secure ladders and scaffolds as recommended by Safe Work Australia. Inspect access equipment before commencing work. Limit access to trained personnel only. Ensure weight limits of equipment are adhered to. Define a 'no-go' zone under live work areas. Provide fall arrest systems as necessary. Regularly review equipment logs for compliance checks. Train workers in working at heights protocols. | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Demarcate access equipment setup zones. | |
| | | | - Establish emergency rescue plans and drills. | |
| 4. Setting Up Site | Unstable setup, Tripping hazards | ЗН | | 2М |
| 5. Inspection of Ceiling Area | Structural weaknewes, Potential falling debris | ЗН | | 1L |
| 6. Application of Cleaning Solutions | Chemical exposure, Spills leading to slips | ЗН | | 2M |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 7. Commencement of Cleaning | Manual handling strains, Fatigue-related errors | ЗН | | 2M |
| 8. Rinsing and Drying | Electrocution, Wall singress electrical systems | Α | | 1L |
| 9. Cleanup and Waste Disposal | Environmental contamination, Injury while handling waste | ЗН | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 10. Final Inspection | Inadequate cleaning, Missed hazards | 2М | | 1L |
| 11. Dismantling Equipment | Pinching hazards, Falling componer | ЗН | | 2М |
| 12. Equipment Storage | Storage collapse, Improperly secured equipment | ЗН | | 1L |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 13. Post-Job Review | Unaddressed issues, Lack of feedback | 2М | | 1L |
| 14. Staff Demobilisation | Transportation accidents Injuries using demobilisation | 2М | | 1L |
| 15. Documentation and Reporting | Inaccurate records, Loss of documentation | ЗН | | 2M |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | S | | | |



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE F | REFERENCES |
|--|---|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEG | GISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE |
| Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.gld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> | Victoria Octopational Health and Safety Action 04 Octopational Health and Safety Action 04 Octopational Health and Safety Supervised Safety Software Sof |
| New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative | Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u> |
| Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation, 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/worplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/f</u> | Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> |
| South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legulation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_saces/codes-of-practice#COPs</u> | Model Codes of Practice Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes |
| Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice Codes of Practice for TAS: | First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work | Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work |

- Any required documents.