

| Change Cut | tting Teeth Of Grinder Risk | Assessment | |
|--|----------------------------------|----------------------------------|----------------------------|
| Business Name: | | ABN: | |
| Business Address: | | | |
| Contact Person: | Phone: | Emai | |
| | | | |
| THIS RISK ASSESSI | MENT IS APPROVED BY THE PCI | BU ON PROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a is prepared before the proposed work starts. | person conducting a busine or ur | ndertaking PCBU required to ensu | ire that a RISK ASSESSMENT |
| Full Name: | | | |
| Signature: | | ritle: | Date: |
| CL | | DETAILS | |
| Client: | | SCOPE OF | WORKS |
| Project Name: | | | |
| Project Address: | | | |
| Project Manager: | | | |
| Contact Phone: | | | |
| Date Risk Assessment supplied to Project N. | | | |



| | | | | F | RISK MATRIX | | | |
|---|---|--|---|--|---|---|--|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE MA | JOR CATASTROPH | | | HIERARCHY OF CONTROLS | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | | 4 4 JTE ACUTE | SCORE | ACTION | Elimination Remove the hazard. | |
| LIKELY | 2 MODERATE | 3 HIGH | U U U U U U U U U U U U U U U U U U U | 4 4 JTE ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. Isolation | |
| POSSIBLE | 1 LOW | 2 MODERATE | | 4 JTE ACUTE | 3H HIGH | Rev before work art | Isolate People from the hazard Engineering Isolate the | |
| UNLIKELY | 1 LOW | 1 LOW | | 3 Z GH ACU E | MC RATE | Ensure control measures in place. | Activité istrativ e Chang | |
| RARE | 1 LOW | 1 LOW | | 3 GH H. 1 | 1L LOW | Monitor and keep records. | PP | |
| 4AStop Meth3HRevia2MEnsu1LProceConsequen | eed, following star | intolerable, in VMS) or hi er-l dditional currol controls are import ndard operating | ace and efficieve. Proposed are Annual A | required. ts. Senior supervisor oceed with caution; m and keep records. | sign-off needed. nonitor conditions. | | Notes on Hierarchy of Controls: Remember to apply controls in the preferred order shown by the coloured pyramid: 1. Eliminate 2. Substitute 3. Isolate 4. Engineering 5. Administrative 6. PPE | |
| Consequence | | injury/illness) | Project / Ass | Significant regula | pliance / Reputat ator intervention; c | | Always document why a lower-order control is accepted if | |
| Catastrophic Major | Fatality or perma Serious injury/illr days) | | | wn prosecution | tice; major media | | elimination or substitution is not reasonably practicable. aligned with Safe Work Australia's Managing the risk of fatigue at | |
| Moderate | Medical-treatmen | nt injury; lost-tim | e > 1 moderate dela | y Minor breach; ad | Minor breach; adverse client comment | | work (2023) and ISO 45001:2018 clauses 6–8. | |
| Minor | First-aid only, no | lost time | negligible dela | y Isolated non-con | formance | | | |
| | | | no schedule | | Deviation caught and corrected on site | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Inadequate tools, Poor lighting | ЗН | Ensure all necessary tools are available and functional before starting Conduct a pre-work inspection of tools and encoment Ensure work area is well-lit; use portable units if necessary Verify that lighting is sufficient for task visibilit Implement a checklist for tool readiness and silve ponditions Hold a pre-start safety meetine to discuss potential areas Ensure all persenterance ware whet task and bazards Use signage to alert work are formed work area Reporte any uncessary items from a work area Description a teal mader to oversee preparation activities | 2М |
| 2. Secure Grinder | Falling objects, Inadequate securing of grinder | 21 | Ensure grind usis placed on a stable, level surface Level clarps or resports to secure grinder position Establish no-go zone around the grinder to prevent distractions Parify all securing mechanisms are appropriate for the grinder weight Inspect the workbench for structural integrity Ensure all tools not in use are stowed safely Conduct a risk assessment specific to the grinder location Clear the surrounding area of any potential trip hazards Use safety cones or barriers to mark off the work area Engage a spotter to monitor the environment | 2М |
| 3. Disconnect Power | Electrical shock, Accidental activation | 4A | Switch off the grinder at the wall socket Unplug the grinder from the electrical supply Use Lockout Tagout (LOTO) systems to ensure the grinder remains off Ensure all power cables are clear of any water sources Conduct a voltage test to confirm power disconnection Train personnel on correct lockout procedures Utilize a lockbox to store keys during maintenance Display warning signs indicating machinery under maintenance | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------|---------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Assign responsibility for machinery lockout management | |
| | | | - Periodically review disconnection procedures for improvements | |
| 4. Remove Old Teeth | Flying debris, Tool slippage | ЗН | | 2М |
| 5. Inspect New Teeth | Defective parts, Implementation | зн | | 1L |
| 6. Install New Teeth | Incorrect installation, Tool slippage | 4A | | 2М |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------|---|-----------------|--|----------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL |
| 7. Test Installation | Unexpected operation, Faulty installation | 4A | | 2M |
| 8. Clean Work Area | Slip hazards, Poor visibility | 2M | | 1L |
| 9. Reconnect Power | Electrical shock, Power surge | 3Н | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------------------|-------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 10. Conduct Final Inspection | Missed faults, Incomplete setup | 2М | | 1L |
| 11. Return Grinder to Service | Operational prototype, Improper use | ЗН | | 1L |
| 12. Monitor Grinder Operation | Overheating, Wear and tear | 2М | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------------|---|-----------------|--|----------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL |
| 13. Emergency Procedures | Inadequate response, Panic situations | ЗН | | 1L |
| 14. Record Keeping | Lost data, Incomplete records | 2М | | 1L |
| 15. Review and Feedback | Unaddressed issues, Ineffective solutions | 2M | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | S | | | |



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| | EFERENCES |
|---|--|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGIS | SLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE |
| Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice | Victoria Occupational Health an Safety Act and Occupational Health and pretvingulations 2017 Legis on VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulature</u> Codes on mactice VIC <u>extps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u> |
| New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative | Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u> |
| Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 201. Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/wo</u> <u>place-sector-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/wo</u> <u>place-sector</u> | Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> |
| South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/worf_laces/codes-of-practice#COPs</u> | Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes |
| Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice | First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents. | Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work |