

## Check Fluid Levels Risk Assessment

Business Name:	ABN:	
Business Address:		
Contact Person:	Phone:	Email:

## THIS RISK ASSESSMENT IS APPROVED BY THE PCBU ON THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a RISK ASSESSMENT is prepared before the proposed work starts.

Full Name:		
Signature:	Title:	Date:

## CLIENT OR PRINCIPAL CONTRACTOR DETAILS

Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date Risk Assessment supplied to Project Manager:	

RISK MATRIX								
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HIERARCHY OF CONTROLS
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE			<b>Elimination</b> Remove the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCEED	<b>Substitution</b> Replace the hazard.
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.	<b>Isolation</b> Isolate People from the hazard
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	<b>Engineering</b> Isolate the hazard
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	Monitor and keep records.	<b>Administrative</b> Change
								<b>PPE</b>
<b>Risk Rating &amp; Required Action:</b>						<b>Notes on Hierarchy of Controls:</b>		
4A Stop work. The risk is intolerable. Eliminate the hazard or redesign the activity before proceeding. A Safe Work Method Statement (SWMS) or higher-level authorisation is required.						Remember to apply controls in the preferred order shown by the coloured pyramid:		
3H Review and approve additional controls before task starts. Senior supervisor sign-off needed.						1. <b>Eliminate</b>		
2M Ensure all nominated controls are in place and effective. Proceed with caution; monitor conditions.						2. <b>Substitute</b>		
1L Proceed, following standard operating procedures. Monitor and keep records.						3. <b>Isolate</b>		
						4. <b>Engineering</b>		
						5. <b>Administrative</b>		
						6. <b>PPE</b>		
<b>Consequence Scale:</b>						Always document <b>why</b> a lower-order control is accepted if elimination or substitution is not reasonably practicable.		
Consequence	People (injury/illness)		Project / Assets		Compliance / Reputation			
Catastrophic	Fatality or permanent total disability		project shutdown		Significant regulator intervention; criminal prosecution			
Major	Serious injury/illness (hospital > 5 days)		critical delay		Improvement notice; major media coverage			
Moderate	Medical-treatment injury; lost-time > 1 day		moderate delay		Minor breach; adverse client comment			
Minor	First-aid only, no lost time		negligible delay		Isolated non-conformance			
Insignificant	No injury		no schedule impact		Deviation caught and corrected on site			
						aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.		

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Slip on fluid, Equipment malfunction	3H	<ul style="list-style-type: none"> <li>- Conduct a site inspection to identify potential slip hazards.</li> <li>- Ensure proper lighting in work area.</li> <li>- Use appropriate slip-resistant footwear.</li> <li>- Ensure equipment is regularly maintained and checked for malfunctions.</li> <li>- Provide training on equipment use.</li> <li>- Use proper signage to warn of potential fluid hazards.</li> <li>- Ensure spill kits are available and easily accessible.</li> <li>- Use drip trays to catch any leaking fluids.</li> <li>- Ensure safety data sheets are available for all fluids.</li> <li>- Limit access to the area to trained personnel only.</li> </ul>	2M
2. Inspect Fluid Levels	Exposure to chemicals, Fire	3H	<ul style="list-style-type: none"> <li>- Use appropriate personal protective equipment including gloves and goggles.</li> <li>- Employ proper techniques for accessing fluid compartments.</li> <li>- Train workers on handling hazardous chemicals safely.</li> <li>- Provide clear instructions and training on fluid level checking procedures.</li> <li>- Implement double-check procedures for the proper closing of fluid compartments.</li> <li>- Have absorbent materials ready in case of spillage.</li> <li>- Label all fluid containers and compartments clearly.</li> <li>- Use funnel and other spillage prevention tools.</li> <li>- Keep a record of inspections for accountability.</li> <li>- Designate and train a fluid level inspection supervisor.</li> </ul>	2M
3. Utilise Correct Tools	Tool misuse, Inappropriate tool for task	3H	<ul style="list-style-type: none"> <li>- Confirm tools are suitable for the job prior to use.</li> <li>- Inspect tools for defects before and after use.</li> <li>- Train staff on the correct use of tools.</li> <li>- Provide a range of suitable tools for all potential tasks.</li> <li>- Regularly maintain and service tools as required.</li> <li>- Store tools safely when not in use.</li> <li>- Use only tools recommended by manufacturer for specific tasks.</li> <li>- Label tools with their specific functions for clear identification.</li> </ul>	1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<ul style="list-style-type: none"> <li>- Encourage reporting of faulty or ineffective tools.</li> <li>- Implement a tool sign-out system to track tool usage.</li> </ul>	
4. Handle Fluids Safely	Chemical burns, Environmental contamination	4A	<p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p>	2M
5. Monitor Work Environment	Unnoticed spillage, Poor ventilation	3H	<p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p>	1L
6. Communicate with Team	Miscommunication, Lack of training	4A	<p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p>	2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Personal Protective Equipment (PPE) Usage	PPE non-compliance, Inadequate protection	4A		1L
8. Perform Level Checks	Incorrect measurement, Overfilling	3H		1L
9. Secure Fluid Access Points	Unsecured containers, Unauthorised access	4A		2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Cleanup and Disposal	Improper disposal, Residual contamination	3H		2M
11. Conduct Final Inspection	Overlooked spills, Incomplete procedures	2M		1L
12. Review and Feedback	Lack of process improvements, Feedback not implemented	2M		1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Report Incidents	Unreported incidents, Delayed reporting	4A		2M
14. Emergency Preparedness	Inadequate emergency response, Lack of awareness	4A		2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Continuous Monitoring	Unnoticed risk changes, Inconsistent monitoring	3H	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	2M

SAMPLE

## EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

## LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

### Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

### Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

### New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

### Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

### Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

### Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.