

| Chip  | ping Activities Risk Assess      | sment                             |                           |
|---|----------------------------------|-----------------------------------|---------------------------|
| Business Name:  |                                  | ABN:                              |                           |
| Business Address:   |                                  |                                   |                           |
| Contact Person:   | Phone:                           | Ema.                              |                           |
|   | 1                                |                                   |                           |
| THIS RISK ASSESSI   | MENT IS APPROVED BY THE PC       | BU ON W PROJECT                   |                           |
| Under the Work Health and Safety Regulation (WHS Regulation), a pis prepared before the proposed work starts. | person conducting a busine or un | ndertaking PCBU required to ensur | re that a RISK ASSESSMENT |
| Full Name:  |                                  |                                   |                           |
| Signature:  |                                  | ritle:                            | Date:                     |
|   |                                  |                                   |                           |
| CL  | OR PRICEIN LCO. TRACTOR I        | DETAILS                           |                           |
| Client:   |                                  | SCOPE OF                          | WORKS                     |
| Project Name:   |                                  |                                   |                           |
| Project Address:  |                                  |                                   |                           |
| Project Manager:  |                                  |                                   |                           |
| Contact Phone:  |                                  |                                   |                           |
| Date Risk Assessment supplied to Project In.  |                                  |                                   |                           |

Version 2.5 Authorised by Review # Review Date:



#### **RISK MATRIX LIKELIHOOD** INSIGNIFICANT MINOR MODERATE MAJOR CATASTROPHIC HIERARCHY OF CONTROLS SCORE ACTION Elimination ALMOST 3 HIGH 3 HIGH 4 4 ACUTE ACUTE ACUTE **CERTAIN** Remove the hazard. Substitution 4 DO NOT Replace the hazard. LIKELY MODERATE HIGH HIGH ACUTE ACUTE ACUTE ROCEED Isolation Isolate People from the hazard 2 3 4 3H Rev before POSSIBLE MODERATE ACUTE ACUTE LOW HIGH HIGH. work Engineering Isolate the l/Acchanich. Ensure control 2 3 2M istrativ UNLIKELY measures in LOW LOW MODERATE HIGH ACU RATE е place. Chang 2 MODERATE 3 HIGH 1L Monitor and RARE LOW LOW LOW keep records.

### Risk Rating & Required Action:

| 4A | Stop work. The risk is intolerable, minate the hazard redesign the activity before proceeding. A Safe Work |
|----|--|
|    | Method Statement (SWMS) or hit er-level authorisation is required.   |
| 3H | Review and approve additional controls to the last arts. Senior supervisor sign-off needed.                |
| 2M | Ensure all nominated controls are in prace and efficiency roceed with caution; monitor conditions.         |
| 1L | Proceed, following standard operating procedures. Monitor and keep records.                                |

### **Consequence Scale:**

| Consequence   | People (injury/illness)                     | Project / Assets   | Compliance / Reputation                                  |
|---------------|---|--------------------|--|
| Catastrophic  | Fatality or permanent total disability      | project shutdown   | Significant regulator intervention; criminal prosecution |
| Major         | Serious injury/illness (hospital > 5 days)  | critical delay     | Improvement notice; major media coverage                 |
| ivioderate    | Medical-treatment injury; lost-time > 1 day | moderate delay     | Minor breach; adverse client comment                     |
| Minor         | First-aid only, no lost time                | negligible delay   | Isolated non-conformance                                 |
| Insignificant | No injury                                   | no schedule impact | Deviation caught and corrected on site                   |

#### Notes on Hierarchy of Controls:

Remember to apply controls in the preferred order shown by the coloured pyramid:

- 1. Eliminate
- Substitute
- Isolate
- 4. Engineering
- 5. Administrative
- 6. PPE

Always document **why** a lower-order control is accepted if elimination or substitution is not reasonably practicable.

aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.



| JOB STEP               | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES  | RR               |
|------------------------|---|-----------------|---|------------------|
| SPECIFIC WORK STEPS    | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK |
| 1. Preparation         | Failure to inspect equipment, Lack of personal protective equipment | зн              | - Conduct thorough inspection of all chipping equipment before use  - Ensure all workers are equipped with personal actective equipment, including gloves, goggles, and helmets  - Provide training on safety protocols for using hipping aquipment  - Supervise inexperienced workers closely during reparation  - Maintain a log of equipment cacks and maintenance  - Ensure a first aid bit transessile on site  - Designate are mergency untact poson on site  - Restrict access to the way area to accessed personnel only  - Set transming are caround the chipping area  - Provice moving a part of the workers | 2M               |
| 2. Equipment Setup     | Improper assembly of supply machine Overhead obstacle               | r/A             | Follow anulta urer's instructions for assembly step by step  Use a clacklist to verify proper setup of all machine components  Clear ow head area of any obstacles before setting up  Lucure setup area is level and stable  Test machine functionality in a controlled manner  Ensure all safety guards are in place and operational  Use spotters when manoeuvring equipment into position  Verify power connections are secure and correct  Educate operators on emergency shutdown procedures  Install signage indicating setup in progress   | ЗН               |
| 3. Start-up Procedures | Noise pollution, Unexpected machine start                           | ЗН              | - Use hearing protection for all workers in the vicinity - Implement a start-up checklist to ensure all safety protocols are met - Inform all personnel before starting the machine - Perform a walk-around inspection to ensure no obstructions - Initiate a test start under controlled conditions - Maintain a communication line open during start-up - Set up barriers to demarcate a safe start-up zone - Ensure all controls are labelled clearly  | 2M               |



4

| JOB STEP             | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|----------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS  | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                      |  |                 | - Train operators on proper start-up sequence                          |                  |
|                      |  |                 | - Regularly service start-up components to ensure reliability          |                  |
| 4. Operation         | Entanglement in moving parts,<br>Inadequate supervision        | 4A              |  | 2M               |
| 5. Material Handling | Manual handling it stries, Slips and trips                     | ЗН              |  | 2M               |
| 6. Feeding Machine   | Machine blockages, Inappropriate material fed into the machine | 4A              |  | 3H               |



| JOB STEP                  | POTENTIAL HAZARDS                                | IR              | CONTROL MEASURES   | RR               |
|---------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS       | HAZARDS THAT MAY ARISE                           | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 7. Maintenance            | Exposure to live electrical parts, Falling tools | 3H              |  | TL               |
| 8. Cleaning               | Chemical exposure surface                        | ЗН              |  | 2M               |
| 9. Shutdown<br>Procedures | Caught in equipment, Loss of power control       | 4A              |  | ЗН               |



| JOB STEP                           | POTENTIAL HAZARDS                                | IR              | CONTROL MEASURES   | RR               |
|------------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS                | HAZARDS THAT MAY ARISE                           | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 10. Emergency<br>Response          | Injury during response, Inadequate communication | 4A              |  | 2M               |
| 11. Inspection Post-<br>Activities | Overlooked machine damage, Miss checklist items  | ЗН              |  | 2M               |
| 12. Storage                        | Improper storage of tools, Chemical spill        | 3Н              |  | 1L               |



7

| JOB STEP                      | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|-------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS           | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 13. Waste Disposal            | Exposure to hazardous waste, Incorrect disposal procedures         | 4A              |  | 2M               |
| 14. Training and Induction    | Inadequate training, Lack or understanding of emergency procedures | 4A              |  | 2M               |
| 15. Continuous<br>Improvement | Failure to identify emerging risks,<br>Stagnant safety practices   | 4A              |  | 2M               |



| JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   | RR              |
|---------------------|------------------------|-----------------|--|-----------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUA<br>RISK |
|                     |                        |                 |  |                 |
|                     |                        |                 |  |                 |
|                     |                        |                 |  |                 |
|                     |                        |                 |  |                 |
|                     |                        |                 |  |                 |
|                     |                        |                 |  |                 |
|                     |                        |                 |  |                 |
|                     |                        |                 |  |                 |
|                     | 5                      |                 |  |                 |



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-oi racti

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Codes of Practice NT: https://worksafe.nt.gov.au/f

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le\_lation

Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/wor">https://www.safework.sa.gov.au/wor</a> aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health al. Safety Act

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.wksafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

tes of actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work