

| Climbing Sta   | airs With Heavy Loads Risk       | Assessment                       |                            |
|--|----------------------------------|----------------------------------|----------------------------|
| Business Name:   |                                  | ABN:                             |                            |
| Business Address:  |                                  |                                  |                            |
| Contact Person:  | Phone:                           | Eme                              |                            |
|  |                                  |                                  |                            |
| THIS RISK ASSESS   | MENT IS APPROVED BY THE PC       | BU OF PROJECT                    |                            |
| Under the Work Health and Safety Regulation (WHS Regulation), a is prepared before the proposed work starts. | person conducting a busine or ur | ndertaking PCBU required to ensu | ire that a RISK ASSESSMENT |
| Full Name:   |                                  |                                  |                            |
| Signature:   |                                  | ritle:                           | Date:                      |
| CLY  |                                  | DETAILS                          |                            |
| Client:  |                                  | SCOPE OF                         | WORKS                      |
| Project Name:  |                                  |                                  |                            |
| Project Address:   |                                  |                                  |                            |
| Project Manager:   |                                  |                                  |                            |
| Contact Phone:   |                                  |                                  |                            |
| Date Risk Assessment supplied to Project N.  |                                  |                                  |                            |



| RISK MATRIX   |   |                     |                                       |                    |  |   |  |  |
|---|---|---------------------|---------------------------------------|--------------------|--|---|--|--|
| LIKELIHOOD  | INSIGNIFICANT                                     | MINOR               | MODERATE MA                           | JOR CATASTROPH     |  |   | HIERARCHY OF CONTROLS  |  |
| ALMOST<br>CERTAIN   | 3<br>HIGH   | 3<br>HIGH           |                                       | 4 4<br>JTE ACUTE   | SCORE  | ACTION                                  | Elimination<br>Remove the hazard.  |  |
| LIKELY  | 2<br>MODERATE                                     | 3<br>HIGH           | U U U U U U U U U U U U U U U U U U U | 4 4<br>JTE ACUTE   | 4A<br>ACUTE  | DO NOT<br>PROCEED                       | Substitution<br>Replace the hazard.<br>Isolation   |  |
| POSSIBLE  | 1<br>LOW  | 2<br>MODERATE       |                                       | 4<br>JTE ACUTE     | 3H<br>HIGH   | Rev before<br>work art                  | Isolate People from the<br>hazard<br>Engineering<br>Isolate the  |  |
| UNLIKELY  | 1<br>LOW  | 1<br>LOW            |                                       | 3 Z<br>GH ACU E    | MC RATE  | Ensure control<br>measures in<br>place. | Activité<br>istrativ<br>e<br>Chang   |  |
| RARE  | 1<br>LOW  | 1<br>LOW            |                                       | 3<br>GH H. 1       | 1L<br>LOW  | Monitor and keep records.               | PP   |  |
| And Method Statement (SWMS) or his er-level authorisation is required.       Sector supervisor sign-off needed.       Image: Coloured pyramid:         3H       Review and approve additional controls are implace and efficiency of ask parts. Senior supervisor sign-off needed.       Image: Coloured pyramid:         2M       Ensure all nominated controls are implace and efficiency of one deficiency of the control of the proceed with caution; monitor conditions.       Image: Coloured pyramid:         1L       Proceed, following standard operating procedures of onitor and keep records.       Image: Coloured pyramid:         2       Substitute         3       Isolate         4       Engineering         5       Administrative |   |                     |                                       |                    |  |   | Remember to apply controls in the preferred order shown by the coloured pyramid: <ol> <li>Eliminate</li> <li>Substitute</li> <li>Isolate</li> <li>Engineering</li> </ol> |  |
| Consequence   |   | injury/illness)     | Project / Ass                         | Significant regula | pliance / Reputat  |   | Always document why a lower-order control is accepted if   |  |
| Catastrophic<br>Major   | Fatality or perma<br>Serious injury/illr<br>days) |                     |                                       | wn prosecution     | Significant regulator intervention; criminal prosecution |   | elimination or substitution is not reasonably practicable.<br>aligned with Safe Work Australia's Managing the risk of fatigue at   |  |
| Moderate  | Medical-treatmen                                  | nt injury; lost-tim | e > 1 moderate dela                   | y Minor breach; ad | Minor breach; adverse client comment                     |   | work (2023) and ISO 45001:2018 clauses 6–8.  |  |
| Minor   | First-aid only, no                                | lost time           | negligible dela                       | y Isolated non-con | formance   |   |  |  |
|   |   |                     | no schedule                           |                    | Deviation caught and corrected on site                   |   |  |  |



| JOB STEP            | POTENTIAL HAZARDS                      | IR              | CONTROL MEASURES  | RR               |
|---------------------|--|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                 | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK |
| 1. Preparation      | Inadequate training, Improper clothing | ЗН              | <ul> <li>Provide training on lifting techniques and risk awarcless</li> <li>Ensure appropriate work clothing and non-slip otwear are worn</li> <li>Conduct a pre-task briefing to understance dividual resensibilities</li> <li>Inspect the load to ensure no sharp edges of the sensibilities</li> <li>Confirm communication decrees are functional the emergence stuations</li> <li>Perform pre-start checklist of a safety equipment lover, rootwear, etc. BDEVD2qkBF- Ensure signage about weight and proper lifting technique as visible</li> <li>CCTV surveitate to moleur adherance to study procedures</li> <li>Assign expended staff oversee protection stage</li> <li>Destance a same near or preparation to minimise distractions and hazards. BDFdQXxGPn- Check for adequise whiting a clear obstacle-free routes where preparation takes place. BB9NEyf- Schedule regularefit er training courses for load handlers. 14WjbPpBdr- Maintain an up-to-date log of accidents and near mission relation of improper preparation. Bm8WVXVLpu- Ensure the preparation area is ccessity only authorised personnel. BAPY3ZGzIr- Make available and ensure the use of PPE suited hubis tak. TG4 DEbAQb- Provide guidance to employees about handling specific substances and loads.</li> </ul> | 2М               |
| 2. Planning Route   | Route obstacles, Poor lighting         | ЗН              | Evaluate the route for obstacles and remove any potential hazards - Ensure the path is well-lit and free from obstructions - Plan for multiple routes in case of an emergency - Mark and sign the designated route for easy navigation - Assign a spotter for guidance in complex areas - Use barriers to prevent access to non-route areas - Encourage pre-inspection of stairways by health and safety personnel - Implement regular cleaning schedule to ensure route cleanliness - Install additional handrails where necessary for added safety - Use temporary lighting stands in dimly lit areas during work hours - Make available floor mats or anti-slip tape on stairways - Install mirror gadgets at corners or tight spots to enhance visibility - Schedule routes to be used when stairs are less crowded - Assign personnel to monitor and signal in case of any blockages   | 1L               |
| 3. Load Evaluation  | Overload risk, Imbalanced load         | 4A              |   | 2M               |



| JOB STEP            | POTENTIAL HAZARDS              | IR              | CONTROL MEASURES  | RR               |
|---------------------|--------------------------------|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE         | INITIAL<br>RISK | <ul> <li>SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS</li> <li>Establish and communicate maximum load weight limits for workers</li> <li>Use suitable equipment for load distribution like trollies or dollies</li> <li>Train staff on proper manual handling technique</li> <li>Provide load evaluation training</li> <li>Ensure that equipment is regularly maintain reand it prected</li> <li>Implement a buddy system for checking load bunce</li> <li>Provide detailed documentation load handling encedence</li> <li>Mark standard weiter enmine is on storage items</li> <li>Conduct ranson checks is Supervors on lose carriage</li> <li>Utilise technicity such existences on loads indicating balance points</li> <li>Ensure lear vision arkings on loads indicating balance points</li> <li>Use pullelencks for enticularly heavy loads where applicable</li> <li>Rotate utile on avoid suscle fatigue among workers</li> <li>Ifer fit iss an utrength training sessions to workers</li> </ul> | RESIDUAL<br>RISK |
| 4. Picking Up Load  | Muscle strain, Slips and the   | ЗН              |   | 1L               |
| 5. Moving Up Stairs | Loss of balance, Back injuries | 4A              |   | 2M               |

Version 2.5



| JOB STEP                       | POTENTIAL HAZARDS                | IR              | CONTROL MEASURES   | RR               |
|--------------------------------|----------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS            | HAZARDS THAT MAY ARISE           | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                                |                                  |                 |  |                  |
| 6. Load Position<br>Management | Load shifts, Falling objects     | ЗН              |  | 1L               |
| 7. Reaching Destination        | Area crowding, Visibility issues | 2M              |  | 1L               |



| JOB STEP            | POTENTIAL HAZARDS                 | IR              | CONTROL MEASURES   | RR               |
|---------------------|-----------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE            | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |                                   |                 |  |                  |
| 8. Unloading        | Handling errors, Load dru         | ЗН              |  | 2M               |
| 9. Final Check      | Missed procedures, Non-compliance | 2M              |  | 1L               |



| JOB STEP               | POTENTIAL HAZARDS                  | IR              | CONTROL MEASURES   | RR               |
|------------------------|------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS    | HAZARDS THAT MAY ARISE             | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 10. Documentation      | Documentation errors, Data loss    | 2M              |  | 1L               |
| 11. Incident Reporting | Incomplete data, Delayed reporting | ЗН              |  | 2М               |

Version 2.5



| JOB STEP                   | POTENTIAL HAZARDS                                      | IR              | CONTROL MEASURES   | RR               |
|----------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS        | HAZARDS THAT MAY ARISE                                 | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                            |  |                 |  |                  |
| 12. Review and<br>Feedback | Missed improvement areas, Limited staff<br>involvement | 2М              |  | 1L               |
| 13. Maintenance            | Equipment failures, Safety protocol neglect            | ЗН              |  | 1L               |

Version 2.5



| JOB STEP                             | POTENTIAL HAZARDS                     | IR              | CONTROL MEASURES   | RR       |
|--------------------------------------|---------------------------------------|-----------------|--|----------|
| SPECIFIC WORK STEPS                  | HAZARDS THAT MAY ARISE                | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL |
| 14. Emergency<br>Procedures          | Evacuation delays, Paniamenonses      | 44              |  | 2M       |
| 15. Task Completion<br>and Reporting | Incorrect reporting, Missed anomalies | 2M              |  | 1L       |



| JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   | RR               |
|---------------------|------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |                        |                 |  |                  |
|                     |                        |                 |  |                  |
|                     |                        |                 |  |                  |
|                     |                        |                 |  |                  |
|                     |                        |                 |  |                  |
|                     | G                      |                 |  |                  |



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE REFERENCES  |  |  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|--|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL   | ATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE   |  |  |  |  |  |  |  |
| Queensland & Australian Capital Territory<br>Work Health and Safety Act 2011<br>Work Health and Safety Regulations 2011<br>Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws<br>Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice<br>Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations<br>Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice  | Victoria<br>Occupational Health au Safety Act 204<br>Occupational Health and affety or gulations 2017<br>Legis from VIC: https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-<br>oular occupational-health-and-safety-act-and-<br>oular occupational-health-and-safety-act-and-<br>oular occupational-health-and-safety-act-and-<br>oular occupational-health-and-safety-act-and-<br>oular occupational-health-and-safety-act-and-<br>oular occupational-health-and-safety-act-and-<br>oular occupational-health-and-safety-act-and-<br>oular occupational-health-and-safety-act-and-<br>oular occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-and-safety-act-and-<br>occupational-health-act-act-and-<br>occupational-health-act-act-act-act-act-act-act-act-act-act |  |  |  |  |  |  |  |
| New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislative">https://www.safework.nsw.gov.au/legal-obligations/legislative</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislative</a>  | Western Australia<br>Work Health and Safety Act 2020<br>Work Health and Safety Regulations 2022<br>Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u><br>Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>  |  |  |  |  |  |  |  |
| Northern Territory<br>Work Health and Safety (National Uniform Legislation) Act 2011<br>Work Health and Safety (National Uniform Legislation) Regulation 2015<br>Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws</u><br>Codes of Practice NT: <u>https://worksafe.nt.gov.au/formediateserve-laws</u>   | Safe Work Australia Links<br>Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u><br>Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-</u><br><u>codes-of-practice</u>   |  |  |  |  |  |  |  |
| South Australia<br>Work Health and Safety Act 2012 (SA)<br>Work Health and Safety Regulations 2012 (SA)<br>Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u><br>Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u>  | Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes   |  |  |  |  |  |  |  |
| Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012         Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations">https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</a> Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a> | <ul> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> </ul>  |  |  |  |  |  |  |  |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.   | <ul> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>  |  |  |  |  |  |  |  |