

Dust Extractor Mobile Risk Assessment

| | | |
|-------------------|--------|--------|
| Business Name: | ABN: | |
| Business Address: | | |
| Contact Person: | Phone: | Email: |

THIS RISK ASSESSMENT IS APPROVED BY THE PCBU ON THIS PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a RISK ASSESSMENT is prepared before the proposed work starts.

| | | |
|------------|--------|-------|
| Full Name: | | |
| Signature: | Title: | Date: |

CLIENT OR PRINCIPAL CONTRACTOR DETAILS

| | |
|---------------------------------------------------|----------------|
| Client: | SCOPE OF WORKS |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Date Risk Assessment supplied to Project Manager: | |

| RISK MATRIX | | | | | | | | | |
|----------------|---------------|---------------|---------------|------------|--------------|----------------|-----------------------------------|---------------------------------------------|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | SCORE | ACTION | HIERARCHY OF CONTROLS | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | | | Elimination Remove the hazard. | |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. | |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review before work starts. | Isolation Isolate People from the hazard | |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | Engineering Isolate the hazard | |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | Monitor and keep records. | Administrative Change | |
| | | | | | | | | PPE | |

Risk Rating & Required Action:

| | |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4A | Stop work. The risk is intolerable. Eliminate the hazard or redesign the activity before proceeding. A Safe Work Method Statement (SWMS) or higher-level authorisation is required. |
| 3H | Review and approve additional controls before task starts. Senior supervisor sign-off needed. |
| 2M | Ensure all nominated controls are in place and effective. Proceed with caution; monitor conditions. |
| 1L | Proceed, following standard operating procedures. Monitor and keep records. |

Consequence Scale:

| Consequence | People (injury/illness) | Project / Assets | Compliance / Reputation |
|---------------|---------------------------------------------|--------------------|----------------------------------------------------------|
| Catastrophic | Fatality or permanent total disability | project shutdown | Significant regulator intervention; criminal prosecution |
| Major | Serious injury/illness (hospital > 5 days) | critical delay | Improvement notice; major media coverage |
| Moderate | Medical-treatment injury; lost-time > 1 day | moderate delay | Minor breach; adverse client comment |
| Minor | First-aid only, no lost time | negligible delay | Isolated non-conformance |
| Insignificant | No injury | no schedule impact | Deviation caught and corrected on site |

Notes on Hierarchy of Controls:

Remember to apply controls in the preferred order shown by the coloured pyramid:

1. **Eliminate**
2. Substitute
3. Isolate
4. Engineering
5. Administrative
6. PPE

Always document **why** a lower-order control is accepted if elimination or substitution is not reasonably practicable.

aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------|-------------------------------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | dust exposure, manual handling | 3H | <ul style="list-style-type: none"> - Conduct a site-specific risk assessment prior to commencing work. - Ensure workers are trained in manual handling techniques. - Use mechanical aids for lifting and moving heavy equipment. - Provide appropriate PPE, including masks and gloves, to workers. - Brief workers on job-specific safety protocols. - Ensure emergency procedures are understood and accessible. - Check that all equipment and tools are in good condition. - Verify that the work area is free of obstructions. - Allow adequate time for preparation tasks. - Confirm communication devices are operational. | 2M |
| 2. Site Setup | slips, trips and falls, equipment failure | 4H | <ul style="list-style-type: none"> - Inspect the working surface and clear debris before setting up. - Use signage to warn of potential trip hazards. - Ensure equipment is properly assembled and stable. - Use non-slip mats or surfaces where necessary. - Verify that all equipment has undergone regular maintenance. - Assign a competent person to oversee the setup process. - Establish clear walkways free from obstacles. - Provide adequate lighting for the work area. - Perform a checklist verification for equipment setup. - Remove any unnecessary materials from the vicinity. | 3H |
| 3. Equipment Inspection | electrical hazard, mechanical failure | 4A | <ul style="list-style-type: none"> - Perform a visual inspection of the dust extractor before use. - Check electrical connections for wear and damage. - Test the grounding and power safety devices. - Verify all safety guards and mechanisms are functioning. - Inspect hoses and filters for clogs or damage. - Ensure the equipment is switched off before inspection. - Involve an electrician for any electrical faults. - Confirm safe operating procedures are followed. | 2M |

| | | |
|--------------------|----|---------------------------------------------------------|
| unexpected startup | 3H | <p>- Replace or repair faulty equipment before use.</p> |
| fatigue | 3H | <p> </p> |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------|-------------------------------------------------|--------------|------------------------------------------------------------------------|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 7. Maintenance | locked-out equipment, exposure to stored energy | 4A | | 2M |
| 8. Shutdown Procedure | improper shutdown, stored energy | 3H | | 1L |
| 9. Clean Up | chemical exposure, contact with sharp objects | 3H | | 2M |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------------------|--------------------------------------------|--------------|------------------------------------------------------------------------|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 10. Reporting and Documentation | incomplete records, communication failures | 2M | | 1L |
| 11. Training & Induction | underqualified personnel, miscommunication | 3H | | 2M |
| 12. Emergency Response Planning | unpreparedness, panic | 4A | | 2M |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------------|------------------------------------------|--------------|------------------------------------------------------------------------|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 13. Waste Management | improper disposal, environmental hazards | 3H | | 1L |
| 14. Communication | miscommunication, information overload | 2M | | 1L |
| 15. Review & Continuous Improvement | stagnation, non-compliance | 2M | | 1L |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|------------------------|--------------|-------------------------------------------------------------------------|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> | |
| | | | | |

SAMPLE

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.