

| Dynami  | c Weight Testing Risk Ass        | essment                           |                           |
|---|----------------------------------|-----------------------------------|---------------------------|
| Business Name:  |                                  | ABN:                              |                           |
| Business Address:   |                                  |                                   |                           |
| Contact Person:   | Phone:                           | Ema.                              |                           |
|   | 1                                |                                   |                           |
| THIS RISK ASSESSI   | MENT IS APPROVED BY THE PC       | BU ON W PROJECT                   |                           |
| Under the Work Health and Safety Regulation (WHS Regulation), a pis prepared before the proposed work starts. | person conducting a busine or un | ndertaking PCBU required to ensur | re that a RISK ASSESSMENT |
| Full Name:  |                                  |                                   |                           |
| Signature:  |                                  | ritle:                            | Date:                     |
|   |                                  |                                   |                           |
| CL  | OR PRICEIN LCO. TRACTOR I        | DETAILS                           |                           |
| Client:   |                                  | SCOPE OF                          | WORKS                     |
| Project Name:   |                                  |                                   |                           |
| Project Address:  |                                  |                                   |                           |
| Project Manager:  |                                  |                                   |                           |
| Contact Phone:  |                                  |                                   |                           |
| Date Risk Assessment supplied to Project In.  |                                  |                                   |                           |

Version 2.5 Authorised by Review # Review Date:



#### **RISK MATRIX LIKELIHOOD** INSIGNIFICANT MINOR MODERATE MAJOR CATASTROPHIC HIERARCHY OF CONTROLS SCORE ACTION Elimination ALMOST 3 HIGH 3 HIGH 4 4 ACUTE ACUTE ACUTE **CERTAIN** Remove the hazard. Substitution 4 4 DO NOT Replace the hazard. LIKELY MODERATE HIGH HIGH ACUTE ACUTE ACUTE ROCEED Isolation Isolate People from the hazard 2 3 4 3H Rev before POSSIBLE MODERATE ACUTE ACUTE LOW HIGH HIGH. work Engineering Isolate the l/Acchanich. Ensure control 2 3 2M istrativ UNLIKELY measures in LOW LOW MODERATE HIGH ACU RATE е place. Chang 2 MODERATE 3 HIGH 1L Monitor and RARE LOW LOW LOW keep records.

### Risk Rating & Required Action:

| 4A | Stop work. The risk is intolerable,   | minate the hazard      | redesign the activity before proceeding. A Safe Work |
|----|---------------------------------------|------------------------|--|
|    | Method Statement (SWMS) or hi         | er-level authorisation | is required.   |
| 3H | Review and approve additional c       | role ask               | arts. Senior supervisor sign-off needed.             |
| 2M | Ensure all nominated controls are in  | prace and efficive     | Proceed with caution; monitor conditions.            |
| 1L | Proceed, following standard operating | ng procedurer //oni    | itor and keep records.                               |

### **Consequence Scale:**

| Consequence   | People (injury/illness)                     | Project / Assets   | Compliance / Reputation                                  |
|---------------|---|--------------------|--|
| Catastrophic  | Fatality or permanent total disability      | project shutdown   | Significant regulator intervention; criminal prosecution |
| Major         | Serious injury/illness (hospital > 5 days)  | critical delay     | Improvement notice; major media coverage                 |
| Moderate      | Medical-treatment injury; lost-time > 1 day | moderate delay     | Minor breach; adverse client comment                     |
| Minor         | First-aid only, no lost time                | negligible delay   | Isolated non-conformance                                 |
| Insignificant | No injury                                   | no schedule impact | Deviation caught and corrected on site                   |

#### Notes on Hierarchy of Controls:

Remember to apply controls in the preferred order shown by the coloured pyramid:

- 1. Eliminate
- Substitute
- 3. Isolate
- 4. Engineering
- 5. Administrative
- 6. PPE

Always document **why** a lower-order control is accepted if elimination or substitution is not reasonably practicable.

aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.



| JOB STEP                   | POTENTIAL HAZARDS                  | IR              | CONTROL MEASURES   | RR               |
|----------------------------|------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS        | HAZARDS THAT MAY ARISE             | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK |
| 1. Preparation             | Tripping, Manual handling injuries | 3H              | - Conduct a pre-start meeting to discuss the tasks for the day.  - Ensure workspace is clear of unnecessary obtacts to prevent tripping.  - Use appropriate equipment to lift heavy items.  - Position materials close to where they'll be used to void excess carrying.  - Wear suitable footwear to prevent slips.  - Train all personnel in manuals andling techniques.  - Ensure adequate gruing a work rea.  - Have a first or kit access a on six.  - Assista a spoke to guite manual lifting operations.  - Verice is a sall teau members understand the lifting plan.  | 2M               |
| 2. Inspection of Equipment | Faulty equipment, Electronazards   |                 | <ul> <li>Condula a tropough respection of all equipment before use.</li> <li>bel at malfur foring equipment immediately and remove from service.</li> <li>Ensure equipment has current safety certification.</li> <li>train staff to recognize signs of equipment failure.</li> <li>Secure all cables and wires to prevent trip hazards.</li> <li>Only qualified personnel are to carry out electrical work.</li> <li>Verify that equipment maintenance records are up to date.</li> <li>Calibrate equipment as per manufacturer's instructions.</li> <li>Ensure emergency shut-off procedures are clearly posted.</li> <li>Use only non-conductive tools in electrical work areas.</li> </ul> | 2M               |
| 3. Set Up Test Area        | Falling objects, Crushing injuries | 4A              | <ul> <li>Demarcate and secure testing area to prevent unauthorized entry.</li> <li>Use cones and barriers to mark off the area.</li> <li>Ensure proper overhead protection is in place.</li> <li>Store equipment securely to prevent falling.</li> <li>Maintain a safe distance from testing area while testing is in progress.</li> <li>Conduct a sweep of the area for any unsecured items.</li> <li>Brief all staff on emergency procedures.</li> <li>Assign a lookout to monitor the surrounding area for hazards.</li> </ul>  | 2M               |



| JOB STEP                           | POTENTIAL HAZARDS                           | IR              | CONTROL MEASURES   | RR               |
|------------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS                | HAZARDS THAT MAY ARISE                      | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                                    |   |                 | - Ensure all personnel wear hard hats and safety boots.                |                  |
|                                    |   |                 | - Conduct a tool box talk to review safety measures.                   |                  |
| 4. Calibration of Testing Machines | Calibration errors, Mechanical failure      | 3H              |  | 1L               |
| 5. Loading Weights                 | Overloading, Man I handling strain          | 4A              |  | 2M               |
| 6. Conducting the Test             | Equipment failure, Collision with equipment | 4A              |  | 2M               |



| JOB STEP                        | POTENTIAL HAZARDS                            | IR              | CONTROL MEASURES   | RR               |
|---------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS             | HAZARDS THAT MAY ARISE                       | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                                 |  |                 |  |                  |
| 7. Monitoring and<br>Assessment | Inadequate monitoring, Human error           | 3H              |  | 1L               |
| 8. Documentation and Reporting  | Incomplete docume Miscommunication           | 2M              |  | 1L               |
| 9. Equipment Shutdown           | Residual load stress, Uncontrolled equipment | ЗН              |  | 1L               |



| JOB STEP                      | POTENTIAL HAZARDS                    | IR              | CONTROL MEASURES   | RR               |
|-------------------------------|--------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS           | HAZARDS THAT MAY ARISE               | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                               |                                      |                 |  |                  |
|                               |                                      |                 |  |                  |
|                               |                                      |                 |  |                  |
| 10. Clean Up and<br>Disposal  | Waste handling, Chemical exposure    | 3H              |  | 1L               |
| 11. Review and<br>Feedback    | Missed hazards, Ineffect for Jok     | 2M              |  | 1L               |
| 12. Maintenance<br>Scheduling | Overlooked maintenance, Tool failure | 3H              |  | 1L               |



| JOB STEP                                       | POTENTIAL HAZARDS                  | IR              | CONTROL MEASURES   | RR               |
|--|------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS                            | HAZARDS THAT MAY ARISE             | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 13. Training and<br>Competency<br>Verification | Inadequate training, Skill erosion | ЗН              |  | 1L               |
| 14. Emergency<br>Management Review             | Unpreparedness, Delayed response   | ЗН              |  | 1L               |
| 15. Continuous<br>Improvement                  | Stagnation, Complacency            | 2M              |  | 1L               |



| JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   | RR               |
|---------------------|------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |                        |                 |  |                  |



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\underline{\textbf{Legislation QLD:}} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}}$ 

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of ractions of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of-ractions-of-racti

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo\_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le\_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/work\_aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health at Safety Act 34

Occupational Health and affety gulations 2017

Legis on VIC: https://www.ssafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

tes of actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work