

## Gantry Crane Risk Assessment

|                   |        |        |
|-------------------|--------|--------|
| Business Name:    | ABN:   |        |
| Business Address: |        |        |
| Contact Person:   | Phone: | Email: |

### THIS RISK ASSESSMENT IS APPROVED BY THE PCBU ON THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a RISK ASSESSMENT is prepared before the proposed work starts.

|            |        |       |
|------------|--------|-------|
| Full Name: |        |       |
| Signature: | Title: | Date: |

### CLIENT OR PRINCIPAL CONTRACTOR DETAILS

|   |                |
|---|----------------|
| Client:   | SCOPE OF WORKS |
| Project Name:                                     |                |
| Project Address:                                  |                |
| Project Manager:                                  |                |
| Contact Phone:                                    |                |
| Date Risk Assessment supplied to Project Manager: |                |

| RISK MATRIX  |   |               |                    |            |  |                |                                   |  |  |
|--|---|---------------|--------------------|------------|--|----------------|-----------------------------------|--|--|
| LIKELIHOOD   | INSIGNIFICANT                               | MINOR         | MODERATE           | MAJOR      | CATASTROPHIC   | SCORE          | ACTION                            | HIERARCHY OF CONTROLS  |  |
| ALMOST CERTAIN   | 3<br>HIGH                                   | 3<br>HIGH     | 4<br>ACUTE         | 4<br>ACUTE | 4<br>ACUTE   |                |                                   | <b>Elimination</b><br>Remove the hazard.   |  |
| LIKELY   | 2<br>MODERATE                               | 3<br>HIGH     | 3<br>HIGH          | 4<br>ACUTE | 4<br>ACUTE   | 4A<br>ACUTE    | DO NOT PROCEED                    | <b>Substitution</b><br>Replace the hazard.   |  |
| POSSIBLE   | 1<br>LOW                                    | 2<br>MODERATE | 3<br>HIGH          | 4<br>ACUTE | 4<br>ACUTE   | 3H<br>HIGH     | Review before work starts.        | Isolation<br>Isolate People from the hazard  |  |
| UNLIKELY   | 1<br>LOW                                    | 1<br>LOW      | 2<br>MODERATE      | 3<br>HIGH  | 4<br>ACUTE   | 2M<br>MODERATE | Ensure control measures in place. | <b>Engineering</b><br>Isolate the hazard   |  |
| RARE   | 1<br>LOW                                    | 1<br>LOW      | 2<br>MODERATE      | 3<br>HIGH  | 3<br>HIGH  | 1L<br>LOW      | Monitor and keep records.         | <b>Administrative</b><br>Change  |  |
|  |   |               |                    |            |  |                |                                   | <b>PPE</b>   |  |
| <b>Risk Rating &amp; Required Action:</b>  |   |               |                    |            |  |                |                                   | <b>Notes on Hierarchy of Controls:</b>   |  |
| 4A Stop work. The risk is intolerable. Eliminate the hazard or redesign the activity before proceeding. A Safe Work Method Statement (SWMS) or higher-level authorisation is required. |   |               |                    |            |  |                |                                   | Remember to apply controls in the preferred order shown by the coloured pyramid:   |  |
| 3H Review and approve additional controls before task starts. Senior supervisor sign-off needed.   |   |               |                    |            |  |                |                                   | 1. <b>Eliminate</b>  |  |
| 2M Ensure all nominated controls are in place and effective. Proceed with caution; monitor conditions.   |   |               |                    |            |  |                |                                   | 2. Substitute  |  |
| 1L Proceed, following standard operating procedures. Monitor and keep records.   |   |               |                    |            |  |                |                                   | 3. Isolate   |  |
|  |   |               |                    |            |  |                |                                   | 4. Engineering   |  |
|  |   |               |                    |            |  |                |                                   | 5. Administrative  |  |
|  |   |               |                    |            |  |                |                                   | 6. PPE   |  |
| <b>Consequence Scale:</b>  |   |               |                    |            |  |                |                                   | Always document <b>why</b> a lower-order control is accepted if elimination or substitution is not reasonably practicable. |  |
| Consequence  | People (injury/illness)                     |               | Project / Assets   |            | Compliance / Reputation                                  |                |                                   |  |  |
| Catastrophic   | Fatality or permanent total disability      |               | project shutdown   |            | Significant regulator intervention; criminal prosecution |                |                                   |  |  |
| Major  | Serious injury/illness (hospital > 5 days)  |               | critical delay     |            | Improvement notice; major media coverage                 |                |                                   |  |  |
| Moderate   | Medical-treatment injury; lost-time > 1 day |               | moderate delay     |            | Minor breach; adverse client comment                     |                |                                   |  |  |
| Minor  | First-aid only, no lost time                |               | negligible delay   |            | Isolated non-conformance                                 |                |                                   |  |  |
| Insignificant  | No injury                                   |               | no schedule impact |            | Deviation caught and corrected on site                   |                |                                   |  |  |
|  |   |               |                    |            |  |                |                                   | <i>aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.</i>      |  |

| JOB STEP                | POTENTIAL HAZARDS                      | IR           | CONTROL MEASURES   | RR            |
|-------------------------|--|--------------|--|---------------|
| SPECIFIC WORK STEPS     | HAZARDS THAT MAY ARISE                 | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL RISK |
| 1. Preparation          | Lack of training, Inadequate PPE       | 3H           | <ul style="list-style-type: none"> <li>Conduct comprehensive induction training</li> <li>Ensure all workers have required certifications</li> <li>Conduct regular refresher training sessions</li> <li>Enforce use of appropriate PPE such as helmets and gloves</li> <li>Implement a buddy system to mentor new operators</li> <li>Ensure all PPE is in good condition and replaced regularly</li> <li>Display PPE requirements clearly on site</li> <li>Supervise new operators closely</li> <li>Provide additional training for complex tasks</li> <li>Hold pre-operation meetings to discuss hazards and controls</li> </ul> | 2M            |
| 2. Equipment Inspection | Faulty hook, Damaged                   | 3H           | <ul style="list-style-type: none"> <li>Conduct daily visual inspections of the crane</li> <li>Establish a regular maintenance schedule</li> <li>Record and log all inspections and maintenance</li> <li>Train operators in basic inspection techniques</li> <li>Implement a fault reporting system</li> <li>Use qualified personnel for technical inspections</li> <li>Ensure communication devices are functional</li> <li>Utilise checklists to cover all inspection areas</li> <li>Label faults clearly and take equipment out of service if unsafe</li> <li>Ensure spare parts inventory is adequate</li> </ul>              | 2M            |
| 3. Load Assessment      | Overloading, Incorrect load assessment | 4A           | <ul style="list-style-type: none"> <li>Implement a load rating chart display in the operating cabin</li> <li>Conduct thorough pre-lift assessments of load weight and dimensions</li> <li>Use load measuring devices to confirm weights</li> <li>Train operators in proper load assessment techniques</li> <li>Assign supervisors to verify load assessments</li> <li>Prohibit vehicle movement during load lifting</li> <li>Ensure communications protocols are in place for the load assessment process</li> <li>Practice dry runs with challenging loads where feasible</li> </ul>  | 2M            |

| JOB STEP                 | POTENTIAL HAZARDS                        | IR           | CONTROL MEASURES   | RR            |
|--------------------------|--|--------------|--|---------------|
| SPECIFIC WORK STEPS      | HAZARDS THAT MAY ARISE                   | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL RISK |
|                          |  |              | Implement detailed load documentation procedures<br>Ensure the use of spreader beams for irregular loads<br>Develop an escalation procedure for load assessment deviations |               |
| 4. Setup Area            | Obstructions, Slippery surface           | 3H           | [REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]                                   | 2M            |
| 5. Align Gantry and Load | Misalignment, Collision with structures  | 4A           | [REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]                                   | 2M            |
| 6. Lifting Procedure     | Dropped load, Failure of lifting devices | 4A           | [REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]<br>[REDACTED]   | 2M            |

| JOB STEP             | POTENTIAL HAZARDS                                | IR           | CONTROL MEASURES   | RR            |
|----------------------|--|--------------|--|---------------|
| SPECIFIC WORK STEPS  | HAZARDS THAT MAY ARISE                           | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
|                      |  |              |  |               |
| 7. Transport of Load | Swinging load, Uneven terrain                    | 3H           |  | 2M            |
| 8. Lower Load        | Uncontrolled descent, Crane imbalance            | 3H           |  | 1L            |
| 9. Detach Load       | Improper detachment, Unanticipated load movement | 3H           |  | 1L            |

| JOB STEP                        | POTENTIAL HAZARDS                           | IR           | CONTROL MEASURES   | RR            |
|---------------------------------|---|--------------|--|---------------|
| SPECIFIC WORK STEPS             | HAZARDS THAT MAY ARISE                      | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
|                                 |   |              |  |               |
| 10. Secure Equipment            | Leftover tension, Operator miscommunication | 2M           |  | 1L            |
| 11. Maintenance Routine         | Equipment failure, Inadequate records       | 3H           |  | 1L            |
| 12. Emergency Response Training | Panic during emergency, Delayed response    | 3H           |  | 1L            |

| JOB STEP                    | POTENTIAL HAZARDS                                     | IR           | CONTROL MEASURES   | RR            |
|-----------------------------|---|--------------|--|---------------|
| SPECIFIC WORK STEPS         | HAZARDS THAT MAY ARISE                                | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
|                             |   |              |  |               |
| 13. Review of Operations    | Lack of incident learning, Procedure oversight        | 2M           |  | 1L            |
| 14. Communication Protocols | Misunderstanding signals, Incorrect information relay | 2M           |  | 1L            |
| 15. Decommissioning         | Residual stress in components, Hazardous waste        | 3H           |  | 1L            |

| JOB STEP            | POTENTIAL HAZARDS                       | IR           | CONTROL MEASURES  | RR            |
|---------------------|---|--------------|---|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                  | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL RISK |
|                     |   |              | <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> |               |
| 16. Documentation   | Inaccurate records, Loss of information | 2M           | <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> | 1L            |
|                     |   |              |   |               |



## EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

## LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

### Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

### Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

### New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

### Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

### Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

### Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.