

Handling Gear Cutters Risk Assessment

| | | |
|-------------------|--------|--------|
| Business Name: | ABN: | |
| Business Address: | | |
| Contact Person: | Phone: | Email: |

THIS RISK ASSESSMENT IS APPROVED BY THE PCBU ON THIS PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a RISK ASSESSMENT is prepared before the proposed work starts.

| | | |
|------------|--------|-------|
| Full Name: | | |
| Signature: | Title: | Date: |

CLIENT OR PRINCIPAL CONTRACTOR DETAILS

| | |
|---|----------------|
| Client: | SCOPE OF WORKS |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Date Risk Assessment supplied to Project Manager: | |

| RISK MATRIX | | | | | | | | | |
|--|---|---------------|--------------------|------------|--|----------------|-----------------------------------|--|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | SCORE | ACTION | HIERARCHY OF CONTROLS | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | | | Elimination Remove the hazard. | |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. | |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review before work starts. | Isolation Isolate People from the hazard | |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | Engineering Isolate the hazard | |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | Monitor and keep records. | Administrative Change | |
| | | | | | | | | PPE | |
| Risk Rating & Required Action: | | | | | | | | Notes on Hierarchy of Controls: | |
| 4A Stop work. The risk is intolerable. Eliminate the hazard or redesign the activity before proceeding. A Safe Work Method Statement (SWMS) or higher-level authorisation is required. | | | | | | | | Remember to apply controls in the preferred order shown by the coloured pyramid: | |
| 3H Review and approve additional controls before task starts. Senior supervisor sign-off needed. | | | | | | | | 1. Eliminate | |
| 2M Ensure all nominated controls are in place and effective. Proceed with caution; monitor conditions. | | | | | | | | 2. Substitute | |
| 1L Proceed, following standard operating procedures. Monitor and keep records. | | | | | | | | 3. Isolate | |
| | | | | | | | | 4. Engineering | |
| | | | | | | | | 5. Administrative | |
| | | | | | | | | 6. PPE | |
| Consequence Scale: | | | | | | | | Always document why a lower-order control is accepted if elimination or substitution is not reasonably practicable. | |
| Consequence | People (injury/illness) | | Project / Assets | | Compliance / Reputation | | | | |
| Catastrophic | Fatality or permanent total disability | | project shutdown | | Significant regulator intervention; criminal prosecution | | | | |
| Major | Serious injury/illness (hospital > 5 days) | | critical delay | | Improvement notice; major media coverage | | | | |
| Moderate | Medical-treatment injury; lost-time > 1 day | | moderate delay | | Minor breach; adverse client comment | | | | |
| Minor | First-aid only, no lost time | | negligible delay | | Isolated non-conformance | | | | |
| Insignificant | No injury | | no schedule impact | | Deviation caught and corrected on site | | | | |
| | | | | | | | | <i>aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.</i> | |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------------|--|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Planning and Preparation | Inadequate training, Improper use of PPE | 3H | <ul style="list-style-type: none"> - Conduct adequate training before engaging in task - Ensure all workers are aware of the procedure - Conduct site-specific induction - Provide and enforce use of PPE: gloves, goggles and steel-toe boots - Ensure a supervision plan is in place - Conduct a job safety analysis - Assess workplace environment for risks - Ensure workers understand emergency procedures - Confirm communication protocols - Check machine manuals are available | 2M |
| 2. Gathering Tools and Equipment | Incorrect tools, Ergonomic hazards | 3H | <ul style="list-style-type: none"> - Use tools appropriate to the task - Ensure tools are in good working condition - Inspect tools and equipment before use - Provide mechanical aids for heavy lifting - Train workers in manual handling techniques - Arrange workspace to facilitate safe lifting - Conduct regular ergonomic assessments - Encourage workers to report discomfort early - Establish tool handling protocols - Replace damaged or worn tools | 2M |
| 3. Conducting Equipment Pre-Checks | Faulty equipment, Uncommunicated defects | 3H | <ul style="list-style-type: none"> - Implement a regular maintenance schedule - Perform visual checks prior to starting work - Use checklists to document inspections - Ensure defects are reported immediately - Isolate defective equipment - Encourage open communication about equipment issues - Provide training on identifying faults - Maintain a log of equipment inspections | 2M |

| Findings | | Recommendations |
|--|----|--|
| Findings: Poor lighting, inadequate lighting | 3H | <ul style="list-style-type: none">- Maintain spare parts inventory |
| Findings: Poor lighting, inadequate lighting | 4A | |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------------------|---|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 7. Monitoring the Cutting Process | Machine malfunction, Product defects | 3H | | 2M |
| 8. Adjusting Machine Settings | Incorrect settings, Application, Overtightening parts | 3H | | 2M |
| 9. Lubricating the Machine | Chemical exposure, Fire hazards | 3H | | 1L |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------------|---|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 10. Removing and Replacing Cutters | Blade cuts, Improper removal procedure | 4A | | 2M |
| 11. Handling Waste and Debris | Injury from sharp debris, Dust inhalation | 3H | | 1L |
| 12. Routine Maintenance | Unexpected startups, Injury from moving parts | 4A | | 2M |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------------|---|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 13. End-of-Day Procedures | Incomplete shutdown, Improper cleaning techniques | 3H | | 1L |
| 14. Emergency Situations | Response delays, Lack of emergency equipment | 4A | | 2M |
| 15. Reporting Incidents | Underreporting, Inadequate follow-up | 3H | | 2M |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------------|-------------------------|--------------|---|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> | |
| 16. Training and Competency | Skill gaps, Complacency | 3H | <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> | 1L |
| | | | | |
| | | | | |

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.