

## High-Level Work For Light Fitting Risk Assessment

Business Name:	ABN:	
Business Address:		
Contact Person:	Phone:	Email:

## THIS RISK ASSESSMENT IS APPROVED BY THE PCBU ON THIS PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a RISK ASSESSMENT is prepared before the proposed work starts.

Full Name:		
Signature:	Title:	Date:

## CLIENT OR PRINCIPAL CONTRACTOR DETAILS

Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date Risk Assessment supplied to Project Manager:	

RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HIERARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE			<b>Elimination</b> Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCEED	<b>Substitution</b> Replace the hazard.	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.	Isolation Isolate People from the hazard	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	<b>Engineering</b> Isolate the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	Monitor and keep records.	<b>Administrative</b> Change	
								<b>PPE</b>	
<b>Risk Rating &amp; Required Action:</b>								<b>Notes on Hierarchy of Controls:</b>	
4A		Stop work. The risk is intolerable. Eliminate the hazard or redesign the activity before proceeding. A Safe Work Method Statement (SWMS) or higher-level authorisation is required.						Remember to apply controls in the preferred order shown by the coloured pyramid:	
3H		Review and approve additional controls before task starts. Senior supervisor sign-off needed.						1. <b>Eliminate</b>	
2M		Ensure all nominated controls are in place and effective. Proceed with caution; monitor conditions.						2. Substitute	
1L		Proceed, following standard operating procedures. Monitor and keep records.						3. Isolate	
<b>Consequence Scale:</b>								4. Engineering	
Consequence		People (injury/illness)		Project / Assets		Compliance / Reputation		5. Administrative	
Catastrophic		Fatality or permanent total disability		project shutdown		Significant regulator intervention; criminal prosecution		6. PPE	
Major		Serious injury/illness (hospital > 5 days)		critical delay		Improvement notice; major media coverage		Always document <b>why</b> a lower-order control is accepted if elimination or substitution is not reasonably practicable.	
Moderate		Medical-treatment injury; lost-time > 1 day		moderate delay		Minor breach; adverse client comment		<i>aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.</i>	
Minor		First-aid only, no lost time		negligible delay		Isolated non-conformance			
Insignificant		No injury		no schedule impact		Deviation caught and corrected on site			

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Inadequate planning, Lack of communication	3H	<ul style="list-style-type: none"> <li>- Conduct a pre-work briefing to discuss the task and identify potential hazards.</li> <li>- Ensure that all workers are aware of the task procedure and their individual responsibilities.</li> <li>- Develop a clear plan of work and communicate it effectively to all team members.</li> <li>- Obtain necessary permits or approvals before commencing work.</li> <li>- Ensure communication devices are available and functional.</li> <li>- Check weather conditions to ensure safe working conditions.</li> <li>- Confirm that all team members have the necessary qualifications and training.</li> <li>- Review SWMS (Safe Work Method Statements) before work starts.</li> <li>- Ensure first aid equipment is available and accessible.</li> <li>- Establish an emergency response plan in case of incidents.</li> </ul>	2M
2. Set Up Access Equipment	Falls from height, Incorrect equipment setup	4H	<ul style="list-style-type: none"> <li>- Use only ladders or scaffolding that meet Australian Standards.</li> <li>- Inspect access equipment for defects before use.</li> <li>- Ensure that the equipment is set up on stable, even ground.</li> <li>- Secure access equipment to prevent movement during use.</li> <li>- Use barricades or signage to prevent unauthorized access.</li> <li>- Ensure workers use appropriate PPE such as harnesses and helmets.</li> <li>- Limit access to the work area to essential personnel only.</li> <li>- Check load limits on scaffolding and ladders.</li> <li>- Provide manual handling training for the setup of heavy or awkward equipment.</li> <li>- Regularly inspect the setup throughout the task to ensure ongoing safety.</li> </ul>	2M
3. Isolate Power Supply	Electric shock, Unexpected power supply restoration	3H	<ul style="list-style-type: none"> <li>- De-energize and isolate the power supply before commencing work.</li> <li>- Use lockout/tagout systems to ensure the power remains isolated.</li> <li>- Verify power supply is isolated by testing with appropriate equipment.</li> <li>- Clearly mark isolated equipment with notices to prevent accidental re-energization.</li> <li>- Ensure all workers are trained in electrical safety procedures.</li> <li>- Use insulated tools and wear appropriate PPE.</li> <li>- Communicate isolation to all workers and ensure understanding.</li> <li>- Document isolation procedures and maintain records for accountability.</li> </ul>	1L

Manual handling injuries	3H	
Slips, tripping, falls, Improper installation	4A	

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Clean Up and Dismantle Equipment	Trip hazards, Tool misplacement	2M		1L
8. Finalise Documentation	Incomplete records, Miscommunication of information	2M		1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Conduct Final Safety Inspection	Overlooked safety hazards, Failure to identify shutdown areas	2M	<p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p>	1L
10. Workforce Debrief and Feedback	Miscommunication, Unresolved safety concerns	2M	<p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p>	1L
11. Review Task for Continuous Improvement	Repetitive errors, Omission in process improvement	2M	<p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p>	1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Secure and Prepare Work Area for Next Task	Security breaches, Site disorganisation	3H		1L
13. Update Training and Induction Records	Outdated procedures, Insufficient worker skills	3H		1L

ability, Inability to  
nance

2M

thorised access

2M



## EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

## LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

### Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

### Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

### New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

### Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

### Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

### Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.