

| Incorrect | Use Of Brick Grips Risk As | ssessment | |
|---|----------------------------------|----------------------------------|---------------------------|
| Business Name: | | ABN: | |
| Business Address: | | | |
| Contact Person: | Phone: | Ema. | |
| | | | |
| THIS RISK ASSESSM | MENT IS APPROVED BY THE PC | BU ON W PROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a pis prepared before the proposed work starts. | person conducting a busine or un | ndertaking PCBU required to ensu | re that a RISK ASSESSMENT |
| Full Name: | | | |
| Signature: | | ritle: | Date: |
| | | | |
| CL | OR PRICEIN LCO. TRACTOR I | DETAILS | |
| Client: | | SCOPE OF | WORKS |
| Project Name: | | | |
| Project Address: | | | |
| Project Manager: | | | |
| Contact Phone: | | | |
| Date Risk Assessment supplied to Project Iv. | | | |

Version 2.5 Authorised by Review # Review Date:



RISK MATRIX LIKELIHOOD INSIGNIFICANT MINOR MODERATE MAJOR CATASTROPHIC HIERARCHY OF CONTROLS SCORE ACTION Elimination ALMOST 3 HIGH 3 HIGH 4 4 ACUTE ACUTE ACUTE **CERTAIN** Remove the hazard. Substitution 4 4 DO NOT Replace the hazard. LIKELY **MODERATE** HIGH HIGH ACUTE ACUTE ACUTE ROCEED Isolation Isolate People from the hazard 2 3 4 3H Rev before POSSIBLE MODERATE ACUTE ACUTE LOW HIGH HIGH. work Engineering Isolate the l/Acchanich. Ensure control 2 3 2M istrativ UNLIKELY measures in LOW LOW MODERATE HIGH ACU RATE е place. Chang 2 MODERATE 3 HIGH 1L Monitor and RARE LOW LOW LOW keep records.

Risk Rating & Required Action:

| 4A | Stop work. The risk is intolerable, | minate the hazard | redesign the activity before proceeding. A Safe Work |
|----|---------------------------------------|------------------------|--|
| | Method Statement (SWMS) or hi | er-level authorisation | is required. |
| 3H | Review and approve additional c | role ask | arts. Senior supervisor sign-off needed. |
| 2M | Ensure all nominated controls are in | prace and effective | Proceed with caution; monitor conditions. |
| 1L | Proceed, following standard operating | ng procedurer //oni | itor and keep records. |

Consequence Scale:

| Consequence | People (injury/illness) | Project / Assets | Compliance / Reputation |
|---------------|---|--------------------|--|
| Catastrophic | Fatality or permanent total disability | project shutdown | Significant regulator intervention; criminal prosecution |
| Major | Serious injury/illness (hospital > 5 days) | critical delay | Improvement notice; major media coverage |
| Moderate | Medical-treatment injury; lost-time > 1 day | moderate delay | Minor breach; adverse client comment |
| Minor | First-aid only, no lost time | negligible delay | Isolated non-conformance |
| Insignificant | No injury | no schedule impact | Deviation caught and corrected on site |

Notes on Hierarchy of Controls:

Remember to apply controls in the preferred order shown by the coloured pyramid:

- 1. Eliminate
- Substitute
- 3. Isolate
- 4. Engineering
- 5. Administrative
- 6. PPE

Always document **why** a lower-order control is accepted if elimination or substitution is not reasonably practicable.

aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Slips, trips, and falls, Misuse of equipment | 3H | - Conduct site inspection and ensure the workspace oclear - Provide training on proper equipment use - Wear non-slip footwear - Review the work plan with all team members of a starting - Ensure appropriate lighting it available - Place warning signs around to work area - Use safety mats a pote of lly singlery areas - Assign a starvisor to motion action as - Verificiall works are starte of emergacy procedures - Inspectations are equipment to ensure they are in good condition | 2M |
| 2. Selecting Brick Grips | Equipment failure, Inappressiate selection | 31 | - Select ricks os suits le for the brick size and weight - surrentick groware free from damage and defects Consect visual inspection of brick grips before use - heck the manufacturer's recommendations for weight limits - Provide training on selecting and using appropriate grips - Replace defective equipment immediately - Keep a log of inspections and maintenance - Use only certified and tested equipment - Implement a check-in/check-out procedure for equipment - Verify the fit of brick grips before lifting | 2M |
| 3. Use of Personal Protective Equipment (PPE) | Inadequate protection, Improper use of PPE | 3H | - Ensure all workers are provided with appropriate PPE - Conduct training sessions on the proper use and maintenance of PPE - Perform regular checks to ensure PPE compliance - Replace damaged or worn-out PPE immediately - Mandate the use of gloves, helmets, and safety goggles - Provide visual and written guidance on PPE use - Monitor compliance through on-site supervision - Use high-visibility vests for easy identification | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Store PPE in designated, weather-proof areas | |
| | | | - Ensure PPE is comfortable to encourage use | |
| 4. Lifting and Handling Procedures | Musculoskeletal injuries, Dropped loads | 4A | | 2M |
| 5. Installation of Brick Grips | Improper installation, Tool damage | ЗН | | 1L |
| 6. Lifting Operations | Crushing injuries, Loss of load control | 4A | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 7. Working at Heights | Falls, Falling objects | 4A | | 2M |
| 8. Dismantling Brick Grips | Pinching injuries, Tool slippage | ЗН | | 1L |
| 9. Storage of Equipment | Improper storage, Equipment degradation | ЗН | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 10. Inspection and Maintenance | Wear and tear, Failure to detect faults | 3Н | | 1L |
| 11. Emergency Procedures | Delayed response, Untracta unnel | 4A | | 2M |
| 12. Communication and Reporting | Miscommunication, Lack of hazard reporting | ЗН | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 13. Monitoring and Review | Failure to identify hazards, Inadequate supervision | ЗН | | 1L |
| 14. Demobilisation | Site not left safe, Residual materials | ЗН | | 1L |
| 15. Worker Competency | Inexperienced workers, Non-compliance | 4A | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|------------------------|-----------------|--|-----------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUA RISK |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-oi racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health at Safety Act

Occupational Health and affety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

les on actice VI atps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work