

Load Heavy Mach	inery Onto A Flatbed Truck	Risk Assessment	
Business Name:		ABN:	
Business Address:			
Contact Person:	Phone:	Ema.	
THIS RISK ASSESSI	MENT IS APPROVED BY THE PC	BU ON W PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a pis prepared before the proposed work starts.	person conducting a busine or un	ndertaking PCBL <sup>1</sup> required to ensu	re that a RISK ASSESSMENT
Full Name:			
Signature:		ritle:	Date:
CL	OR PRICEIN LCO. TRACTOR I	DETAILS	
Client:		SCOPE OF	WORKS
Project Name:			
Project Address:			
Project Manager:			
Contact Phone:			
Date Risk Assessment supplied to Project Iv			



#### **RISK MATRIX LIKELIHOOD** INSIGNIFICANT MINOR MODERATE MAJOR CATASTROPHIC HIERARCHY OF CONTROLS SCORE ACTION Elimination ALMOST 3 HIGH 3 HIGH 4 4 ACUTE ACUTE ACUTE **CERTAIN** Remove the hazard. Substitution 4 4 DO NOT Replace the hazard. LIKELY MODERATE HIGH HIGH ACUTE ACUTE ACUTE ROCEED Isolation Isolate People from the hazard 2 3 4 3H Rev before POSSIBLE MODERATE ACUTE ACUTE LOW HIGH HIGH. work Engineering Isolate the l/Acchanich. Ensure control 2 3 2M istrativ UNLIKELY measures in LOW LOW MODERATE HIGH ACU RATE е place. Chang 2 MODERATE 3 HIGH 1L Monitor and RARE LOW LOW LOW keep records.

### Risk Rating & Required Action:

4A	Stop work. The risk is intolerable,	minate the hazard	redesign the activity before proceeding. A Safe Work
	Method Statement (SWMS) or hime	er-level authorisation	is required.
3H	Review and approve additional c	role 'ask	arts. Senior supervisor sign-off needed.
2M	Ensure all nominated controls are in-	prace and effective	Proceed with caution; monitor conditions.
1L	Proceed, following standard operating	ig procedure // Ion	itor and keep records.

### **Consequence Scale:**

Consequence	People (injury/illness)	Project / Assets	Compliance / Reputation
Catastrophic	Fatality or permanent total disability	project shutdown	Significant regulator intervention; criminal prosecution
Major	Serious injury/illness (hospital > 5 days)	critical delay	Improvement notice; major media coverage
Moderate	Medical-treatment injury; lost-time > 1 day	moderate delay	Minor breach; adverse client comment
Minor	First-aid only, no lost time	negligible delay	Isolated non-conformance
Insignificant	No injury	no schedule impact	Deviation caught and corrected on site

### Notes on Hierarchy of Controls:

Remember to apply controls in the preferred order shown by the coloured pyramid:

- 1. Éliminate
- 2. Substitute
- 3. Isolate
- 4. Engineering
- 5. Administrative
- 6. PPE

Always document **why** a lower-order control is accepted if elimination or substitution is not reasonably practicable.

aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Inadequate PPE, Incorrect equipment used	3H	<ul> <li>Ensure all personnel are wearing appropriate PPE och as high-visibility vests, hard hats, and steel-toed boots.</li> <li>Verify that the flatbed truck has the necessary load capacity and the machinery is compatible with transportation requirements.</li> <li>Conduct a pre-start inspection checklist for an exponent to be used.</li> <li>Ensure operators are trains and competent in exipment as:</li> <li>Confirm that the loading area an ordoned off with or over barriers to prevent unauthorised access.</li> <li>Brief staff on the ob Sarra Analysis (JSA) and insure understanding of roles and responsibilities.</li> <li>Ensure there are no advecte weather one cans that can affect loading.</li> <li>Equation to be used or loading should be checked for maintenance records and compliance.</li> <li>Estar is a roper to amunication protocols between all staff involved in the operation.</li> <li>Ensure emissions as a proper to a protocol of the color of the col</li></ul>	2M
2. Site Inspection	Uneven surfaces, postructions	ЗН	- Le duc a thorough inspection of the loading site to identify any uneven or unstable surfaces.  Remote by obstructions or debris from the loading zone.  - Le sure the ground or ramp used for loading is stable and capable of supporting the weight of the magninery.  - Use signs or barriers to mark any identified hazards in the area.  - Ensure the presence of a spotter to guide machinery movement and provide real-time feedback.  - Ensure appropriate lighting is available if operating in low visibility conditions.  - Confirm that all drainage grates or potholes are covered or filled appropriately.  - Maintain a clean and organized work area to reduce trip hazards.  - Use signage to inform others of ongoing operations and to stay clear.  - Regularly monitor weather conditions as they can affect ground stability.	1L
3. Equipment Check	Mechanical failure, Incorrect operation	4A	<ul> <li>Thoroughly inspect machinery for any sign of mechanical wear and repair as necessary before operation.</li> <li>Verify that all safety devices and guards are in place and functioning properly.</li> <li>Ensure the machinery is serviced according to manufacturer specifications.</li> <li>Test brakes, hydraulics, and steering for proper functioning before loading.</li> <li>Conduct a pre-operational equipment test to identify any immediate issues.</li> <li>Only trained and certified operators should handle the machinery.</li> </ul>	2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Ensure operational manuals are available to operators for reference.	
			- Allow only authorised personnel to perform equipment checks and operation tasks.	
			- Implement a lockout/tagout procedure for any minery that fails the equipment check.	
			- Document all inspections with a checklist a signed off by personnel responsible.	
4. Loading Machine	Machine tipping over, Crushing	4A		2M
5. Securing Load	Load shifting, Straps failing	ЗН		<b>2</b> M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Transportation	Road accidents, Load instability	4A		2M
7. Arrival/Unload Preparation	Poor site access, Traffic risks	ЗН		1L
8. Unloading Machine	Unexpected machine movement, Slips, trips, and falls	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Post-Operation Check	Equipment malfund comg equipment	ЗН		1L
10. Debrief and Documentation	Insufficient documentation, Lack of communication	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Review	Non-compliance v 1 safety regulations, Overlooking new in sards	ЗН		1L
12. Update Protocols	Failure to adopt new processes, Compliance failure	ЗН		1L

Review#



8

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Feedback Loop	Communication by sukdown, Inadequate feedback mechan ons	2M		1L
14. Training and Education	Knowledge gaps, Inconsistent procedures	3H		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15 Maintenance and Inspection	Equipment deteriora	ж		2M



### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of ractions of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of-ractions-of-racti

### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo\_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work\_aces/codes-of-practice#COPs

### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

### Victoria

Occupational Health al. Safety Act

Occupational Health and afety gulations 2017

Legis on VIC: https://www.csafe.vic.gov.au/occupational-health-and-safety-act-and-

า<u>ulat.</u>

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <a href="https://www.commerce.wa.gov.au/worksafe/legislation">https://www.commerce.wa.gov.au/worksafe/legislation</a> Codes of Practice WA: <a href="https://www.commerce.wa.gov.au/worksafe/codes-practice">https://www.commerce.wa.gov.au/worksafe/codes-practice</a>

### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work