

| Operate Truck-M   | ounted Cleaning Machines         | Risk Assessment                  |                           |
|---|----------------------------------|----------------------------------|---------------------------|
| Business Name:  |                                  | ABN:                             |                           |
| Business Address:   |                                  |                                  |                           |
| Contact Person:   | Phone:                           | Ema.                             |                           |
|   |                                  |                                  |                           |
| THIS RISK ASSESSI   | MENT IS APPROVED BY THE PCE      | BU O) W PROJECT                  |                           |
| Under the Work Health and Safety Regulation (WHS Regulation), a pis prepared before the proposed work starts. | person conducting a busine or un | ndertaking PCBU required to ensu | re that a RISK ASSESSMENT |
| Full Name:  |                                  |                                  |                           |
| Signature:  |                                  | ritle:                           | Date:                     |
|   |                                  |                                  |                           |
| CL  | OR PRICEIN L. CO. TRACTOR I      | DETAILS                          |                           |
| Client:   |                                  | SCOPE OF                         | WORKS                     |
| Project Name:   |                                  |                                  |                           |
| Project Address:  |                                  |                                  |                           |
| Project Manager:  |                                  |                                  |                           |
| Contact Phone:  |                                  |                                  |                           |
| Date Risk Assessment supplied to Project Iv   |                                  |                                  |                           |

Version 2.5 Authorised by Review # Review Date:



#### **RISK MATRIX LIKELIHOOD** INSIGNIFICANT MINOR MODERATE MAJOR CATASTROPHIC HIERARCHY OF CONTROLS SCORE ACTION Elimination ALMOST 3 HIGH 3 HIGH 4 4 ACUTE ACUTE ACUTE **CERTAIN** Remove the hazard. Substitution 4 4 DO NOT Replace the hazard. LIKELY MODERATE HIGH HIGH ACUTE ACUTE ACUTE ROCEED Isolation Isolate People from the hazard 2 3 4 3H Rev before POSSIBLE MODERATE ACUTE ACUTE LOW HIGH HIGH. work Engineering Isolate the l/Acchanich. Ensure control 2 3 2M istrativ UNLIKELY measures in LOW LOW MODERATE HIGH ACU RATE е place. Chang 2 MODERATE 3 HIGH 1L Monitor and RARE LOW LOW LOW keep records.

### Risk Rating & Required Action:

| 4A | Stop work. The risk is intolerable,   | minate the hazard      | redesign the activity before proceeding. A Safe Work |
|----|---------------------------------------|------------------------|--|
|    | Method Statement (SWMS) or hi         | er-level authorisation | is required.   |
| 3H | Review and approve additional c       | role ask               | arts. Senior supervisor sign-off needed.             |
| 2M | Ensure all nominated controls are in  | prace and effective    | Proceed with caution; monitor conditions.            |
| 1L | Proceed, following standard operating | ng procedurer //oni    | itor and keep records.                               |

### **Consequence Scale:**

| Consequence   | People (injury/illness)                     | Project / Assets   | Compliance / Reputation                                  |
|---------------|---|--------------------|--|
| Catastrophic  | Fatality or permanent total disability      | project shutdown   | Significant regulator intervention; criminal prosecution |
| Major         | Serious injury/illness (hospital > 5 days)  | critical delay     | Improvement notice; major media coverage                 |
| Moderate      | Medical-treatment injury; lost-time > 1 day | moderate delay     | Minor breach; adverse client comment                     |
| Minor         | First-aid only, no lost time                | negligible delay   | Isolated non-conformance                                 |
| Insignificant | No injury                                   | no schedule impact | Deviation caught and corrected on site                   |

#### Notes on Hierarchy of Controls:

Remember to apply controls in the preferred order shown by the coloured pyramid:

- 1. Eliminate
- Substitute
- 3. Isolate
- 4. Engineering
- 5. Administrative
- 6. PPE

Always document **why** a lower-order control is accepted if elimination or substitution is not reasonably practicable.

aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.



| JOB STEP                | POTENTIAL HAZARDS                    | IR              | CONTROL MEASURES   | RR               |
|-------------------------|--------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS     | HAZARDS THAT MAY ARISE               | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK |
| 1. Preparation          | slips and trips, incorrect logistics | 3H              | - Conduct pre-operational checks on equipment - Ensure work area is free from obstructions - Verify all necessary permits and document are available - Confirm route and schedule with team - Use signage to alert others of potential hazards - Allocate trained personnel to press site condition - Plan for breaks to avoid or igue - Wear appropriate PPE - Ensuradequate lightic - Contractions of the area               | 2M               |
| 2. Equipment Inspection | equipment failure, electrical zards  | 31              | - Adher to me ufactures guidelines during inspection  - the loc out/tage of procedures Inspects wer connections and cables for wear - therify availability of equipment service records - Report and tag any faulty equipment - Check all safety features are operational - Use non-conductive tools for electrical checks - Schedule regular maintenance - Train operators on identifying faults - Record inspection outcomes | 1L               |
| 3. Starting Machine     | noise, vibration                     | 2M              | - Use of hearing protection equipment - Follow standard operating procedures - Monitor vibration exposure limits - Implement regular breaks to minimize exposure - Provide staff training on safe start procedures - Maintain equipment to manufacturer specifications - Conduct noise level assessments - Limit time spent operating machines   | 1L               |



| JOB STEP                 | POTENTIAL HAZARDS                       | IR              | CONTROL MEASURES   | RR               |
|--------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS      | HAZARDS THAT MAY ARISE                  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                          |   |                 | - Use suspended seating cab to reduce vibration                        |                  |
|                          |   |                 | - Ensure operators are medically fit                                   |                  |
| 4. Operating Controls    | operator error, control malfunction     | 3Н              |  | 2M               |
| 5. Operating on Inclines | machine instability follower            | 4A              |  | 2M               |
| 6. Cleaning Operations   | chemical exposure, contaminated run-off | ЗН              |  | 2M               |



| JOB STEP                         | POTENTIAL HAZARDS              | IR              | CONTROL MEASURES   | RR               |
|----------------------------------|--------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS              | HAZARDS THAT MAY ARISE         | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                                  |                                |                 |  |                  |
| 7. Repositioning<br>Machine      | collision, operator entrapment | 3H              |  | 2M               |
| 8. Refuelling                    | fire, fuel spillage            | ЗН              |  | 2M               |
| 9. Post-Operation<br>Maintenance | sharp objects, burns           | ЗН              |  | 1L               |



| JOB STEP                     | POTENTIAL HAZARDS                  | IR              | CONTROL MEASURES   | RR               |
|------------------------------|------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS          | HAZARDS THAT MAY ARISE             | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                              |                                    |                 |  |                  |
| 10. Emergency<br>Procedures  | fire outbreak, medical emergencies | 4A              |  | 2M               |
| 11. Waste Management         | environmental damage, waste spills | ЗН              |  | 2M               |
| 12. Loading and<br>Unloading | load instability, crushing         | 4A              |  | 2M               |



| JOB STEP                          | POTENTIAL HAZARDS                       | IR              | CONTROL MEASURES   | RR               |
|-----------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS               | HAZARDS THAT MAY ARISE                  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 13. Communication                 | miscommunication, lack of communication | ЗН              |  | 2M               |
| 14. Wrap Up and Site<br>Departure | tools left behind, site dan             | 2M              |  | 1L               |
| 15. Continuous<br>Improvement     | complacency, outdated procedures        | 3H              |  | 1L               |



| SPECIFIC WORK STEPS HAZARDS THAT MAY ARISE NITTAL RISK SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS RESIGNES. | JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   | RR               |
|---|---------------------|------------------------|-----------------|--|------------------|
|   | SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAI<br>RISK |
|   |                     |                        |                 |  |                  |
|   |                     |                        |                 |  |                  |
|   |                     |                        |                 |  |                  |
|   |                     |                        |                 |  |                  |
|   |                     |                        |                 |  |                  |
|   |                     |                        |                 |  |                  |
|   |                     |                        |                 |  |                  |
|   |                     |                        |                 |  |                  |
|   |                     |                        |                 |  |                  |
|   |                     |                        |                 |  |                  |
|   |                     |                        |                 |  |                  |
|   |                     |                        |                 |  |                  |
|   |                     |                        |                 |  |                  |
|   |                     |                        |                 |  |                  |
|   |                     |                        |                 |  |                  |
|   |                     |                        |                 |  |                  |



#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$ 

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatide

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Codes of Practice NT: https://worksafe.nt.gov.au/f

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le\_lation

Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/wor">https://www.safework.sa.gov.au/wor</a> aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health al. Safety Act

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.csafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

#### Safe Work Australia Links

Law and Regulation (All States): <a href="https://www.safeworkaustralia.gov.au/law-and-regulation">https://www.safeworkaustralia.gov.au/law-and-regulation</a> Model Codes of Practice: <a href="https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice">https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice</a>

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work