

Opera Company	ting Kiln Dryers Risk Asse	ssment	
Business Name:		ABN:	
Business Address:			
Contact Person:	Phone:	Ema:	
THIS RISK ASSESSM	MENT IS APPROVED BY THE PCI	BU O) W AROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a pis prepared before the proposed work starts.	person conducting a busine or un	ndertaking PCBU required to ensur	re that a RISK ASSESSMENT
Full Name:			
Signature:		ritle:	Date:
CLY	OR PRI. CIL L. CO. TRACTOR I	DETAILS	
Client:		SCOPE OF	WORKS
Project Name:			
Project Address:			
Project Manager:			
Contact Phone:			
Date Risk Assessment supplied to Project N			

Version 2.5 Authorised by Review # Review Date:



RISK MATRIX LIKELIHOOD INSIGNIFICANT MINOR MODERATE MAJOR CATASTROPHIC HIERARCHY OF CONTROLS SCORE ACTION Elimination ALMOST 3 HIGH 3 HIGH 4 4 ACUTE ACUTE ACUTE **CERTAIN** Remove the hazard. Substitution 4 DO NOT Replace the hazard. LIKELY MODERATE HIGH HIGH ACUTE ACUTE ACUTE ROCEED Isolation Isolate People from the hazard 2 3 4 3H Rev before POSSIBLE MODERATE ACUTE ACUTE LOW HIGH HIGH. work Engineering Isolate the l/Acchanich. Ensure control 2 3 2M istrativ UNLIKELY measures in LOW LOW MODERATE HIGH ACU RATE е place. Chang 2 MODERATE 3 HIGH 1L Monitor and RARE LOW LOW LOW keep records.

Risk Rating & Required Action:

4A	Stop work. The risk is intolerable, minate the hazard predesign the activity before proceeding. A Safe Work
	Method Statement (SWMS) or hit er-level authorisation is required.
3H	Review and approve additional controls to the last arts. Senior supervisor sign-off needed.
2M	Ensure all nominated controls are in prace and efficiency roceed with caution; monitor conditions.
1L	Proceed, following standard operating procedures. Monitor and keep records.

Consequence Scale:

Consequence	People (injury/illness)	Project / Assets	Compliance / Reputation
Catastrophic	Fatality or permanent total disability	project shutdown	Significant regulator intervention; criminal prosecution
Major	Serious injury/illness (hospital > 5 days)	critical delay	Improvement notice; major media coverage
ivioderate	Medical-treatment injury; lost-time > 1 day	moderate delay	Minor breach; adverse client comment
Minor	First-aid only, no lost time	negligible delay	Isolated non-conformance
Insignificant	No injury	no schedule impact	Deviation caught and corrected on site

Notes on Hierarchy of Controls:

Remember to apply controls in the preferred order shown by the coloured pyramid:

- 1. Eliminate
- Substitute
- Isolate
- 4. Engineering
- 5. Administrative
- 6. PPE

Always document **why** a lower-order control is accepted if elimination or substitution is not reasonably practicable.

aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation of Work Area	slips on wet surfaces, trip hazards due to obstructions	зн	Ensure all walkways are clear of obstructions Install warning signs for wet areas Conduct a site inspection before work begin Provide adequate lighting in the work area Use slip-resistant mats where necessary Ensure floor surfaces are even and in good repair Assign personnel or period regular housekeeping Conduct regular inspection of the way area Ensure pill kits are available and accessore Train abouts on congency procedures for slips	1L
Kiln Drying Equipment Inspection	electrical faults, malfunctioning equipment	31	Conduct egus maintuince checks Castal egus maintuince ch	2M
3. Loading Material into Kiln	manual handling injuries, being struck by moving parts	4A	Use mechanical aids to assist with loading Train workers in manual handling techniques Wear protective gloves and footwear Ensure guards are in place on all machinery Position staff at a safe distance from moving parts Establish clear communication protocols Perform regular risk assessments Implement a buddy system during loading	2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			Ensure all workers are aware of emergency procedures	
			Conduct training on the use of personal protective equipment	
4. Monitoring Kiln Operations	heat stress, carbon monoxide exposure	4A		ЗН
5. Unloading Kiln	burns from hot sure ses, manual handling injuries	ЗН		2M
6. Cleaning the Kiln	chemical exposure, slips due to cleaning agents	3Н		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Maintenance and Repair	electrocution, exposure to moving parts	4A		2M
8. Recording and Reporting	data entry errors, failure to report incidents	2M		1L
9. Emergency Response Preparation	delayed emergency response, inadequate first aid measures	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Training and Induction	lack of knowledge, non-compliance with procedures	ЗН		1L
11. Communication and Coordination	miscommunication of procedures, lack of coordination during operations	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Waste Management	exposure to hazardous waste, improper disposal of waste materials	3H		1L
13. Monitoring Kiln Performance	overloading the kilo component are	ЗН		2M
14. Work Environment Monitoring	poor air quality, excessive noise levels	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Coordination with Contractors	unfamiliarity with site-specific hazards, lack of integration with existing systems	4A		2M
Contractors	lack of integration with existing systems			



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of ractions of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of-ractions-of-racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health at Safety Act 34

Occupational Health and affety gulations 2017

Legis on VIC: https://www.wksafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

les on actice VI atps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work