

Pavi	ng Walkways Risk Assess	ment	
Business Name:		ABN:	
Business Address:			
Contact Person:	Phone:	Eme	
THIS RISK ASSESSM	MENT IS APPROVED BY THE PC	BU ON W PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a pis prepared before the proposed work starts.	person conducting a busine or un	ndertaking PCBL required to ensu	re that a RISK ASSESSMENT
Full Name:			
Signature:		ritle:	Date:
CL	OR PRICEIN LCO. TRACTOR I	DETAILS	
Client:		SCOPE OF	WORKS
Project Name:			
Project Address:			
Project Manager:			
Contact Phone:			
Date Risk Assessment supplied to Project N			

Version 2.5 Authorised by Review # Review Date:



RISK MATRIX LIKELIHOOD INSIGNIFICANT MINOR MODERATE MAJOR CATASTROPHIC HIERARCHY OF CONTROLS SCORE ACTION Elimination ALMOST 3 HIGH 3 HIGH 4 4 ACUTE ACUTE ACUTE **CERTAIN** Remove the hazard. Substitution 4 DO NOT Replace the hazard. LIKELY **MODERATE** HIGH HIGH ACUTE ACUTE ACUTE ROCEED Isolation Isolate People from the hazard 2 3 4 3H Rev before POSSIBLE MODERATE ACUTE ACUTE LOW HIGH HIGH. work Engineering Isolate the l/Acchanich. Ensure control 2 3 2M istrativ UNLIKELY measures in LOW LOW MODERATE HIGH ACU RATE е place. Chang 2 MODERATE 3 HIGH 1L Monitor and RARE LOW LOW LOW keep records.

Risk Rating & Required Action:

4A	Stop work. The risk is intolerable, minate the hazard redesign the activity before proceeding. A Safe Work
	Method Statement (SWMS) or hit er-level authorisation is required.
3H	Review and approve additional controls to the last arts. Senior supervisor sign-off needed.
2M	Ensure all nominated controls are in prace and efficiency roceed with caution; monitor conditions.
1L	Proceed, following standard operating procedures. Monitor and keep records.

Consequence Scale:

Consequence	People (injury/illness)	Project / Assets	Compliance / Reputation
Catastrophic	Fatality or permanent total disability	project shutdown	Significant regulator intervention; criminal prosecution
Major	Serious injury/illness (hospital > 5 days)	critical delay	Improvement notice; major media coverage
ivioderate	Medical-treatment injury; lost-time > 1 day	moderate delay	Minor breach; adverse client comment
Minor	First-aid only, no lost time	negligible delay	Isolated non-conformance
Insignificant	No injury	no schedule impact	Deviation caught and corrected on site

Notes on Hierarchy of Controls:

Remember to apply controls in the preferred order shown by the coloured pyramid:

- 1. Eliminate
- Substitute
- Isolate
- 4. Engineering
- 5. Administrative
- 6. PPE

Always document **why** a lower-order control is accepted if elimination or substitution is not reasonably practicable.

aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Inadequate site inspection, Incorrect tools	3H	Conduct thorough site inspection to identify hazards Verify all tools are correct and in good working over. Ensure workers are trained in equipment to Establish a communication plan for all team no about the prepare a detailed work plan opecifying duties. Review Safe Work Method Statement (SWMS). Organise clear are use to a site. Ensure PPE available are in use. Conductoolbo calk hierograting risks. Double to ack all posities and documentation.	2M
2. Site Clearance	Obstacles, Uneven sum	3)	Remove tebre and obsercles from the area. Level any linevest surfaces before work commences. Use prescripting techniques for heavy items. Lar appropriate footwear to prevent slips, trips, and falls. Clearly mark hazards that cannot be cleared immediately. Ensure good lighting is available in work areas. Use barriers to delineate dangerous areas. Confirm workers are aware of nearest first aid facilities. Identify emergency exit routes and assembly points. Maintain communication to address issues promptly.	2M
3. Delivery of Materials	Manual handling injuries, Traffic hazards	4A	Plan delivery times to minimise congestion. Utilise mechanical aids for transporting heavy materials. Conduct risk assessment for traffic movements on site. Wear high-visibility clothing near traffic areas. Ensure clear, marked delivery zones exist. Brief delivery drivers on site safety rules. Implement spotters to assist with reversing trucks. Coordinate with workers to avoid overlaps in tasks.	2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			Ensure pedestrians are kept clear of delivery zones.	
			Regularly inspect delivery pathways for damage.	
4. Laying Base Material	Dust inhalation, Heavy machinery	4A		2M
5. Levelling Base	Back strain, Vibratan hazards	ЗН		1L
6. Laying Pavers	Crush injuries, Misalignment	3Н		1L

Review Date:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Cutting Pavers	Flying debris, Noise pollution	4A		2M
8. Edge Restraint Installation	Tripping hazards, I	зн		1L
9. Joint Filling	Inhalation of silica dust, Skin irritation	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Cleanup	Slips and trips, Debris injuries	3Н		1L
11. Final Inspection	Missed hazards, Non-compliance will standards	ЗН		1L
12. Equipment Maintenance	Tool malfunction, Injury from sharp edges	3Н		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Personnel Training	Insufficient skills, Communication breakdown	3H		1L
14. Emergency Preparedness	Panic during incidents, Foilure to Sow procedures	4A		2M
15. Review and Feedback	Unaddressed issues, Insufficient review processes	3H		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
		*		



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-oi racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health at Safety Act 34

Occupational Health and affety gulations 2017

Legis on VIC: https://www.wsafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work