

| Place Tra | ailers Onto Stands Risk As | sessment | |
|--|----------------------------------|----------------------------------|---------------------------|
| Business Name: | | ABN: | |
| Business Address: | | | |
| Contact Person: | Phone: | Ema. | |
| | | | |
| THIS RISK ASSESSI | MENT IS APPROVED BY THE PC | BU ON W PROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a is prepared before the proposed work starts. | person conducting a busine or un | ndertaking PCBU required to ensu | re that a RISK ASSESSMENT |
| Full Name: | | | |
| Signature: | | ritle: | Date: |
| | | | |
| CLI | OR PRI. CIL L. CO. TRACTOR I | DETAILS | |
| Client: | | SCOPE OF | WORKS |
| Project Name: | | | |
| Project Address: | | | |
| Project Manager: | | | |
| Contact Phone: | | | |
| Date Risk Assessment supplied to Project In | | | |

Version 2.5 Authorised by Review # Review Date:



RISK MATRIX LIKELIHOOD INSIGNIFICANT MINOR MODERATE MAJOR CATASTROPHIC HIERARCHY OF CONTROLS SCORE ACTION Elimination ALMOST 3 HIGH 3 HIGH 4 4 ACUTE ACUTE ACUTE **CERTAIN** Remove the hazard. Substitution 4 DO NOT Replace the hazard. LIKELY **MODERATE** HIGH HIGH ACUTE ACUTE ACUTE ROCEED Isolation Isolate People from the hazard 2 3 4 3H Rev before POSSIBLE MODERATE ACUTE ACUTE LOW HIGH HIGH. work Engineering Isolate the l/Acchanich. Ensure control 2 3 2M istrativ UNLIKELY measures in LOW LOW MODERATE HIGH ACU RATE е place. Chang 2 MODERATE 3 HIGH 1L Monitor and RARE LOW LOW LOW keep records.

Risk Rating & Required Action:

| 4A | Stop work. The risk is intolerable, minate the hazard redesign the activity before proceeding. A Safe Work |
|----|--|
| | Method Statement (SWMS) or hit er-level authorisation is required. |
| 3H | Review and approve additional controls to the last arts. Senior supervisor sign-off needed. |
| 2M | Ensure all nominated controls are in prace and efficiency roceed with caution; monitor conditions. |
| 1L | Proceed, following standard operating procedures. Monitor and keep records. |

Consequence Scale:

| Consequence | People (injury/illness) | Project / Assets | Compliance / Reputation |
|---------------|---|--------------------|--|
| Catastrophic | Fatality or permanent total disability | project shutdown | Significant regulator intervention; criminal prosecution |
| Major | Serious injury/illness (hospital > 5 days) | critical delay | Improvement notice; major media coverage |
| ivioderate | Medical-treatment injury; lost-time > 1 day | moderate delay | Minor breach; adverse client comment |
| Minor | First-aid only, no lost time | negligible delay | Isolated non-conformance |
| Insignificant | No injury | no schedule impact | Deviation caught and corrected on site |

Notes on Hierarchy of Controls:

Remember to apply controls in the preferred order shown by the coloured pyramid:

- 1. Eliminate
- Substitute
- Isolate
- 4. Engineering
- 5. Administrative
- 6. PPE

Always document **why** a lower-order control is accepted if elimination or substitution is not reasonably practicable.

aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------------|----------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Slips, Trips | 2M | - Ensure the work area is clean and free of debris - Conduct a pre-operation inspection of the site - Use anti-slip mats in areas prone to moist - Provide adequate lighting in the work area - Conduct a site-specific induction for all personn - Ensure all workers wear apply triate footwear - Barrier off non-equation has to revent access - Ensure clear wathways are maintain. It - Use to t floors on swhom necessary - Complementation and desired the second content of the state of the second content of the second conte | 1L |
| 2. Inspect trailer | Structural damage, Farmanections | 31 | - Condula a trapugh woral inspection of the trailer - Tag with move any damaged trailers from service use appropriate tools to inspect difficult areas - Maintain a log of inspections conducted - Train staff in identifying structural faults - Ensure a pre-inspection checklist is followed - Inspect for proper functioning of brakes and lights - Utilise qualified personnel for inspections - Report and document any issues immediately | 2M |
| Position trailer at stand location | Vehicle collision, Pinch points | ЗН | - Ensure area is clear of obstructions before movement - Use spotters to guide trailer into position - Maintain visual communication with vehicle operator - Ensure trailer wheels are chocked before unhitching - Follow designated travel paths - Train staff on how to manage pinch points - Wear suitable PPE to protect hands and fingers - Use hand signals for clear communication | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--|------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Limit speed when maneuvering into position | |
| | | | - Ensure anti-roll measures are in place | |
| 4. Unhitch trailer | Unexpected movement, Strain injury | 3H | | 1L |
| 5. Place safety stands under trailer | Crushing, Incorrect placement | 4A | | 2M |
| 6. Inspect and confirm stand stability | Stand failure, Miscommunication | ЗН | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 7. Remove wheel chocks | Unexpected movement, Trip hazards | 3H | | 2M |
| 8. Final checks | Failure to secure, in the secure of the secu | 3W | | 1L |
| 9. Secure area | Access by unauthorised personnel, Fall hazards | зн | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------------|----------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 10. Complete documentation | Miscommunication, Record loss | 2M | | 1L |
| 11. De-brief team | Miscommunication, Non-compliance | 2M | | 1L |
| 12. Release personnel | Fatigue, Over-exertion | 2M | | 1L |



7

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--------------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 13. Secure equipment | Equipment theft, Improper storage | 3H | | 1L |
| 14. Evaluate risk management process | Unidentified hazards, Ineffective practices | 2M | | 1L |
| 15. Provide ongoing training | Skill gaps, Non-compliance | 2M | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|------------------------|-----------------|--|-----------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUA RISK |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\underline{\textbf{Legislation QLD:}} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}}$

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-oi racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occupational Health and affety gulations 2017

Legis on VIC: https://www.wsafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work