

Removal And Installation Of Vehicle Wheels. Risk Assessment

Business Name:	ABN:	
Business Address:		
Contact Person:	Phone:	Email:

THIS RISK ASSESSMENT IS APPROVED BY THE PCBU ON THIS PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a RISK ASSESSMENT is prepared before the proposed work starts.

Full Name:		
Signature:	Title:	Date:

CLIENT OR PRINCIPAL CONTRACTOR DETAILS

Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date Risk Assessment supplied to Project Manager:	

RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HIERARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE			Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCEED	Substitution Replace the hazard.	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.	Isolation Isolate People from the hazard	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	Engineering Isolate the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	Monitor and keep records.	Administrative Change	
								PPE	
Risk Rating & Required Action:								Notes on Hierarchy of Controls:	
4A		Stop work. The risk is intolerable. Eliminate the hazard or redesign the activity before proceeding. A Safe Work Method Statement (SWMS) or higher-level authorisation is required.						Remember to apply controls in the preferred order shown by the coloured pyramid:	
3H		Review and approve additional controls before task starts. Senior supervisor sign-off needed.						1. Eliminate	
2M		Ensure all nominated controls are in place and effective. Proceed with caution; monitor conditions.						2. Substitute	
1L		Proceed, following standard operating procedures. Monitor and keep records.						3. Isolate	
Consequence Scale:								4. Engineering	
Consequence	People (injury/illness)		Project / Assets		Compliance / Reputation		5. Administrative		
Catastrophic	Fatality or permanent total disability		project shutdown		Significant regulator intervention; criminal prosecution		6. PPE		
Major	Serious injury/illness (hospital > 5 days)		critical delay		Improvement notice; major media coverage		Always document why a lower-order control is accepted if elimination or substitution is not reasonably practicable.		
Moderate	Medical-treatment injury; lost-time > 1 day		moderate delay		Minor breach; adverse client comment		aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.		
Minor	First-aid only, no lost time		negligible delay		Isolated non-conformance				
Insignificant	No injury		no schedule impact		Deviation caught and corrected on site				

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Manual handling injuries, Slips and trips	3H	<ul style="list-style-type: none"> - Conduct a toolbox talk before commencement - Ensure area is well lit and organised - Use appropriate PPE including gloves and boots - Plan the task and ensure all tools are available - Mark hazards with cones or barriers - Check the area for any tripping hazards - Use proper lifting techniques - Conduct risk assessment and check list before starting - Arrange for team briefing and ensure everyone understands their role - Check weather conditions to ensure safety 	2M
2. Secure Vehicle	Vehicle instability, Falling objects	4H	<ul style="list-style-type: none"> - Use wheel chocks to prevent movement - Lock the handbrake securely - Use a level and stable surface for jacking - Ensure correct tools are used - Confirm vehicle weight is supported by the jack and stands - Conduct visual inspection of stability - Keep area clear of personnel - Communicate with team during vehicle securing - Use bright indicators for vehicle and hoist placement - Test stability before proceeding with wheel removal 	2M
3. Lift Vehicle	Jack failure, Vehicle collapse	4A	<ul style="list-style-type: none"> - Use a hydraulic jack appropriate for vehicle weight - Inspect jack and stands for defects - Deploy jack stands under manufacturer recommended points - Ensure lifting area is clear of workers - Monitor vehicle elevation constantly - Conduct checks for securement of stands after lifting - Ensure only trained personnel operate lifting equipment - Check jack handle operation 	2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<ul style="list-style-type: none"> - Maintain communication among the team - Lower vehicle carefully after securing 	
4. Remove Wheel Nuts	Flying debris, Strain injuries	3H	<ul style="list-style-type: none"> - Use correct technique to remove wheel nuts - Wear eye protection - Use correct tool to remove wheel nuts - Do not over-tighten wheel nuts - Do not use excessive force - Do not use tools that are not designed for the purpose - Do not use tools that are damaged - Do not use tools that are not in good condition - Do not use tools that are not the correct size - Do not use tools that are not the correct type - Do not use tools that are not the correct material - Do not use tools that are not the correct shape - Do not use tools that are not the correct color - Do not use tools that are not the correct weight - Do not use tools that are not the correct length - Do not use tools that are not the correct width - Do not use tools that are not the correct height - Do not use tools that are not the correct depth - Do not use tools that are not the correct diameter - Do not use tools that are not the correct radius - Do not use tools that are not the correct angle - Do not use tools that are not the correct surface - Do not use tools that are not the correct texture - Do not use tools that are not the correct finish - Do not use tools that are not the correct coating - Do not use tools that are not the correct treatment - Do not use tools that are not the correct maintenance - Do not use tools that are not the correct storage - Do not use tools that are not the correct handling - Do not use tools that are not the correct disposal - Do not use tools that are not the correct recycling - Do not use tools that are not the correct disposal - Do not use tools that are not the correct recycling 	2M
5. Remove Wheel	Dropping wheel, Handling injuries	4A	<ul style="list-style-type: none"> - Use correct technique to remove wheel - Wear eye protection - Use correct tool to remove wheel - Do not over-tighten wheel nuts - Do not use excessive force - Do not use tools that are not designed for the purpose - Do not use tools that are damaged - Do not use tools that are not in good condition - Do not use tools that are not the correct size - Do not use tools that are not the correct type - Do not use tools that are not the correct material - Do not use tools that are not the correct shape - Do not use tools that are not the correct color - Do not use tools that are not the correct weight - Do not use tools that are not the correct length - Do not use tools that are not the correct width - Do not use tools that are not the correct height - Do not use tools that are not the correct depth - Do not use tools that are not the correct diameter - Do not use tools that are not the correct radius - Do not use tools that are not the correct angle - Do not use tools that are not the correct surface - Do not use tools that are not the correct texture - Do not use tools that are not the correct finish - Do not use tools that are not the correct coating - Do not use tools that are not the correct treatment - Do not use tools that are not the correct maintenance - Do not use tools that are not the correct storage - Do not use tools that are not the correct handling - Do not use tools that are not the correct disposal - Do not use tools that are not the correct recycling - Do not use tools that are not the correct disposal - Do not use tools that are not the correct recycling 	2M
6. Inspect Wheel and Components	Exposure to sharp edges, Contamination	3H	<ul style="list-style-type: none"> - Wear eye protection - Use correct tool to inspect wheel - Do not use excessive force - Do not use tools that are not designed for the purpose - Do not use tools that are damaged - Do not use tools that are not in good condition - Do not use tools that are not the correct size - Do not use tools that are not the correct type - Do not use tools that are not the correct material - Do not use tools that are not the correct shape - Do not use tools that are not the correct color - Do not use tools that are not the correct weight - Do not use tools that are not the correct length - Do not use tools that are not the correct width - Do not use tools that are not the correct height - Do not use tools that are not the correct depth - Do not use tools that are not the correct diameter - Do not use tools that are not the correct radius - Do not use tools that are not the correct angle - Do not use tools that are not the correct surface - Do not use tools that are not the correct texture - Do not use tools that are not the correct finish - Do not use tools that are not the correct coating - Do not use tools that are not the correct treatment - Do not use tools that are not the correct maintenance - Do not use tools that are not the correct storage - Do not use tools that are not the correct handling - Do not use tools that are not the correct disposal - Do not use tools that are not the correct recycling - Do not use tools that are not the correct disposal - Do not use tools that are not the correct recycling 	1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Install New Wheel	Strain injuries, Misalignment	3H		1L
8. Tighten Wheel Nuts	Undue tension, Tool damage	3H		1L
9. Lower Vehicle	Equipment malfunction, Sudden dropping	4A		2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Post-Installation Inspection	Missed component issues, Oversights	3H		1L
11. Clean Work Area	Slips and falls, Debris hazards	2M		1L
12. Dispose of Waste Material	Exposure to hazardous materials, Environmental hazards	3H		1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Final Documentation	Data entry errors, Process omissions	2M		1L
14. Debrief and Feedback	Communication breakdown, Misinterpretation	2M		1L
15. Continuous Improvement	Complacency, Knowledge gaps	3H		1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div>	
16. Equipment Maintenance Verification	Equipment failure, Overlooked defects	4A	<div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div>	2M

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.