

| Response To M | lan Overboard Situations R | Risk Assessment | |
|--|----------------------------------|----------------------------------|---------------------------|
| Business Name: | | ABN: | |
| Business Address: | | | |
| Contact Person: | Phone: | Emai | |
| | | | |
| THIS RISK ASSESSI | MENT IS APPROVED BY THE PC | BU ON CROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a is prepared before the proposed work starts. | person conducting a busine or ur | ndertaking PCBU required to ensu | re that a RISK ASSESSMENT |
| Full Name: | | | |
| Signature: | | ritle: | Date: |
| CL | | DETAILS | |
| Client: | | SCOPE OF | WORKS |
| Project Name: | | | |
| Project Address: | | | |
| Project Manager: | | | |
| Contact Phone: | | | |
| Date Risk Assessment supplied to Project New York | | | |



| RISK MATRIX | | | | | | | |
|--|---|---------------------|---------------------------------------|--|---|---|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE MA | JOR CATASTROPH | | | HIERARCHY OF CONTROLS |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | | 4 4 JTE ACUTE | SCORE | ACTION | Elimination Remove the hazard. |
| LIKELY | 2 MODERATE | 3 HIGH | U U U U U U U U U U U U U U U U U U U | 4 4 JTE ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. Isolation |
| POSSIBLE | 1 LOW | 2 MODERATE | | 4 JTE ACUTE | 3H HIGH | Rev before work art | Isolate People from the hazard Engineering Isolate the |
| UNLIKELY | 1 LOW | 1 LOW | | 3 Z GH ACU E | MC RATE | Ensure control measures in place. | Activité istrativ e Chang |
| RARE | 1 LOW | 1 LOW | | 3 GH H. 1 | 1L LOW | Monitor and keep records. | PP |
| Assist Rating & Required Action: 4A Stop work. The risk is intolerable, cominate the hazard predesign the activity before proceeding. A Safe Work Method Statement (SWMS) or his er-level authorisatic is required. 3H Review and approve additional controls the proceed with caution; monitor conditions. 2M Ensure all nominated controls are imprace and efficience of which caution; monitor conditions. 1L Proceed, following standard operating procedurer Monitor and keep records. Consequence Scale: | | | | | | | Notes on Hierarchy of Controls: Remember to apply controls in the preferred order shown by the coloured pyramid: 1. Eliminate 2. Substitute 3. Isolate 4. Engineering 5. Administrative 6. PPE |
| Consequence | | injury/illness) | Project / Ass | Significant regula | pliance / Reputat | | Always document why a lower-order control is accepted if |
| Catastrophic Major | Fatality or perma Serious injury/illr days) | | | wn prosecution | elim | | elimination or substitution is not reasonably practicable. aligned with Safe Work Australia's Managing the risk of fatigue at |
| Moderate | Medical-treatmen | nt injury; lost-tim | e > 1 moderate dela | y Minor breach; ad | Minor breach; adverse client comment work (2023) and ISO 45001:2018 c | | work (2023) and ISO 45001:2018 clauses 6–8. |
| Minor | First-aid only, no | lost time | negligible dela | y Isolated non-con | formance | | |
| | | | no schedule | Deviation caught and corrected on site | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------------------|---------------------------------------|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | sea conditions, insufficient training | ЗН | Conduct thorough briefing for all crew on emergent procedures Ensure all crew are trained in man overboard povery techniques Provide refresher courses regularly Check all safety equipment is operational Review weather conditions before departure Designate man overboard sporters Familiarise crewer are emergency pontact protocols Ensure rader-quipment is unctiont Secondall equipment reducek Verific prect creme-task allocation | 2M |
| 2. Spotting the Man Overboard | poor visibility, delayed | | Assign ledice ed look at for man overboard situations Built kouts with binoculars Ensure of w understand and implement immediate man overboard alert Is bright clothing for crew to increase visibility Install additional lighting on deck for low light conditions Practice using communication equipment efficiently Implement regular mock drills Keep emergency beacons available Arrange crew in strategic positions to maximise visibility Use spotlights during night operations | ЗН |
| 3. Alerting the Crew | panic, miscommunication | ЗН | Establish clear communication protocols Use handheld radios for immediate communication Practice calm and composed communication during drills Ensure all communication devices are charged Implement standardised alert signals Regularly review emergency communication procedures Coach crew on remaining calm during emergencies Use loud hailer systems to alert crew | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--------------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Assign roles to each crew member during emergencies | |
| | | | - Confirm receipt of man overboard alert by all crew members | |
| 4. Deploying Lifesaving Equipment | equipment failure, incorrect deployment | 4A | | ЗН |
| 5. Maneuvering the Vessel | collision, navigationerrors | 4A | | 3Н |
| 6. Securing the Victim | hypothermia, incorrect retrieval methods | 4A | | ЗН |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 7. Providing First Aid | inadequate first aid, delayed treatment | 4A | | ЗН |
| 8. Logging the Incident | incomplete records, et incomplete | SW | | 1L |
| 9. Debriefing the Crew | emotional distress, unresolved issues | 2M | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 10. Improving Future Response | repeated errors, inefficient practices | ЗН | | 2M |
| 11. Equipment Maintenance | equipment malfunction, lack of traini | ЗН | | 2М |
| 12. Emergency Communication | signal interference, network failure | 4A | | ЗН |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------|---|-----------------|--|----------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL |
| 13. Crew Training | incomplete training, skill fade | ЗН | | 2М |
| 14. Weather Monitoring | rapid weather changes, incorrect forecasts | ЗН | | 2M |
| 15. Conducting Drills | poor participation, incorrect procedures followed | ЗН | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 16. Vessel Maintenance | mechanical failure, substandard repairs | ЗН | | 2M |
| 17. Medical Preparedness | lack of supplies, medical emergencies | ЗН | | 2М |
| | | | | |



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE REFERENCES | | | | | | | |
|---|---|--|--|--|--|--|--|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL | ATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE | | | | | | |
| Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice | Victoria On opational Health as Safety Act and Occupational Health and onfety or gulations 2017 Legis from VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- rulat</u> of the solution of the state of th | | | | | | |
| New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic | Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u> | | | | | | |
| Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wd_place-servelaws Codes of Practice NT: https://worksafe.nt.gov.au/formed_resourcestice_servelaws | Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> | | | | | | |
| South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u> | Model Codes of Practice Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes | | | | | | |
| Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations | First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination | | | | | | |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents. | Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work | | | | | | |