

| Rolle  | r Brake Testing Risk Asses       | sment                            |                            |
|--|----------------------------------|----------------------------------|----------------------------|
| Business Name:   |                                  | ABN:                             |                            |
| Business Address:  |                                  |                                  |                            |
| Contact Person:  | Phone:                           | Emai                             |                            |
|  |                                  |                                  |                            |
| THIS RISK ASSESSI  | MENT IS APPROVED BY THE PCI      | BU ON W PROJECT                  |                            |
| Under the Work Health and Safety Regulation (WHS Regulation), a is prepared before the proposed work starts. | person conducting a busine or un | ndertaking PCBU required to ensu | ire that a RISK ASSESSMENT |
| Full Name:   |                                  |                                  |                            |
| Signature:   |                                  | ntle:                            | Date:                      |
| CLY  |                                  | DETAILS                          |                            |
| Client:  |                                  | SCOPE OF                         | WORKS                      |
| Project Name:  |                                  |                                  |                            |
| Project Address:   |                                  |                                  |                            |
| Project Manager:   |                                  |                                  |                            |
| Contact Phone:   |                                  |                                  |                            |
| Date Risk Assessment supplied to Project N   |                                  |                                  |                            |



|  |   |                     |                                       | F                  | RISK MATRIX   |   |  |  |
|--|---|---------------------|---------------------------------------|--------------------|---|---|--|--|
| LIKELIHOOD   | INSIGNIFICANT                                     | MINOR               | MODERATE MA                           | JOR CATASTROPH     |   |   | HIERARCHY OF CONTROLS  |  |
| ALMOST<br>CERTAIN  | 3<br>HIGH   | 3<br>HIGH           |                                       | 4 4<br>JTE ACUTE   | SCORE   | ACTION                                  | Elimination<br>Remove the hazard.  |  |
| LIKELY   | 2<br>MODERATE                                     | 3<br>HIGH           | U U U U U U U U U U U U U U U U U U U | 4 4<br>JTE ACUTE   | 4A<br>ACUTE   | DO NOT<br>PROCEED                       | Substitution<br>Replace the hazard.<br>Isolation   |  |
| POSSIBLE   | 1<br>LOW  | 2<br>MODERATE       |                                       | 4<br>JTE ACUTE     | 3H<br>HIGH  | Rev before<br>work art                  | Isolate People from the<br>hazard<br>Engineering<br>Isolate the  |  |
| UNLIKELY   | 1<br>LOW  | 1<br>LOW            |                                       | 3 Z<br>GH ACU E    | MC RATE   | Ensure control<br>measures in<br>place. | Activité<br>istrativ<br>e<br>Chang   |  |
| RARE   | 1<br>LOW  | 1<br>LOW            |                                       | 3<br>GH H. 1       | 1L<br>LOW   | Monitor and keep records.               | PP   |  |
| Risk Rating & Required Action:         4A       Stop work. The risk is intolerable, cominate the hazarc predesign the activity before proceeding. A Safe Work Method Statement (SWMS) or his er-level authorisatic is required.         3H       Review and approve additional corrols in prace and efficience. Proceed with caution; monitor conditions.         2M       Ensure all nominated controls are in prace and efficience. Proceed with caution; monitor conditions.         1L       Proceed, following standard operating procedurer Monitor and keep records.         Consequence Scale: |   |                     |                                       |                    |   |   | Notes on Hierarchy of Controls:         Remember to apply controls in the preferred order shown by the coloured pyramid:         1.       Eliminate         2.       Substitute         3.       Isolate         4.       Engineering         5.       Administrative         6.       PPE |  |
| Consequence  |   | injury/illness)     | Project / Ass                         | Significant regula | pliance / Reputat   |   | Always document why a lower-order control is accepted if   |  |
| Catastrophic<br>Major  | Fatality or perma<br>Serious injury/illr<br>days) |                     |                                       | wn prosecution     | Significant regulator intervention; criminal prosecution Improvement notice; major media coverage |   | elimination or substitution is not reasonably practicable.<br>aligned with Safe Work Australia's Managing the risk of fatigue at   |  |
| Moderate   | Medical-treatmen                                  | nt injury; lost-tim | e > 1 moderate dela                   | y Minor breach; ad | Minor breach; adverse client comment  |   | work (2023) and ISO 45001:2018 clauses 6–8.  |  |
| Minor  | First-aid only, no                                | lost time           | negligible dela                       | y Isolated non-con | formance  |   |  |  |
|  |   |                     | no schedule                           |                    | Deviation caught and corrected on site  |   |  |  |



| JOB STEP                      | POTENTIAL HAZARDS                                | IR              | CONTROL MEASURES   | RR               |
|-------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS           | HAZARDS THAT MAY ARISE                           | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK |
| 1. Preparation                | Slip on oil, Exposure to noise                   | ЗН              | Ensure floor is clean and dry<br>Wear non-slip footwear<br>Use noise-cancelling headphones<br>Limit time spent in noisy areas<br>Conduct regular site inspections<br>Label slippery areas<br>Provide training envoise corards<br>Maintain equipment to redu noise<br>Use sites to interate handous areas<br>Implementhousen randous  | 1L               |
| 2. Position Vehicle           | Struck by moving vehicle. Trip over<br>equipment | 3               | Use a souther aguide whicle<br>Use a souther aguide whicle<br>Provide there around the work area<br>Provide there-visibility clothing<br>Use use area is free of trip hazards<br>Conduct a visual inspection before starting<br>Ensure all participants are aware of vehicle movements<br>Use proper hand signals to guide vehicle<br>Train staff in vehicle positioning<br>Implement a communication protocol<br>Mark trip hazards with clear signage | 1L               |
| 3. Inspection of<br>Equipment | Electrical shock, Caught in moving parts         | 4A              | Isolate power before inspection<br>Provide personal protective equipment<br>Ensure equipment is properly maintained<br>Use lockout tagout procedures<br>Train staff in equipment use and maintenance<br>Ensure guards are in place before operation<br>Post warnings signs near hazardous zones<br>Check equipment manuals for correct operation   | 2М               |



| JOB STEP                       | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|--------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS            | HAZARDS THAT MAY ARISE                                   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                                |  |                 | Provide dedicated equipment inspection training                        |                  |
|                                |  |                 | Supervise new staff during inspections                                 |                  |
| 4. Testing Procedures          | Data misinterpretation, Repetitive strain<br>injury      | 2M              |  | 1L               |
| 5. Entering Test Results       | Data entry error, Lustuthorised access to results        | ЗН              |  | 1L               |
| 6. Calibration of<br>Equipment | Inaccurate test results, Exposure to hazardous materials | 4A              |  | 2M               |



| JOB STEP                          | POTENTIAL HAZARDS                                | IR              | CONTROL MEASURES   | RR               |
|-----------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS               | HAZARDS THAT MAY ARISE                           | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                                   |  |                 |  |                  |
| 7. Interlocking Safety<br>Systems | System malfunction, Unauthorised system override | ЗН              |  | 2М               |
| 8. Brake Testing<br>Execution     | Brake failure, Concunication<br>breakdown        | вн              |  | 1L               |
| 9. Review of Test<br>Results      | Misinterpretation of data, Data loss             | 2М              |  | 1L               |



| JOB STEP                           | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|------------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS                | HAZARDS THAT MAY ARISE                                    | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                                    |   |                 |  |                  |
| 10. Documentation and<br>Reporting | Incomplete reporting, Unauthorised data access            | 2М              |  | 1L               |
| 11. Removal of Vehicle             | Collision during removal, Fall from vehicle               | 44              |  | 2M               |
| 12. Worksite Clean-up              | Contact with chemical cleaners, Injury from sharp objects | 3Н              |  | 1L               |



| JOB STEP                         | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|----------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS              | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 13. De-briefing and<br>Feedback  | Disputes from unclear feedback,<br>Inadequate problem resolution | 2М              |  | 1L               |
| 14. Review and Re-<br>assessment | Overlooking changes in trocedure<br>Inadequate hazard identio    | ЗН              |  | 1L               |
| 15. Equipment<br>Maintenance     | Unexpected equipment failure, Injury<br>during maintenance       | 4A              |  | 2М               |



| JOB STEP                         | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|----------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS              | HAZARDS THAT MAY ARISE                                       | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                                  |  |                 |  |                  |
| 16. Staff Training               | Training fatigue, Lack of knowledge retention                | 2M              |  | 1L               |
| 17. Compliance Check             | Non-compliance with regulations,<br>Incomplete documentation | ЗН              |  | 1L               |
| 18. Emergency<br>Response Drills | Panic during drills, Injury during evacuations               | ЗН              |  | 1L               |



| JOB STEP                      | POTENTIAL HAZARDS                               | IR              | CONTROL MEASURES   | RR               |
|-------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS           | HAZARDS THAT MAY ARISE                          | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 19. Continuous<br>Improvement | Resistance to change, Overlooked process faults | 2М              |  | 1L               |
| 20. Closeout and Sign-<br>Off | Omitted sign-off, Document<br>misplacement      | 2М              |  | 1L               |
|                               |   |                 |  |                  |



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE RI  |   |
|---|---|
|   | EPERENCES   |
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGIS  | SLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE  |
| Queensland & Australian Capital Territory<br>Work Health and Safety Act 2011<br>Work Health and Safety Regulations 2011<br>Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u><br>Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u><br>Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u><br>Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>  | Victoria<br>Orgapational Health and Safety Action 4<br>Occupational Health and Safety Action 4<br>Legis alon VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-<br/>gulat</u><br>Sulfas on vactice VIC <u>enttps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u> |
| New South Wales           Work Health and Safety Act 2011           Work Health and Safety Regulations 2017           Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislati">https://www.safework.nsw.gov.au/legal-obligations/legislati</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislati</a>  | Western Australia<br>Work Health and Safety Act 2020<br>Work Health and Safety Regulations 2022<br>Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u><br>Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>                             |
| Northern Territory<br>Work Health and Safety (National Uniform Legislation) Act 2011<br>Work Health and Safety (National Uniform Legislation) Regulation 2015<br>Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/worplace-straws</u><br>Codes of Practice NT: <u>https://worksafe.nt.gov.au/formed-resourcestraws</u>   | Safe Work Australia Links<br>Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u><br>Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-<br/>codes-of-practice</u>  |
| South Australia<br>Work Health and Safety Act 2012 (SA)<br>Work Health and Safety Regulations 2012 (SA)<br>Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legulation</u><br>Codes of Practice for SA: <u>https://www.safework.sa.gov.au/worf_aces/codes-of-practice#COPs</u>   | Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes  |
| Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012         Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a> Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a> | <ul> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> </ul>              |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.   | <ul> <li>Work health and safety consultation, cooperation and coordination</li> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>                                    |