

Roto Mould Risk Assessment

Business Name:	ABN:	
Business Address:		
Contact Person:	Phone:	Email:

THIS RISK ASSESSMENT IS APPROVED BY THE PCBU ON THIS PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a RISK ASSESSMENT is prepared before the proposed work starts.

Full Name:		
Signature:	Title:	Date:

CLIENT OR PRINCIPAL CONTRACTOR DETAILS

Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date Risk Assessment supplied to Project Manager:	

RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HIERARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCEED	Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE			Substitution Replace the hazard.	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE			Isolation Isolate People from the hazard	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE			Engineering Isolate the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH			Administrative Change	
						1L LOW	Monitor and keep records.	PPE	
Risk Rating & Required Action:								Notes on Hierarchy of Controls:	
4A		Stop work. The risk is intolerable. Eliminate the hazard or redesign the activity before proceeding. A Safe Work Method Statement (SWMS) or higher-level authorisation is required.						Remember to apply controls in the preferred order shown by the coloured pyramid:	
3H		Review and approve additional controls before task starts. Senior supervisor sign-off needed.						1. Eliminate	
2M		Ensure all nominated controls are in place and effective. Proceed with caution; monitor conditions.						2. Substitute	
1L		Proceed, following standard operating procedures. Monitor and keep records.						3. Isolate	
Consequence Scale:								4. Engineering	
Consequence		People (injury/illness)		Project / Assets		Compliance / Reputation		5. Administrative	
Catastrophic		Fatality or permanent total disability		project shutdown		Significant regulator intervention; criminal prosecution		6. PPE	
Major		Serious injury/illness (hospital > 5 days)		critical delay		Improvement notice; major media coverage		Always document why a lower-order control is accepted if elimination or substitution is not reasonably practicable.	
Moderate		Medical-treatment injury; lost-time > 1 day		moderate delay		Minor breach; adverse client comment		<i>aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.</i>	
Minor		First-aid only, no lost time		negligible delay		Isolated non-conformance			
Insignificant		No injury		no schedule impact		Deviation caught and corrected on site			

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	manual handling, slip and trip	3H	<ul style="list-style-type: none"> - Conduct a pre-task briefing with all staff involved. - Inspect area for any slip or trip hazards and remove any before starting. - Use mechanical aids for moving heavy equipment. - Ensure all staff wear appropriate footwear with no slip soles. - Assign tasks according to the physical capabilities of the workers. - Provide manual handling training. - Keep the work area clear and free of clutter. - Ensure adequate lighting is available. - Schedule regular breaks to prevent fatigue. - Designate clear walkways and mark them visibly. 	2M
2. Equipment Inspection	equipment malfunction, electrical shock	4H	<ul style="list-style-type: none"> - Conduct regular maintenance and inspections as per manufacturer's guidelines. - Ensure qualified personnel carry out equipment checks. - Use lock-out and tag-out procedures during maintenance. - Ensure all electrical connections are properly insulated. - Train staff in recognising equipment faults. - Maintain a log of all equipment inspections. - Use protective gear where necessary. - Verify all safety switches are operational. - Keep moisture away from electrical components. - Replace worn-out parts immediately with compatibles. 	2M
3. Loading Material into Mould	pinch points, chemical exposure	4A	<ul style="list-style-type: none"> - Use appropriate PPE, including gloves and goggles. - Train workers on safe loading procedures. - Implement guard mechanisms to cover pinch points. - Provide spill kits for chemical containment. - Ensure proper ventilation in the work area. - Implement a buddy system for tasks involving chemicals. - Use mechanical aids for loading to limit manual involvement. - Limit exposure time to chemicals. 	2M

		- Instigate a washing station nearby.
	4A	[REDACTED]
re arrange, contact with	3H	[REDACTED]

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Quality Inspection	eye strain, repetitive stress injuries	2M		1L
8. Cleaning Equipment	chemical exposure, sharp objects	3H		2M
9. Waste Disposal	contamination, sharp objects	3H		1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Shutdown and Securing	unauthorised access, residual energy	3H		1L
11. Documentation	incomplete records, data breach	2M		1L
12. Maintenance Scheduling	system failures, overlooking critical updates	3H		2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Training Sessions	training gaps, inadequate trainers	3H		1L
14. Emergency Procedures	poor response time, lack of familiarity	4A		2M
15. Communication	miscommunication, language barriers	3H		1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<div></div> <div></div> <div></div> <div></div> <div></div> <div></div>	

SAMPLE

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.