

| Screen I | Door Lock Repairs Risk As | sessment | |
|--|----------------------------------|----------------------------------|----------------------------|
| Business Name: | | ABN: | |
| Business Address: | | | |
| Contact Person: | Phone: | Emai | |
| | | | |
| THIS RISK ASSESSI | MENT IS APPROVED BY THE PCI | BU ON Y PROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a is prepared before the proposed work starts. | person conducting a busine or un | ndertaking PCBU required to ensu | ire that a RISK ASSESSMENT |
| Full Name: | | | |
| Signature: | | ritle: | Date: |
| CL | | DETAILS | |
| <u> </u> | | | |
| Client: | | SCOPE OF | WORKS |
| Project Name: | | | |
| Project Address: | | | |
| Project Manager: | | | |
| Contact Phone: | | | |
| Date Risk Assessment supplied to Project New | | | |



| | | | | F | RISK MATRIX | | | | |
|---|---|--|---|--|---|---|--|--|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE MA | JOR CATASTROPH | | | HIERARCHY OF CONTROLS | | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | | 4 4 JTE ACUTE | SCORE | ACTION | Elimination Remove the hazard. | | |
| LIKELY | 2 MODERATE | 3 HIGH | U U U U U U U U U U U U U U U U U U U | 4 4 JTE ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. Isolation | | |
| POSSIBLE | 1 LOW | 2 MODERATE | | 4 JTE ACUTE | 3H HIGH | Rev before work art | Isolate People from the hazard Engineering Isolate the | | |
| UNLIKELY | 1 LOW | 1 LOW | | 3 Z GH ACU E | MC RATE | Ensure control measures in place. | Activité istrativ e Chang | | |
| RARE | 1 LOW | 1 LOW | | 3 GH H. 1 | 1L LOW | Monitor and keep records. | PP | | |
| 4A Stop Meth 3H Revia 2M Ensu 1L Proce | eed, following star | intolerable, in VMS) or hi er-l dditional currol controls are import ndard operating | ace and efficieve. Proposed are Annual A | required. ts. Senior supervisor oceed with caution; m and keep records. | sign-off needed. nonitor conditions. | | Notes on Hierarchy of Controls: Remember to apply controls in the preferred order shown by the coloured pyramid: 1. Eliminate 2. Substitute 3. Isolate 4. Engineering 5. Administrative 6. PPE | | |
| Consequence | | injury/illness) | Project / Ass | Significant regula | pliance / Reputat | | Always document why a lower-order control is accepted if | | |
| Catastrophic Major | Fatality or perma Serious injury/illr days) | | | wn prosecution | Significant regulator intervention; criminal prosecution Improvement notice; major media coverage | | elimination or substitution is not reasonably practicable. aligned with Safe Work Australia's Managing the risk of fatigue at | | |
| Moderate | Medical-treatmen | nt injury; lost-tim | e > 1 moderate dela | y Minor breach; ad | Minor breach; adverse client comment | | work (2023) and ISO 45001:2018 clauses 6–8. | | |
| Minor | First-aid only, no | lost time | negligible dela | y Isolated non-con | formance | | | | |
| | | | no schedule | | Deviation caught and corrected on site | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | inadequate tools, unfamiliarity with procedure | ЗН | Ensure all necessary tools are available and functional Review the repair procedure documentation incovance Conduct a toolbox talk to clarify roles and obcedures Verify clear communication channels are estatistic Identify additional training needs for unfamiliar soff Conduct a risk assessment builting with the work to m Ensure access too mergenery connect information Validate allow members are cented in Frienald Schoole represent a time of minimum starbances Continuum members have adequate rest before the task | 2M |
| 2. Site Inspection | slips and trips, insects and trips | 21 | Condut vision inspection of the work area for hazards Fork an uneversion surfaces or slippery areas Proversion propriate personal protective equipment dvise use of insect repellent for outdoor work Implement a cleaning schedule for potential allergens Establish a path free of obstructions to the work site Ensure lighting is sufficient for visibility Brief team on site-specific hazards Monitor weather conditions relevant to the task Assign someone to manage site cleanliness | 1L |
| 3. Removal of Old Lock | sharp edges, falling debris | ЗН | Wear cut-resistant gloves during lock removal Use appropriate tools to avoid damage to door Position a dust sheet to catch falling debris Ensure eyewear is worn to protect from dust Secure area to exclude unauthorised personnel Work cautiously to prevent jarring or dropping parts Remove tripping hazards from immediate work area Have a first aid kit readily available at the site | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Communicate any changes in procedure immediately | |
| | | | - Assign experienced personnel to lead the activity | |
| 4. Installation of New Lock | manual handling, incorrect fitment | ЗН | | 2М |
| 5. Test Lock Functionality | improper function expetitive motion | 2M | | 1L |
| 6. Clean-up and Final Inspection | waste management issues, inadequate inspection | ЗН | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 7. Debrief and Documentation | miscommunication, loss of data | 2M | | 1L |
| 8. Task Review | missed opportunitur for interaction complacency | 2M | | 1L |
| 9. Training and Skills Development | skill gaps, lack of engagement | 2M | | 1L |

Version 2.5

Review #



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 10. Feedback Implementation | failure to implement improvements, resistance to change | ЗН | | 1L |
| 11. Customer Feedback and Satisfaction | dissatisfaction with service, incomplete resolution | 2М | | 1L |
| 12. Continuous Improvement | stagnation, repetition of past mistakes | ЗН | | 2М |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 13. Risk Assessment Review | outdated risk assessments, increased risk tolerance | ЗН | | 2M |
| 14. Equipment Maintenance and Upgrade | equipment failure, unava et site exparts | ЗН | | 2М |
| 15. WHS Policy Updates | non-compliance with WHS, loss of accreditation | ЗН | | 1L |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | S | | | |



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE REFERENCES | | | | | | |
|---|--|--|--|--|--|--|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGIS | SLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE | | | | | |
| Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice | Victoria Occupational Health an Safety Act and Occupational Health and pretvingulations 2017 Legis on VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulature</u> Codes on mactice VIC <u>extps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u> | | | | | |
| New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative | Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u> | | | | | |
| Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 201. Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/wo</u> <u>place-sector-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/wo</u> <u>place-sector</u> | Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> | | | | | |
| South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/worf_laces/codes-of-practice#COPs</u> | Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes | | | | | |
| Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice | First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work | | | | | |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents. | Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work | | | | | |