

Separating Internal Organs Risk Assessment

| | | |
|-------------------|--------|--------|
| Business Name: | ABN: | |
| Business Address: | | |
| Contact Person: | Phone: | Email: |

THIS RISK ASSESSMENT IS APPROVED BY THE PCBU ON THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a RISK ASSESSMENT is prepared before the proposed work starts.

| | | |
|------------|--------|-------|
| Full Name: | | |
| Signature: | Title: | Date: |

CLIENT OR PRINCIPAL CONTRACTOR DETAILS

| | |
|---|----------------|
| Client: | SCOPE OF WORKS |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Date Risk Assessment supplied to Project Manager: | |

| RISK MATRIX | | | | | | | | | |
|--|---|---------------|--------------------|------------|--|----------------|-----------------------------------|--|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | SCORE | ACTION | HIERARCHY OF CONTROLS | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | | | Elimination Remove the hazard. | |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. | |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review before work starts. | Isolation Isolate People from the hazard | |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | Engineering Isolate the hazard | |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | Monitor and keep records. | Administrative Change | |
| | | | | | | | | PPE | |
| Risk Rating & Required Action: | | | | | | | | Notes on Hierarchy of Controls: | |
| 4A Stop work. The risk is intolerable. Eliminate the hazard or redesign the activity before proceeding. A Safe Work Method Statement (SWMS) or higher-level authorisation is required. | | | | | | | | Remember to apply controls in the preferred order shown by the coloured pyramid: | |
| 3H Review and approve additional controls before the task starts. Senior supervisor sign-off needed. | | | | | | | | 1. Eliminate | |
| 2M Ensure all nominated controls are in place and effective. Proceed with caution; monitor conditions. | | | | | | | | 2. Substitute | |
| 1L Proceed, following standard operating procedures. Monitor and keep records. | | | | | | | | 3. Isolate | |
| | | | | | | | | 4. Engineering | |
| | | | | | | | | 5. Administrative | |
| | | | | | | | | 6. PPE | |
| Consequence Scale: | | | | | | | | Always document why a lower-order control is accepted if elimination or substitution is not reasonably practicable. | |
| Consequence | People (injury/illness) | | Project / Assets | | Compliance / Reputation | | | | |
| Catastrophic | Fatality or permanent total disability | | project shutdown | | Significant regulator intervention; criminal prosecution | | | | |
| Major | Serious injury/illness (hospital > 5 days) | | critical delay | | Improvement notice; major media coverage | | | | |
| Moderate | Medical-treatment injury; lost-time > 1 day | | moderate delay | | Minor breach; adverse client comment | | | | |
| Minor | First-aid only, no lost time | | negligible delay | | Isolated non-conformance | | | | |
| Insignificant | No injury | | no schedule impact | | Deviation caught and corrected on site | | | | |
| | | | | | | | | <i>aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.</i> | |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------|------------------------------------|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Missing equipment, Incorrect setup | 3H | <p>Ensure all necessary equipment is available before starting</p> <p>Conduct a pre-operation checklist to confirm proper setup</p> <p>Provide training for correct setup procedure</p> <p>Have a supervisor verify the setup</p> <p>Use only manufacturer-approved equipment</p> <p>Ensure all equipment is within calibration date</p> <p>Keep work area clean and organized</p> <p>Label all equipment clearly</p> <p>Provide equipment manual nearby</p> <p>Develop a setup diagram for quick reference</p> | 2M |
| 2. Sterilisation | Contamination, Chemical spills | 4H | <p>Use appropriate PPE including gloves and aprons</p> <p>Conduct sterilisation in a designated clean area</p> <p>Follow manufacturer's instructions diligently</p> <p>Use spill kits for any chemical spills immediately</p> <p>Store chemicals in labelled containers to prevent mix-ups</p> <p>Train staff on handling and disposing of chemicals</p> <p>Regularly inspect sterilisation area for compliance</p> <p>Keep SDS sheets accessible for all chemicals used</p> <p>Install emergency shower and eyewash stations nearby</p> <p>Schedule regular cleaning and maintenance of sterilisation equipment</p> | 2M |
| 3. Anaesthesia Administration | Overdose, Allergic reaction | 4A | <p>Verify patient's medical history before administering anaesthesia</p> <p>Use dosage guidelines established by medical boards</p> <p>Have resuscitation equipment ready and tested</p> <p>Ensure an anaesthetic specialist is present</p> <p>Monitor patient's vital signs continuously</p> <p>Label all anaesthetic drugs clearly</p> <p>Have an emergency procedure in place for adverse reactions</p> <p>Include informed consent as a part of the procedure</p> | 2M |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|---|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | Train staff on recognising signs of overdose Perform a test dosage on susceptible patients | |
| 4. Incision | Blood contamination, Incorrect incision placement | 3H | [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] | 1L |
| 5. Organ Exposure | Tissue damage, Exposure to infection | 4A | [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] | 2M |
| 6. Organ Separation | Nerve damage, Uncontrolled bleeding | 4A | [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] | 1L |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------------|--|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 7. Organ Handling | Tissue dehydration, Excessive manipulation | 3H | | 2M |
| 8. Itinerary Construction | Alignment issues, Suture instability | 3H | | 2M |
| 9. Temporary Closure | Infection risk, Suture misplacement | 4A | | 1L |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------|--|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 10. Monitoring Post-Operation | Vital sign instability, Inadequate pain management | 3H | | 2M |
| 11. Organ Function Testing | Inaccurate results, Patient discomfort | 3H | | 2M |
| 12. Final Closure | Release of contaminants, Suture violations | 3H | | 1L |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------------|--|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 13. Patient Recovery | Delayed response to complications, Patient falls | 3H | | 2M |
| 14. Post-Operative Check-up | Missed complications, Patient non compliance | 3H | | 2M |
| 15. Disposal of Waste | Biohazard exposure, Environmental contamination | 4A | | 1L |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|------------------------|--------------|---|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> | |
| | | | | |

SAMPLE

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work