

Servicing	Dual Custody Safes Risk A	ssessment	
Business Name:		ABN:	
Business Address:			
Contact Person:	Phone:	Emei	
THIS RISK ASSESS	MENT IS APPROVED BY THE PC	BU OF TROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a is prepared before the proposed work starts.	person conducting a busine or un	ndertaking PCBU required to ensu	ire that a RISK ASSESSMENT
Full Name:			
Signature:		ritle:	Date:
CL		DETAILS	
Client:		SCOPE OF	WORKS
Project Name:			
Project Address:			
Project Manager:			
Contact Phone:			
Date Risk Assessment supplied to Project N			



				F	RISK MATRIX		
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE MA	JOR CATASTROPH			HIERARCHY OF CONTROLS
ALMOST CERTAIN	3 HIGH	3 HIGH		4 4 JTE ACUTE	SCORE	ACTION	Elimination Remove the hazard.
LIKELY	2 MODERATE	3 HIGH	U U U U U U U U U U U U U U U U U U U	4 4 JTE ACUTE	4A ACUTE	DO NOT PROCEED	Substitution Replace the hazard. Isolation
POSSIBLE	1 LOW	2 MODERATE		4 JTE ACUTE	3H HIGH	Rev before work art	Isolate People from the hazard Engineering Isolate the
UNLIKELY	1 LOW	1 LOW		3 Z GH ACU E	MC RATE	Ensure control measures in place.	Activité istrativ e Chang
RARE	1 LOW	1 LOW		3 GH H. 1	1L LOW	Monitor and keep records.	PP
4AStop Meth3HRevia2MEnsu1LProceConsequen	eed, following star	intolerable, in VMS) or hi er-l dditional currol controls are import ndard operating	ace and efficieve. Proposed are Annual A	required. ts. Senior supervisor oceed with caution; m and keep records.	sign-off needed. nonitor conditions.		Notes on Hierarchy of Controls:         Remember to apply controls in the preferred order shown by the coloured pyramid:         1.       Eliminate         2.       Substitute         3.       Isolate         4.       Engineering         5.       Administrative         6.       PPE
Consequence		injury/illness)	Project / Ass	Significant regula	pliance / Reputat ator intervention; c		Always document why a lower-order control is accepted if
Catastrophic Major	Fatality or perma Serious injury/illr days)			wn prosecution	tice; major media		elimination or substitution is not reasonably practicable. aligned with Safe Work Australia's Managing the risk of fatigue at
Moderate	Medical-treatmen	nt injury; lost-tim	e > 1 moderate dela	y Minor breach; ad	Minor breach; adverse client comment		work (2023) and ISO 45001:2018 clauses 6–8.
Minor	First-aid only, no	lost time	negligible dela	y Isolated non-con	formance		
			no schedule				



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	lack of knowledge, improper tools	ЗН	<ul> <li>Provide thorough training to all personnel involved.</li> <li>Ensure tool maintenance and availability.</li> <li>Verify personnel have read and understole the safe were procedures.</li> <li>Conduct briefings before the commencement funct.</li> <li>Confirm licenses and certifications are current.</li> <li>Establish a checklist for required tools and knowled b</li> <li>Ensure supervisions are table using the task.</li> <li>Encourage usionnel to an question if unitation.</li> <li>Reprintly updote training content.</li> <li>Have builte technical support available.</li> </ul>	2М
2. Site Access	unauthorised entry, slimmentrips	31	<ul> <li>Implement a urgn-in a urgin-out process.</li> <li>Implement a urgn-in a urgin-out process.</li> <li>Implement a urgin-in a urgin-out process.</li> <li>Implement a urgin-in a urgin-out process.</li> <li>Ensumethor surfaces are even and dry.</li> <li>Implement adequate lighting.</li> <li>Frace warning signs for wet floors.</li> <li>Insue site access only to authorised personnel.</li> <li>Conduct site safety induction.</li> <li>Inspect access paths regularly for hazards.</li> <li>Install security cameras where applicable.</li> <li>Limit access to high-risk areas with barriers.</li> </ul>	2М
3. Equipment Inspection	faulty equipment, electrical hazards	ЗН	<ul> <li>Schedule regular equipment maintenance.</li> <li>Conduct visual inspections before use.</li> <li>Use insulated tools and equipment.</li> <li>Implement tag-out procedures for faulty equipment.</li> <li>Ensure all equipment is within its service life.</li> <li>Provide PPE for electrical work.</li> <li>Document and report any equipment issues.</li> <li>Conduct pre-use electrical safety checks.</li> </ul>	2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Have a qualified electrician available if needed.	
			- Perform regular audits of inspection logs.	
4. Safe Opening	forced entry, incorrect procedures	ЗН		1L
5. Internal Inspection	sharp edges, inversory dislocation	2M		1L
6. Service Procedures	tool mishandling, physical strain	ЗН		1L

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Lock Mechanism Adjustment	pinching injuries, incorrect adjustment	ЗН		1L
8. Testing and Verification	unauthorised lock-out, incomplete testing	ЗН		1L
9. Documentation	incomplete records, data breaches	ЗН		2М

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Emergency Response	fire, medical emergencies	ЗН		1L
11. Debriefing	missed learnings, communication failures	2М		1L
12. Lock and Seal	tamper risks, incorrect sealing	ЗH		2M

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL
13. Handover to Client	miscommunication, documentation errors	ЗН		2M
14. Security Check	unauthorised access, missing items	зн		2M
15. Close-out	incomplete shutdown, incorrect data entries	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	S			



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE RE	FERENCES					
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	LATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE					
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.gld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.gld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health an Safety Actnov4 Occupational Health and Infetving gulations 2017 Legismon VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- ingulations</u> Unders on mactice VICouttps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice					
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a acts-and-regulations"="" href="https://www.safework.nsw.gov.au/legal-obligations/legislati-codes-of-brack&lt;/td&gt;&lt;td&gt;Western Australia&lt;br&gt;Work Health and Safety Act 2020&lt;br&gt;Work Health and Safety Regulations 2022&lt;br&gt;Legislation Western Australia: &lt;u&gt;https://www.commerce.wa.gov.au/worksafe/legislation&lt;/u&gt;&lt;br&gt;Codes of Practice WA: &lt;u&gt;https://www.commerce.wa.gov.au/worksafe/codes-practice&lt;/u&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Northern Territory&lt;br&gt;Work Health and Safety (National Uniform Legislation) Act 2011&lt;br&gt;Work Health and Safety (National Uniform Legislation) Regulation 2015&lt;br&gt;Legislation NT: &lt;u&gt;https://worksafe.nt.gov.au/laws-and-compliance/weblace-set-laws&lt;/u&gt;&lt;br&gt;Codes of Practice NT: &lt;u&gt;https://worksafe.nt.gov.au/formations/incerveblace-set-laws&lt;/u&gt;&lt;br&gt;Codes of Practice NT: &lt;u&gt;https://worksafe.nt.gov.au/formations/incerveblace-set-laws&lt;/u&gt;&lt;/td&gt;&lt;td&gt;Safe Work Australia Links&lt;br&gt;Law and Regulation (All States): &lt;u&gt;https://www.safeworkaustralia.gov.au/law-and-regulation&lt;/u&gt;&lt;br&gt;Model Codes of Practice: &lt;u&gt;https://www.safeworkaustralia.gov.au/resources-publications/model-&lt;br&gt;codes-of-practice&lt;/u&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;South Australia&lt;br&gt;Work Health and Safety Act 2012 (SA)&lt;br&gt;Work Health and Safety Regulations 2012 (SA)&lt;br&gt;Legislation for SA: https://www.safework.sa.gov.au/resources/legislation&lt;br&gt;Codes of Practice for SA: https://www.safework.sa.gov.au/work_dces/codes-of-practice#COPs&lt;/td&gt;&lt;td&gt;Model Codes of Practice     - Managing noise and preventing hearing loss at work     - Confined spaces     - Labelling of workplace hazardous chemicals     - Managing risks of hazardous chemicals in the workplace     - Welding processes&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012         Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: &lt;a href=" https:="" laws-and-compliance="" topics="" worksafe.tas.gov.au="">https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</a> Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a>	<ul> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> </ul>					
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	<ul> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>					