

| Slipfor | rm Construction Risk Asse | essment | |
|--|----------------------------------|----------------------------------|----------------------------|
| Business Name: | | ABN: | |
| Business Address: | | | |
| Contact Person: | Phone: | Eme | |
| | | | |
| THIS RISK ASSESSI | MENT IS APPROVED BY THE PC | BU OF Y PROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a is prepared before the proposed work starts. | person conducting a busine or un | ndertaking PCBU required to ensu | ire that a RISK ASSESSMENT |
| Full Name: | | | |
| Signature: | | ritle: | Date: |
| CL | OR PRI, CIN 1, CO, TRACTOR | DETAILS | |
| Client: | | SCOPE OF | WORKS |
| Project Name: | | | |
| Project Address: | | | |
| Project Manager: | | | |
| Contact Phone: | | | |
| Date Risk Assessment supplied to Project Market . | | | |



| | | | | F | RISK MATRIX | | | |
|--|---|---------------------|---------------------------------------|--|--|--|--|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE MA | JOR CATASTROPH | | | HIERARCHY OF CONTROLS | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | | 4 4 JTE ACUTE | SCORE | ACTION | Elimination Remove the hazard. | |
| LIKELY | 2 MODERATE | 3 HIGH | U U U U U U U U U U U U U U U U U U U | 4 4 JTE ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. Isolation | |
| POSSIBLE | 1 LOW | 2 MODERATE | | 4 JTE ACUTE | 3H HIGH | Rev before work art | Isolate People from the hazard Engineering Isolate the | |
| UNLIKELY | 1 LOW | 1 LOW | | 3 Z GH ACU E | MC RATE | Ensure control measures in place. | Activité istrativ e Chang | |
| RARE | 1 LOW | 1 LOW | | 3 GH H. 1 | 1L LOW | Monitor and keep records. | PP | |
| Risk Rating & Required Action: 4A Stop work. The risk is intolerable, cominate the hazard predesign the activity before proceeding. A Safe Work Method Statement (SWMS) or higher-level authorisation is required. 3H Review and approve additional controls to consist ask parts. Senior supervisor sign-off needed. 2M Ensure all nominated controls are imprace and effective. Proceed with caution; monitor conditions. 1L Proceed, following standard operating procedures Monitor and keep records. Consequence Scale: | | | | | | Notes on Hierarchy of Controls: Remember to apply controls in the preferred order shown by the coloured pyramid: 1. Eliminate 2. Substitute 3. Isolate 4. Engineering 5. Administrative 6. PPE | | |
| Consequence | | injury/illness) | Project / Ass | Significant regula | pliance / Reputat | | Always document why a lower-order control is accepted if | |
| Catastrophic Major | Fatality or perma Serious injury/illr days) | | | wn prosecution | eliminati | | elimination or substitution is not reasonably practicable. aligned with Safe Work Australia's Managing the risk of fatigue at | |
| Moderate | Medical-treatmen | nt injury; lost-tim | e > 1 moderate dela | y Minor breach; ad | Winor breach; adverse client comment work (2023) and ISO 45001:2018 clauses 6–8. | | | |
| Minor | First-aid only, no | lost time | negligible dela | y Isolated non-con | formance | | | |
| | | | no schedule | Deviation caught and corrected on site | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Incorrect site assessment, Weather interference | ЗН | Conduct a comprehensive site assessment before cark commences Monitor weather forecasts daily Implement site-specific safety plans Brief team members on environment-specific ske Ensure a working communication system for weather update Identify potential weather shears on site Provide slip-resident non-near facilit workers Schedule value around facturable wather shears Utilization datarrain one as where appenable Sect is a materia and tools appropriately | 2M |
| 2. Material Delivery | Traffic hazards, Material bendling injuries | 2 | Use truned unsport verators Urganiz idelivers during low traffic periods Clean ourk delivery zones Itilize spotters during vehicle movements Conduct manual handling training for all staff Use mechanical aids for moving heavy materials Develop a traffic management plan Enforce a strict no-obstruction policy in pathways Implement pre-start briefings for all deliveries Ensure high-visibility clothing is worn by all staff | 2M |
| 3. Erect Safety Barriers | Falls from height, Improper installation | 4A | Use qualified personnel for installation Employ appropriate platform and ladder systems Regularly inspect barriers for stability Adhere to manufacturer installation guidelines Use personal protective equipment (PPE) including harnesses Conduct site-supervisor walkthroughs to check installations Train workers in fall prevention techniques Provide tool tethering methods to prevent dropping | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Mark barriers with high-visibility signs | |
| | | | - Implement routine maintenance checks | |
| 4. Set Up Slipform Equipment | Mechanical failure, Inadequate training | 4A | | 2М |
| 5. Pre-Pour Checks | Human error, Strugural inadequacies | ЗН | | 2M |
| 6. Begin Pouring Concrete | Concrete burns, Environmental contamination | ЗН | | 1L |

Version 2.5

Review #



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 7. Monitor Curing Process | Dehydration, Material settlement | ЗН | | 2M |
| 8. Adjust Slipform | Equipment malfunction, John adjustments | IA | | 2М |
| 9. Remove Formwork | Collapse risk, Striking hazards | ЗН | | 2M |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 10. Clean-Up | Slip hazards, Chemical exposure | ЗН | | 1L |
| 11. Conduct Post-Work Inspection | Overlooked hazards, Improper documentation | ЗН | | 2М |
| 12. Demobilisation | Traffic risks during equipment removal, Equipment damage | ЗН | | 2M |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 13. Workforce Debriefing | Miscommunication, Inadequate knowledge transfer | 2М | | 1L |
| 14. Document Close- Out | Data loss, Inaccurate recution | 2М | | 1L |
| 15. Site Restoration | Ground instability, Environmental impact | ЗН | | 2М |

Version 2.5



| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL | | DESIDUAL |
|----------------------------------|---|-----------------|--|------------------|
| | | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 16. Handover to Client Co del | ontractual disputes, Incomplete liverables | 2M | | 1L |
| | | | | |



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE RE | EFERENCES |
|---|---|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGIS | SLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE |
| Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> | Victoria Occupational Health an Safety Act and 4 Occupational Health and a fety or gulations 2017 Legis of VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulat</u> Surface on vactice VIC <u>outtps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u> |
| New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic | Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u> |
| Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/worplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/worplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/worplace-serve-laws</u> | Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> |
| South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u> | Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes |
| Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice | First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents. | Work reading and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work |