

| Snowa | and Ice Removal Risk Asse | essment | |
|--|----------------------------------|----------------------------------|----------------------------|
| Business Name: | | ABN: | |
| Business Address: | | | |
| Contact Person: | Phone: | Eme | |
| | | | |
| THIS RISK ASSESSI | MENT IS APPROVED BY THE PC | BU OF PROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a is prepared before the proposed work starts. | person conducting a busine or un | ndertaking PCBU required to ensu | ire that a RISK ASSESSMENT |
| Full Name: | | | |
| Signature: | | ritle: | Date: |
| CL | | DETAILS | |
| Client: | | SCOPE OF | WORKS |
| Project Name: | | | |
| Project Address: | | | |
| Project Manager: | | | |
| Contact Phone: | | | |
| Date Risk Assessment supplied to Project N | | | |



| RISK MATRIX | | | | | | | |
|---|---|---------------------|---------------------------------------|--|---|---|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE MA | JOR CATASTROPH | | | HIERARCHY OF CONTROLS |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | | 4 4 JTE ACUTE | SCORE | ACTION | Elimination Remove the hazard. |
| LIKELY | 2 MODERATE | 3 HIGH | U U U U U U U U U U U U U U U U U U U | 4 4 JTE ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. Isolation |
| POSSIBLE | 1 LOW | 2 MODERATE | | 4 JTE ACUTE | 3H HIGH | Rev before work art | Isolate People from the hazard Engineering Isolate the |
| UNLIKELY | 1 LOW | 1 LOW | | 3 Z GH ACU E | MC RATE | Ensure control measures in place. | Activité istrativ e Chang |
| RARE | 1 LOW | 1 LOW | | 3 GH H. 1 | 1L LOW | Monitor and keep records. | PP |
| Risk Rating & Required Action: 4A Stop work. The risk is intolerable, cominate the hazard predesign the activity before proceeding. A Safe Work Method Statement (SWMS) or his er-level authorisatic is required. 3H Review and approve additional controls the contrast part as the arts. Senior supervisor sign-off needed. 2M Ensure all nominated controls are in prace and efficience of with caution; monitor conditions. 1L Proceed, following standard operating procedurer Monitor and keep records. | | | | | | | Notes on Hierarchy of Controls: Remember to apply controls in the preferred order shown by the coloured pyramid: 1. Eliminate 2. Substitute 3. Isolate 4. Engineering 5. Administrative 6. PPE |
| Consequence | | injury/illness) | Project / Ass | Significant regula | pliance / Reputat ator intervention; c | | Always document why a lower-order control is accepted if |
| Catastrophic Major | Fatality or perma Serious injury/illr days) | | | wn prosecution | tice; major media | | elimination or substitution is not reasonably practicable. aligned with Safe Work Australia's Managing the risk of fatigue at |
| Moderate | Medical-treatmen | nt injury; lost-tim | e > 1 moderate dela | y Minor breach; ad | Minor breach; adverse client comment | | work (2023) and ISO 45001:2018 clauses 6–8. |
| Minor | First-aid only, no | lost time | negligible dela | y Isolated non-con | formance | | |
| | | | no schedule | Deviation caught and corrected on site | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | slippery surfaces, inadequate equipment | ЗН | Conduct a briefing on site conditions and specific behards. Ensure workers wear appropriate non-slip for usar. Use high-visibility clothing for all workers wear is. Inspect equipment for proper functioning behavior. Implement a buddy system to ensure no one works alone. Establish a communication protocol for emergenci. Limit the operation or one who is to improve visibility. Use barrier or signage to see non-vorker away from work zones. Context a situal spectration or specific supery areas. Ensure the additional demergency contacts are readily accessible. | 2M |
| 2. Equipment Check | equipment failure, uns | 2 | Inspectall state and theremoval equipment prior to use. Inspectall state and theremoval equipment prior to use. Insurrential difference of the state of the stat | 1L |
| 3. Access and Egress | obstructed access, trip hazards | ЗН | Clearly mark all designated access and egress points. Remove obstructions from pathways before work begins. Use sand or salt to treat icy access routes. Apply temporary walkways where necessary for safe movement. Ensure adequate lighting for all access routes. Allocate a worker to inspect and clear pathways regularly. Post signage indicating safe paths and exits. Train workers on emergency evacuation routes. | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Monitor weather conditions to anticipate changes. | |
| | | | - Review pathways daily for new hazards. | |
| 4. Weather Monitoring | rapid weather changes, high wind speeds | 4A | | 2М |
| 5. Ice Removal | manual handling it uries, exposure to cold | ЗН | | 2М |
| 6. Snow Blowing | flying debris, noise exposure | ЗН | | 1L |

Version 2.5



PayPal

bluesafe.

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 7. Debris Management | slip trip falls, improper disposal | ЗН | | 2М |
| 8. Chemical Treatments | chemical burns, environmental import | 4A | | 2М |
| 9. Team Coordination | communication breakdowns, uneven workload | 2M | | 1L |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 10. Emergency Planning | inadequate first aid, delayed emergency response | 4A | | 2M |
| 11. Fall Prevention | falls from height, unstable ladders | 4A | | 2M |
| 12. Site Security | unauthorised access, vandalism | ЗН | | 1L |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 13. Worker Training | knowledge gaps, complacency | ЗН | | 1L |
| | | | | |
| | 5 | | | |
| | | | | |
| 14. PPE Usage | improper PPE, exposure to elements | ЗH | | 1L |
| Ŭ | | | | |
| | | | | |
| | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------------|--------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 15. Reporting and Documentation | incomplete records, miscommunication | 2М | | 1L |
| | G | | | |



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE REF | | | | | | |
|---|---|--|--|--|--|--|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE | | | | | | |
| Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice | Victoria Octopational Health an estate vice of a constraint of the second secon | | | | | |
| New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative | Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u> | | | | | |
| Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-sector-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formediatestations/compliance/weiplace-sector-laws</u> | Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> | | | | | |
| South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u> | Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes - Einst eid in the workplace | | | | | |
| Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice | First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and eaferty consultation, construction and coordination | | | | | |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents. | Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work | | | | | |