

| Swa | ge and Jenny Risk Assess | ment | |
|---|----------------------------------|----------------------------------|---------------------------|
| Business Name: | | ABN: | |
| Business Address: | | | |
| Contact Person: | Phone: | Emei | |
| | | | |
| THIS RISK ASSESS | MENT IS APPROVED BY THE PC | BU ON W PROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a prepared before the proposed work starts. | person conducting a busine or un | ndertaking PCBU required to ensu | re that a RISK ASSESSMENT |
| Full Name: | | | |
| Signature: | | ritle: | Date: |
| | | | |
| CL | OR PRI, CIN, LCO, TRACTOR I | DETAILS | |
| Client: | | SCOPE OF | WORKS |
| Project Name: | | | |
| Project Address: | | | |
| Project Manager: | | | |
| Contact Phone: | | | |
| Date Risk Assessment supplied to Project New York | | | |



| | | | | F | RISK MATRIX | | | |
|--|---|---------------------|---------------------------------------|--|---|---|--|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE MA | JOR CATASTROPH | | | HIERARCHY OF CONTROLS | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | | 4 4 JTE ACUTE | SCORE | ACTION | Elimination Remove the hazard. | |
| LIKELY | 2 MODERATE | 3 HIGH | U U U U U U U U U U U U U U U U U U U | 4 4 JTE ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. Isolation | |
| POSSIBLE | 1 LOW | 2 MODERATE | | 4 JTE ACUTE | 3H HIGH | Rev before work art | Isolate People from the hazard Engineering Isolate the | |
| UNLIKELY | 1 LOW | 1 LOW | | 3 Z GH ACU E | MC RATE | Ensure control measures in place. | Activité istrativ e Chang | |
| RARE | 1 LOW | 1 LOW | | 3 GH H. 1 | 1L LOW | Monitor and keep records. | PP | |
| A Stop work. The risk is intolerable, cominate the hazarc predesign the activity before proceeding. A Safe Work Method Statement (SWMS) or his er-level authorisatic vis required. 3H Review and approve additional controls the proceed with caution; monitor conditions. 2M Ensure all nominated controls are imprace and efficience of with caution; monitor conditions. 1L Proceed, following standard operating procedurer Monitor and keep records. Consequence Scale: | | | | | | | Notes on Hierarchy of Controls: Remember to apply controls in the preferred order shown by the coloured pyramid: 1. Eliminate 2. Substitute 3. Isolate 4. Engineering 5. Administrative 6. PPE | |
| Consequence | | injury/illness) | Project / Ass | Significant regula | pliance / Reputat | | Always document why a lower-order control is accepted if | |
| Catastrophic Major | Fatality or perma Serious injury/illr days) | | | wn prosecution | Significant regulator intervention; criminal prosecution Improvement notice; major media coverage | | elimination or substitution is not reasonably practicable. aligned with Safe Work Australia's Managing the risk of fatigue at | |
| Moderate | Medical-treatmen | nt injury; lost-tim | e > 1 moderate dela | y Minor breach; ad | Minor breach; adverse client comment | | work (2023) and ISO 45001:2018 clauses 6–8. | |
| Minor | First-aid only, no | lost time | negligible dela | y Isolated non-con | formance | | | |
| | | | no schedule | Deviation caught and corrected on site | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Manual handling, Slips, trips and falls | ЗН | Conduct a pre-work briefing to identify roles and reconsibilities Ensure workspace is clean and organised to event tripping Use mechanical aids for lifting heavy objet Ensure workers wear non-slip footwear Train workers in safe many chandling techniqu Keep walkways clear of obstants Inspect tools and quiptent for emage before use Ensure advecte lighting, the workerrea Estatesh safe zone cound work sciences Concise if team, embers understand the safety protocols | 2M |
| 2. Setting Up Equipment | Electrical hazards, Equipment malfunction | 3 | Only thined is room is should set up equipment Only thined is room is should set up equipment Inspected critical cords and connections for damage Insure equipment is calibrated correctly before use Use appropriate circuit protection devices Verify the installation of grounding connections Follow manufacturer's instructions for setup Wear appropriate PPE such as safety glasses Establish an emergency shutdown procedure Test equipment functionality before full operation | 2M |
| 3. Loading Materials | Material handling injuries, Crush injuries | ЗН | Use mechanical aids or team lifting for heavy loads Ensure proper storage of materials to prevent shifting Train workers on safe loading techniques Use appropriate PPE such as gloves and steel-toed boots Implement a safe work procedure for loading operations Keep hands clear of pinch points during loading Ensure workers maintain a safe distance from moving parts Use spotters to guide material transport where visibility is limited | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Regularly inspect slings and hoists for wear | |
| | | | - Establish designated loading zones | |
| 4. Operating the Swage | Entanglement, Inhalation of metal dust | ЗН | | 2М |
| 5. Operating the Jenny | Noise exposure, Fue injuries | ЗН | | 2М |
| 6. Material Forming | Pinch points, Sharp edges | ЗН | | 2M |

Version 2.5

Review #



ANTERIONI DOGRESS

PayPal



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--------------------------------|---------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 7. Adjusting Equipment | Unexpected movement, Hot surfaces | ЗН | | 2M |
| 8. Maintenance and Cleaning | Chemical exposure constant abras of s | ЗН | | 2M |
| 9. Emergency Response | Panic, Miscommunication | 4A | | 2M |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 10. Shutdown Procedures | Residual energy, Accidental startups | ЗН | | 2М |
| 11. Post-Operation Inspection | Equipment failure, Safety protocol neglect | ЗН | | 2М |
| 12. Training and Competency | Inadequate skill levels, Outdated knowledge | 4A | | 2M |

Version 2.5

Review #



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--------------------------------------|-----------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 13. Personal Protective Equipment | Inadequate PPE, Improper use | ЗН | | 2M |
| 14. Communication | Misunderstanding, Language Popula | 4A | | 2M |
| 15. Record Keeping | Data errors, Lack of traceability | ЗН | | 2M |

Version 2.5



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | S | | | |



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE R | EFERENCES |
|---|---|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEG | ISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE |
| Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.gld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> | Victoria Occupational Health and Safety Act and 4 Occupational Health and Safety Act and 4 Occupational Health and Safety Subject Safety Safet |
| New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: <u>https://www.safework.nsw.gov.au/legal-obligations/legislati</u> Codes of Practice NSW: <u>https://www.safework.nsw.gov.au/resource-library/lis</u> | Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u> |
| Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formered-resources/compliance/workplace-serve-laws</u> | Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> |
| South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legulation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_daces/codes-of-practice#COPs</u> | Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes |
| Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice | First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): Permits from local council Authorisation to commence work | Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work |

- Any required documents.