

| Test   | Depth Diving Risk Assess         | ment                             |                           |
|--|----------------------------------|----------------------------------|---------------------------|
| Business Name:   |                                  | ABN:                             |                           |
| Business Address:  |                                  |                                  |                           |
| Contact Person:  | Phone:                           | Emai                             |                           |
|  | ·                                |                                  |                           |
| THIS RISK ASSESS   | IENT IS APPROVED BY THE PCI      | BU ON Y PROJECT                  |                           |
| Under the Work Health and Safety Regulation (WHS Regulation), a p is prepared before the proposed work starts. | person conducting a busine or un | ndertaking PCBU required to ensu | re that a RISK ASSESSMENT |
| Full Name:   |                                  |                                  |                           |
| Signature:   |                                  | ritle:                           | Date:                     |
|  |                                  |                                  |                           |
| CL   | OR PRI. CIN. L.CO. TRACTOR I     | DETAILS                          |                           |
| Client:  |                                  | SCOPE OF                         | WORKS                     |
| Project Name:  |                                  |                                  |                           |
| Project Address:   |                                  |                                  |                           |
| Project Manager:   |                                  |                                  |                           |
| Contact Phone:   |                                  |                                  |                           |
| Date Risk Assessment supplied to Project New York  |                                  |                                  |                           |



|   |   |                     |                                       | F                  | RISK MATRIX   |   |  |  |
|---|---|---------------------|---------------------------------------|--------------------|---|---|--|--|
| LIKELIHOOD  | INSIGNIFICANT                                     | MINOR               | MODERATE MA                           | JOR CATASTROPH     |   |   | HIERARCHY OF CONTROLS  |  |
| ALMOST<br>CERTAIN   | 3<br>HIGH   | 3<br>HIGH           |                                       | 4 4<br>JTE ACUTE   | SCORE   | ACTION                                  | Elimination<br>Remove the hazard.  |  |
| LIKELY  | 2<br>MODERATE                                     | 3<br>HIGH           | U U U U U U U U U U U U U U U U U U U | 4 4<br>JTE ACUTE   | 4A<br>ACUTE   | DO NOT<br>PROCEED                       | Substitution<br>Replace the hazard.<br>Isolation   |  |
| POSSIBLE  | 1<br>LOW  | 2<br>MODERATE       |                                       | 4<br>JTE ACUTE     | 3H<br>HIGH  | Rev before<br>work art                  | Isolate People from the<br>hazard<br>Engineering<br>Isolate the  |  |
| UNLIKELY  | 1<br>LOW  | 1<br>LOW            |                                       | 3 Z<br>GH ACU E    | MC RATE   | Ensure control<br>measures in<br>place. | Activité<br>istrativ<br>e<br>Chang   |  |
| RARE  | 1<br>LOW  | 1<br>LOW            |                                       | 3<br>GH H. 1       | 1L<br>LOW   | Monitor and keep records.               | PP   |  |
| Risk Rating & Required Action:         4A       Stop work. The risk is intolerable, cominate the hazard predesign the activity before proceeding. A Safe Work Method Statement (SWMS) or his er-level authorisation is required.         3H       Review and approve additional controls to compace and efficiency tracks previous sign-off needed.         2M       Ensure all nominated controls are in prace and efficiency donitor and keep records.         1L       Proceed, following standard operating procedurer wonitor and keep records.         Consequence Scale: |   |                     |                                       |                    |   |   | Notes on Hierarchy of Controls:         Remember to apply controls in the preferred order shown by the coloured pyramid:         1.       Eliminate         2.       Substitute         3.       Isolate         4.       Engineering         5.       Administrative         6.       PPE |  |
| Consequence   |   | injury/illness)     | Project / Ass                         | Significant regula | pliance / Reputat   |   | Always document why a lower-order control is accepted if   |  |
| Catastrophic<br>Major   | Fatality or perma<br>Serious injury/illr<br>days) |                     |                                       | wn prosecution     | Significant regulator intervention; criminal prosecution Improvement notice; major media coverage |   | elimination or substitution is not reasonably practicable.<br>aligned with Safe Work Australia's Managing the risk of fatigue at   |  |
| Moderate  | Medical-treatmen                                  | nt injury; lost-tim | e > 1 moderate dela                   | y Minor breach; ad | Minor breach; adverse client comment  |   | work (2023) and ISO 45001:2018 clauses 6–8.  |  |
| Minor   | First-aid only, no                                | lost time           | negligible dela                       | y Isolated non-con | formance  |   |  |  |
|   |   |                     | no schedule                           |                    | Deviation caught and corrected on site  |   |  |  |



| JOB STEP            | POTENTIAL HAZARDS                                | IR              | CONTROL MEASURES  | RR               |
|---------------------|--|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                           | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK |
| 1. Preparation      | Inadequate equipment inspection, Diver fatigue   | ЗН              | Conduct a comprehensive equipment checklist before diving<br>Ensure divers have adequate rest prior to the curvation<br>Verify all equipment is serviced and within a pection data<br>Pre-plan diving procedures<br>Provide hydration for divers<br>Schedule breaks during multipurlives<br>Perform a risk as comeaner or each dive session<br>Train diversite equipment, be and congeneratoredures<br>Ensure communication relates are fully curctional<br>Implemented by a buddent stem for all dives | 2М               |
| 2. Equipment Setup  | Incorrect assembly, Equipment malfunction        |                 | Follow nanun turer interactions for assembly<br>Conduct ressult tests on diving apparatus<br>Regular chaintain all equipment as per manufacturer guidelines<br>Conduct a peer-check system<br>Have certified technicians review equipment setups<br>Stock extra equipment for malfunctions<br>Utilize checklists for setup verification<br>Ensure all team members recognize faulty equipment signs<br>Implement lockout/tagout procedures for faulty equipment   | 2М               |
| 3. Site Assessment  | Poor visibility, Unfavourable weather conditions | ЗН              | Conduct site surveys prior to diving operations<br>Use weather forecasting tools to assess conditions<br>Schedule dives during optimal weather windows<br>Equip divers with visibility enhancing gear<br>Implement procedures for low visibility conditions<br>Set safety lines and markers<br>Consult local dive experts<br>Ensure all divers have torches and signaling devices   | 1L               |



| JOB STEP                     | POTENTIAL HAZARDS                                      | IR              | CONTROL MEASURES   | RR               |
|------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS          | HAZARDS THAT MAY ARISE                                 | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                              |  |                 | Postpone dives in severe conditions                                    |                  |
|                              |  |                 | Provide dive briefings specific to site challenges                     |                  |
| 4. Descent                   | Rapid descent, Entanglement                            | ЗН              |  | 2М               |
| 5. Underwater<br>Navigation  | Disorientation, Lour of air supply                     | 44              |  | 2М               |
| 6. Monitoring Marine<br>Life | Marine life bites or stings, Aggressive marine species | 4A              |  | 2M               |



| JOB STEP              | POTENTIAL HAZARDS                          | IR              | CONTROL MEASURES   | RR               |
|-----------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS   | HAZARDS THAT MAY ARISE                     | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 7. Collecting Samples | Sharp objects, Chemical exposure           | ЗН              |  | 2M               |
| 8. Ascending          | Decompression side of a start              | 1A              |  | 2M               |
| 9. Exiting Water      | Slippery surfaces, Equipment<br>entrapment | ЗН              |  | 1L               |



| JOB STEP                         | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|----------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS              | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                                  |   |                 |  |                  |
| 10. Equipment<br>Decontamination | Chemical exposure, Cross-<br>contamination                    | ЗН              |  | 1L               |
| 11. Data Logging                 | Data entry errors, Unauthorised data<br>access                | 2М              |  | 1L               |
| 12. Briefings and<br>Debriefings | Missed safety instructions, Inconsistent information delivery | ЗН              |  | 1L               |

Version 2.5



| JOB STEP                         | POTENTIAL HAZARDS                                 | IR              | CONTROL MEASURES   | RR               |
|----------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS              | HAZARDS THAT MAY ARISE                            | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 13. Emergency<br>Management      | Response delays, Inadequate<br>emergency supplies | 4A              |  | 2M               |
| 14. Site Management              | Restricted access, Environmentat<br>hazards       | ЗН              |  | 1L               |
| 15. Documentation and Compliance | Non-compliance, Incomplete records                | 2M              |  | 1L               |

Version 2.5



| JOB STEP                       | POTENTIAL HAZARDS                             | IR              | CONTROL MEASURES   | RR               |
|--------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS            | HAZARDS THAT MAY ARISE                        | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                                |   |                 |  |                  |
| 16. Equipment<br>Maintenance   | Equipment failure, Inadequate maintenance     | ЗН              |  | 1L               |
| 17. Logistics Support          | Material shortages, Logistic delays           | ЗН              |  | 2М               |
| 18. Training and<br>Competency | Inadequate skill levels, Certification lapses | 4A              |  | 1L               |

Version 2.5



| JOB STEP                       | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|--------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS            | HAZARDS THAT MAY ARISE                                   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                                |  |                 |  |                  |
| 19. Communication<br>Protocols | Miscommunications, Signal interference                   | 4A              |  | 1L               |
| 20. Waste Management           | Environmental contamination, Incorrect<br>waste disposal | ЗН              |  | 1L               |
|                                |  |                 |  |                  |



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE RI  |   |
|---|---|
|   | EPERENCES   |
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGIS  | SLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE  |
| Queensland & Australian Capital Territory<br>Work Health and Safety Act 2011<br>Work Health and Safety Regulations 2011<br>Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u><br>Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u><br>Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u><br>Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>  | Victoria<br>Orgapational Health and Safety Action 4<br>Occupational Health and Safety Action 4<br>Legis alon VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-<br/>gulat</u><br>Sulfas on vactice VIC <u>enttps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u> |
| New South Wales           Work Health and Safety Act 2011           Work Health and Safety Regulations 2017           Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislati">https://www.safework.nsw.gov.au/legal-obligations/legislati</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislati</a>  | Western Australia<br>Work Health and Safety Act 2020<br>Work Health and Safety Regulations 2022<br>Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u><br>Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>                             |
| Northern Territory<br>Work Health and Safety (National Uniform Legislation) Act 2011<br>Work Health and Safety (National Uniform Legislation) Regulation 2015<br>Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/worplace-straws</u><br>Codes of Practice NT: <u>https://worksafe.nt.gov.au/formed-resourcestraws</u>   | Safe Work Australia Links<br>Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u><br>Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-<br/>codes-of-practice</u>  |
| South Australia<br>Work Health and Safety Act 2012 (SA)<br>Work Health and Safety Regulations 2012 (SA)<br>Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legulation</u><br>Codes of Practice for SA: <u>https://www.safework.sa.gov.au/worf_aces/codes-of-practice#COPs</u>   | Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes  |
| Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012         Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a> Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a> | <ul> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> </ul>              |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.   | <ul> <li>Work health and safety consultation, cooperation and coordination</li> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>                                    |