

| Use | Floor Buffer Risk Assessr | nent | |
|--|----------------------------------|----------------------------------|----------------------------|
| Business Name: | | ABN: | |
| Business Address: | | | |
| Contact Person: | Phone: | Eme | |
| | | | |
| THIS RISK ASSESS | MENT IS APPROVED BY THE PC | BU ON W PROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a is prepared before the proposed work starts. | person conducting a busine or un | dertakins, PCBU required to ensu | ire that a RISK ASSESSMENT |
| Full Name: | | | |
| Signature: | | ritle: | Date: |
| | | | |
| CL | OR PRI, CIN V. CO. TRACTOR I | | |
| Client: | | SCOPE OF | WORKS |
| Project Name: | | | |
| Project Address: | | | |
| Project Manager: | | | |
| Contact Phone: | | | |
| Date Risk Assessment supplied to Project New Project | | | |



| RISK MATRIX | | | | | | | |
|--|---|---------------------|---------------------------------------|--|---|---|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE MA | JOR CATASTROPH | | | HIERARCHY OF CONTROLS |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | | 4 4 JTE ACUTE | SCORE | ACTION | Elimination Remove the hazard. |
| LIKELY | 2 MODERATE | 3 HIGH | U U U U U U U U U U U U U U U U U U U | 4 4 JTE ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. Isolation |
| POSSIBLE | 1 LOW | 2 MODERATE | | 4 JTE ACUTE | 3H HIGH | Rev before work art | Isolate People from the hazard Engineering Isolate the |
| UNLIKELY | 1 LOW | 1 LOW | | 3 Z GH ACU E | MC RATE | Ensure control measures in place. | Activité istrativ e Chang |
| RARE | 1 LOW | 1 LOW | | 3 GH H. 1 | 1L LOW | Monitor and keep records. | PP |
| Assist Rating & Required Action: 4A Stop work. The risk is intolerable, cominate the hazard predesign the activity before proceeding. A Safe Work Method Statement (SWMS) or his er-level authorisation is required. 3H Review and approve additional controls to accurate and efficiency proceed with caution; monitor conditions. 2M Ensure all nominated controls are in prace and efficiency donitor and keep records. 1L Proceed, following standard operating procedurer wonitor and keep records. | | | | | | | Notes on Hierarchy of Controls: Remember to apply controls in the preferred order shown by the coloured pyramid: 1. Eliminate 2. Substitute 3. Isolate 4. Engineering 5. Administrative 6. PPE |
| Consequence | | injury/illness) | Project / Ass | Significant regula | pliance / Reputat | | Always document why a lower-order control is accepted if |
| Catastrophic Major | Fatality or perma Serious injury/illr days) | | | wn prosecution | Significant regulator intervention; criminal prosecution Improvement notice; major media coverage | | elimination or substitution is not reasonably practicable. aligned with Safe Work Australia's Managing the risk of fatigue at |
| Moderate | Medical-treatmen | nt injury; lost-tim | e > 1 moderate dela | y Minor breach; ad | Minor breach; adverse client comment | | work (2023) and ISO 45001:2018 clauses 6–8. |
| Minor | First-aid only, no | lost time | negligible dela | y Isolated non-con | formance | | |
| | | | no schedule | Deviation caught and corrected on site | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|---------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Slippery surface, Electrical shock | ЗН | Inspect the area for any spills or liquid on the floor Ensure non-slip mats are in place where necessary. Use signage to warn of potential slippery offaces. Inspect the floor buffer for any exposed wire used nage. Test the buffer in a dry area before use. Ensure all electrical equipments appropriately tagend on stested. Use appropriate notwee with numslip soles. Train staff the affe operating procedents. Keepen first applit accounde. Ensure an opport of the area. | 2М |
| 2. Gather Equipment | Trip hazards, Manual bases injuries | 21 | Store uniple of to a self clutter in walkways. Store equipment colleys to transport heavy items. Traine equipment point to a self clutter in walkways. Traine equipment point to transport heavy items. Traine equipment of equipment prior to lifting. Pran the route and clear obstacles before moving equipment. Use buddy system for lifting heavy items. Ensure clear signage for storage areas. Maintain unobstructed pathways. Use proper lifting aids when appropriate. Ensure equipment is stored safely when not in use. | 1L |
| 3. Set Up Buffer | Electrical faults, Incorrect assembly | ЗН | Follow manufacturer's instructions for assembly. Inspect cords and plugs for damage before use. Ensure electrical outlets are in good condition. Train staff in equipment assembly. Use caution when plugging and unplugging equipment. Apply lockout procedures during setup. Ensure equipment is double-insulated. Provide regular maintenance checks. | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Use properly grounded electrical outlets. | |
| | | | - Use appropriate personal protective equipment. | |
| 4. Inspect Area | Obstructions, Inadequate lighting | 2M | | 1L |
| 5. Safety Briefing | Lack of awareness communication barriers | ЗН | | 2М |
| 6. Conduct Trial Run | Operational errors, Unexpected machine behaviour | ЗН | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------|-----------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 7. Begin Floor Buffing | Slip and trip, Improper technique | ЗН | | 2M |
| 8. Adjust Settings | Mechanical failure, and a setting | 2M | | 1L |
| 9. Refuel or Recharge | Fuel spills, Electrocution | ЗН | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 10. Emergency Procedures | Response delays, Escalation of incidents | 4A | | 2M |
| 11. Cleaning Equipment | Chemical exposure, Mechanical haz ds | ЗН | | 2M |
| 12. Maintenance | Unexpected malfunctions, Wear and tear | 4A | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------|---|-----------------|--|----------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL |
| 13. Storage | Damage to equipment, Unauthorised access | 2М | | 1L |
| 14. Documentation | Inaccurate records, Data | 2М | | 1L |
| 15. Review Post- Operation | Overlooked procedures, Failure to identify issues | ЗН | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 16. Post-Use Equipment Check | Mechanical faults post-operation, Inadequate inspection | ЗН | | 2M |
| 17. Feedback and Improvement | Unaddressed concerns, Inacequate feedback mechanisms | 2М | | 1L |
| | | | | |



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE RE | EFERENCES | | | | | |
|---|---|--|--|--|--|--|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE AT ARE NOT APPLICABLE | | | | | | |
| Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.gld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.gld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice | Victoria Ordepational Health and Safety Action 4 Occupational Health and Safety Action 4 Decupational Health and Safety of gulations 2017 Legis from VIC: https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- rulations succession of the safety of the | | | | | |
| New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic | Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u> | | | | | |
| Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-supe-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formed-resources/compliance/workplace-supe-laws</u> South Australia | Safe Work Australia Links Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice Model Codes of Practice | | | | | |
| Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: https://www.safework.sa.gov.au/resources/legislation Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs | Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes | | | | | |
| Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice | Weiting processes First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination | | | | | |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work Any required documents | Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work | | | | | |

- Any required documents.