

| Use Of Rac   | dio Frequency Gluing Risk        | Assessment                       |                            |
|--|----------------------------------|----------------------------------|----------------------------|
| Business Name:   |                                  | ABN:                             |                            |
| Business Address:  |                                  |                                  |                            |
| Contact Person:  | Phone:                           | Eme                              |                            |
|  |                                  |                                  |                            |
| THIS RISK ASSESSI  | MENT IS APPROVED BY THE PC       | BU OI                            |                            |
| Under the Work Health and Safety Regulation (WHS Regulation), a is prepared before the proposed work starts. | person conducting a busine or ur | ndertaking PCBU required to ensu | ire that a RISK ASSESSMENT |
| Full Name:   |                                  |                                  |                            |
| Signature:   |                                  | ritle:                           | Date:                      |
| CL   |                                  | DETAILS                          |                            |
| Client:  |                                  | SCOPE OF                         | WORKS                      |
| Project Name:  |                                  |                                  |                            |
| Project Address:   |                                  |                                  |                            |
| Project Manager:   |                                  |                                  |                            |
| Contact Phone:   |                                  |                                  |                            |
| Date Risk Assessment supplied to Project N.  |                                  |                                  |                            |



|  |   |                     |                                       | F                  | RISK MATRIX   |  |  |
|--|---|---------------------|---------------------------------------|--------------------|---|--|--|
| LIKELIHOOD   | INSIGNIFICANT                                     | MINOR               | MODERATE MA                           | JOR CATASTROPH     |   |  | HIERARCHY OF CONTROLS  |
| ALMOST<br>CERTAIN  | 3<br>HIGH   | 3<br>HIGH           |                                       | 4 4<br>JTE ACUTE   | SCORE   | ACTION   | Elimination<br>Remove the hazard.  |
| LIKELY   | 2<br>MODERATE                                     | 3<br>HIGH           | U U U U U U U U U U U U U U U U U U U | 4 4<br>JTE ACUTE   | 4A<br>ACUTE   | DO NOT<br>PROCEED  | Substitution<br>Replace the hazard.<br>Isolation   |
| POSSIBLE   | 1<br>LOW  | 2<br>MODERATE       |                                       | 4<br>JTE ACUTE     | 3H<br>HIGH  | Rev before<br>work art   | Isolate People from the<br>hazard<br>Engineering<br>Isolate the  |
| UNLIKELY   | 1<br>LOW  | 1<br>LOW            |                                       | 3 Z<br>GH ACU E    | MC RATE   | Ensure control<br>measures in<br>place.  | Activité<br>istrativ<br>e<br>Chang   |
| RARE   | 1<br>LOW  | 1<br>LOW            |                                       | 3<br>GH H. 1       | 1L<br>LOW   | Monitor and keep records.  | PP   |
| Risk Rating & Required Action:         4A       Stop work. The risk is intolerable, cominate the hazarc predesign the activity before proceeding. A Safe Work Method Statement (SWMS) or higher-level authorisation is required.         3H       Review and approve additional controls in complete the sake parts. Senior supervisor sign-off needed.         2M       Ensure all nominated controls are imprace and efficience with caution; monitor conditions.         1L       Proceed, following standard operating procedures Monitor and keep records.         Consequence Scale: |   |                     |                                       |                    |   | Notes on Hierarchy of Controls:         Remember to apply controls in the preferred order shown by the coloured pyramid:         1.       Eliminate         2.       Substitute         3.       Isolate         4.       Engineering         5.       Administrative         6.       PPE |  |
| Consequence  |   | injury/illness)     | Project / Ass                         | Significant regula | pliance / Reputat   |  | Always document why a lower-order control is accepted if   |
| Catastrophic<br>Major  | Fatality or perma<br>Serious injury/illr<br>days) |                     |                                       | wn prosecution     | Significant regulator intervention; criminal prosecution Improvement notice; major media coverage |  | elimination or substitution is not reasonably practicable.<br>aligned with Safe Work Australia's Managing the risk of fatigue at |
| Moderate   | Medical-treatmen                                  | nt injury; lost-tim | e > 1 moderate dela                   | y Minor breach; ad | Minor breach; adverse client comment  |  | work (2023) and ISO 45001:2018 clauses 6–8.  |
| Minor  | First-aid only, no                                | lost time           | negligible dela                       | y Isolated non-con | formance  |  |  |
|  |   |                     | no schedule                           |                    |   |  |  |



| JOB STEP                   | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|----------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS        | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK |
| 1. Preparation             | Trip hazards, electrical hazards from<br>machinery setup conditions such as<br>multiple power outlets and water<br>presence, potential for lifting heavy<br>equipment., Incorrect Personal<br>Protective Equipment (PPE) choice | ЗН              | <ul> <li>Ensure the work area is clear of unnecessary equinatent and debris</li> <li>Check all cables are secured and away from ackways to reduce trip hazard</li> <li>Use correct lifting techniques and mechalical aids where necessary</li> <li>Verify that all equipment is in good working a addit</li> <li>Choose appropriate PPE for the task, including taves and story glasses</li> <li>Conduct a toolbox talk to discuss procedures and a fet concerns</li> <li>Install adequate contages, warn there of the work being performed</li> <li>Ensure allocation involved a strained and concretent in the specific tasks</li> <li>Assistence appropriate or ongoing in eard identification</li> <li>Ensure at aid is a strained accessible</li> </ul> | 2M               |
| 2. Equipment<br>Inspection | Electrical shock from fault equipment,<br>Failed safety interloc  | 21              | <ul> <li>Condul a veral inspection of all equipment for obvious signs of damage</li> <li>Lest all hafety vertocks before operation</li> <li>Represent repair any faulty equipment before use</li> <li>Les a portable appliance tester to ensure electrical safety compliance</li> <li>Ensure all personnel have electrical safety training</li> <li>Ensure testing and tagging of equipment is up to date</li> <li>Document inspection results and follow up issues</li> <li>Ensure defective equipment is clearly labeled as out of service</li> <li>Provide staff with emergency contact numbers</li> <li>Review and enforce procedure for reporting faults</li> </ul>   | 2M               |
| 3. Pre-Operation Check     | Pinch points in machine operation,<br>Unauthorised operation  | ЗН              | <ul> <li>Provide clear operational procedures and training</li> <li>Mark all pinch points with high visibility warnings</li> <li>Install lockout/tagout systems to prevent unauthorised use</li> <li>Ensure operator familiarity with emergency stop procedures</li> <li>Use guards and interlocks where appropriate</li> <li>Test and verify that the safety system is functional</li> <li>Include a buddy system for first-time or infrequent users</li> <li>Ensure adequate lighting in the work area</li> </ul>  | 2M               |



| JOB STEP                       | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|--------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS            | HAZARDS THAT MAY ARISE                                    | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                                |   |                 | - Conduct pre-operation tests in controlled conditions                 |                  |
|                                |   |                 | - Ensure that operators have easy access to PPE                        |                  |
| 4. Material Loading            | Load shift causing imbalance, Back<br>injury from lifting | ЗН              |  | 2M               |
| 5. RF Gluing Setup             | Radiation exposure Equipment malfunctions                 | 44              |  | 2M               |
| 6. Glue Mixing and<br>Handling | Chemical burns or inhalation, Spills causing slip hazard  | ЗН              |  | 1L               |



| JOB STEP                | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|-------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS     | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                         |   |                 |  |                  |
| 7. Application of Glue  | Contact dermatitis, Incorrect application leading to failure        | ЗН              |  | 2M               |
| 8. Pressure Application | Crushing hazards from clamps/roller<br>Unexpected machine movements | 4A              |  | 2M               |
| 9. RF Bonding Process   | Exposure to intense RF radiation,<br>Thermal burns                  | 4A              |  | 2M               |



| JOB STEP            | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                                      | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
| 10. Unloading       | Manual handling issues, Slips and trips                     | ЗН              |  | 2M               |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
| 11. Curing Process  | Fume inhalation, Inconsistent curi<br>leading to weak bonds | ЗН              |  | 2M               |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     | Flawed inspection methods, Inadequate                       | 3H              |  | 41               |
| 12. Quality Control | Flawed inspection methods, Inadequate documentation         | 3H              |  | 1L               |
|                     |   |                 |  |                  |



| JOB STEP                        | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|---------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS             | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 13. Maintenance and<br>Cleaning | Hazardous chemical exposure, Slips<br>from wet floors                            | ЗН              |  | 1L               |
| 14. Record Keeping              | Inaccurate documentation, Loss of important data                                 | ЗН              |  | 2M               |
| 15. Review and<br>Improvement   | Complacency leading to safety<br>measures neglect, Unaddressed<br>emerging risks | ЗН              |  | 1L               |

Version 2.5



| JOB STEP                       | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|--------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS            | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                                |   |                 |  |                  |
| 16. Training and<br>Competency | Insufficient training resulting in errors,<br>Skill degradation over time | ЗН              |  | 2M               |
|                                | 5   |                 |  |                  |
|                                |   |                 | ·  |                  |



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE  |   |  |  |  |  |
|--|---|--|--|--|--|
| Queensland & Australian Capital Territory<br>Work Health and Safety Act 2011<br>Work Health and Safety Regulations 2011<br>Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u><br>Codes of Practice QLD: <u>https://www.worksafe.gld.gov.au/laws-and-compliance/codes-of-practice</u><br>Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u><br>Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> | Victoria<br>Octopational Health and Safety Action of<br>Octopational Health and Safety Action of<br>Using the structure of the structu |  |  |  |  |
| New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislative">https://www.safework.nsw.gov.au/legal-obligations/legislative</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislative</a>   | Western Australia<br>Work Health and Safety Act 2020<br>Work Health and Safety Regulations 2022<br>Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u><br>Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>   |  |  |  |  |
| Northern Territory<br>Work Health and Safety (National Uniform Legislation) Act 2011<br>Work Health and Safety (National Uniform Legislation) Regulation, 2011<br>Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/worplace-serve-laws</u><br>Codes of Practice NT: <u>https://worksafe.nt.gov.au/f</u>   | Safe Work Australia Links<br>Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u><br>Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-<br/>codes-of-practice</u>  |  |  |  |  |
| South Australia<br>Work Health and Safety Act 2012 (SA)<br>Work Health and Safety Regulations 2012 (SA)<br>Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legulation</u><br>Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_saces/codes-of-practice#COPs</u>   | Model Codes of Practice     Managing noise and preventing hearing loss at work     Confined spaces     Labelling of workplace hazardous chemicals     Managing risks of hazardous chemicals in the workplace     Welding processes  |  |  |  |  |
| Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012         Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a> Codes of Practice for TAS:  | <ul> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> </ul>  |  |  |  |  |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required):<br>- Permits from local council<br>- Authorisation to commence work  | <ul> <li>Work health and safety consultation, cooperation and coordination</li> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>  |  |  |  |  |

- Any required documents.