

Use Of Rototillers Or Cultivators Risk Assessment

| | | |
|-------------------|--------|--------|
| Business Name: | ABN: | |
| Business Address: | | |
| Contact Person: | Phone: | Email: |

THIS RISK ASSESSMENT IS APPROVED BY THE PCBU ON THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a RISK ASSESSMENT is prepared before the proposed work starts.

| | | |
|------------|--------|-------|
| Full Name: | | |
| Signature: | Title: | Date: |

CLIENT OR PRINCIPAL CONTRACTOR DETAILS

| | |
|---|----------------|
| Client: | SCOPE OF WORKS |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Date Risk Assessment supplied to Project Manager: | |

RISK MATRIX

| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | SCORE | ACTION | HIERARCHY OF CONTROLS |
|----------------|---------------|---------------|---------------|------------|--------------|----------------|-----------------------------------|--|
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | | | Elimination Remove the hazard. |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review before work starts. | Isolation Isolate People from the hazard |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | Engineering Isolate the hazard |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | Monitor and keep records. | Administrative Change |
| | | | | | | | | PPE |

Risk Rating & Required Action:

| | |
|-----------|---|
| 4A | Stop work. The risk is intolerable. Eliminate the hazard or redesign the activity before proceeding. A Safe Work Method Statement (SWMS) or higher-level authorisation is required. |
| 3H | Review and approve additional controls before task starts. Senior supervisor sign-off needed. |
| 2M | Ensure all nominated controls are in place and effective. Proceed with caution; monitor conditions. |
| 1L | Proceed, following standard operating procedures. Monitor and keep records. |

Consequence Scale:

| Consequence | People (injury/illness) | Project / Assets | Compliance / Reputation |
|----------------------|---|--------------------|--|
| Catastrophic | Fatality or permanent total disability | project shutdown | Significant regulator intervention; criminal prosecution |
| Major | Serious injury/illness (hospital > 5 days) | critical delay | Improvement notice; major media coverage |
| Moderate | Medical-treatment injury; lost-time > 1 day | moderate delay | Minor breach; adverse client comment |
| Minor | First-aid only, no lost time | negligible delay | Isolated non-conformance |
| Insignificant | No injury | no schedule impact | Deviation caught and corrected on site |

Notes on Hierarchy of Controls:

Remember to apply controls in the preferred order shown by the coloured pyramid:

1. **Eliminate**
2. **Substitute**
3. **Isolate**
4. **Engineering**
5. **Administrative**
6. **PPE**

Always document **why** a lower-order control is accepted if elimination or substitution is not reasonably practicable.

aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------|---|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Manual handling injuries, Slips and trips | 3H | <ul style="list-style-type: none"> - Conduct a site inspection to identify potential trip hazards and remove them - Train workers on safe manual handling techniques - Ensure adequate lighting is available - Implement housekeeping procedures to keep work area tidy - Ensure workers wear appropriate non-slip footwear in accordance with company policy - Establish clear walkways around the site - Provide training on the specific use of rototillers/cultivators - Instruct workers to report hazards immediately - Conduct a pre-start meeting to discuss risks and control measures - Limit access to work area to authorised personnel only | 2M |
| 2. Equipment Inspection | Equipment malfunction or malfunction | 3H | <ul style="list-style-type: none"> - Conduct pre-operation checks before use - Ensure equipment is serviced according to manufacturer's guidelines - Train workers to identify signs of wear and tear - Check electrical cords for damage before each use - Ensure all safety guards and devices are functional - Keep logbooks for inspections and maintenance - Verify use of Residual Current Device (RCD) whenever applicable - Use equipment only for its intended purpose - Implement a tag-out system for defective equipment - Provide workers with up-to-date equipment manuals | 1L |
| 3. Transportation | Vehicle accidents, Spillage or loss of load | 3H | <ul style="list-style-type: none"> - Verify that equipment is securely fastened during transport - Plan route to avoid unstable terrains - Ensure drivers are competent and licensed for type of vehicle used - Use appropriate vehicles for transporting heavy equipment - Load and unload in designated safe zones - Ensure clear visibility from driver's seat - Use proper signage if transporting large equipment - Conduct training on load securing techniques | 2M |

| Category | Item | Value |
|--------------------|------|-------|
| Over, Pinch points | 1 | 2M |
| | 2 | 2M |
| | 3 | 2M |
| | 4 | 2M |
| | 5 | 2M |
| | 6 | 2M |
| | 7 | 2M |
| | 8 | 2M |
| | 9 | 2M |
| | 10 | 2M |
| Labels | 1 | 3H |
| | 2 | 3H |
| | 3 | 3H |
| | 4 | 3H |
| | 5 | 3H |
| | 6 | 3H |
| | 7 | 3H |
| | 8 | 3H |
| | 9 | 3H |
| | 10 | 3H |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------|---|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 7. Maintenance | Exposure to hazardous substances, Caught in machinery | 3H | | 1L |
| 8. Storage of Equipment | Slips, trips, and falls, Unauthorised access | 3H | | 2M |
| 9. Cleanup and Disposal | Contact with hazardous waste, Falls due to slippery residue | 3H | | 1L |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------|--|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 10. Emergency Preparedness | Inadequate emergency response, Untrained personnel | 4A | | 2M |
| 11. Training and Supervision | Lack of skill, Inadequate supervision | 4A | | 2M |
| 12. Communication | Miscommunication leading to accidents, Use of non-standard signals | 3H | | 2M |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---|---|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 13. Personal Protective Equipment (PPE) | PPE failure, Poor PPE compliance | 4A | | 2M |
| 14. Weather Considerations | Heat stress, Wet weather compromising safety | 3H | | 2M |
| 15. End-of-Day Procedures | Fatigue-related errors, Improper shutdown leading to equipment damage | 3H | | 1L |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|------------------------|--------------|---|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> | |
| | | | | |

SAMPLE

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.