

Wearing Respirators F	or Protection From Toxic F	umes Risk Assessment	
Business Name:		ABN:	
Business Address:			
Contact Person:	Phone:	Emai	
THIS RISK ASSESS	MENT IS APPROVED BY THE PC	BU OF TH PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a is prepared before the proposed work starts.	person conducting a busine or ur	ndertaking PCBU required to ensu	ire that a RISK ASSESSMENT
Full Name:			
Signature:		ntle:	Date:
CLY		DETAILS	
Client:		SCOPE OF	WORKS
Project Name:			
Project Address:			
Project Manager:			
Contact Phone:			
Date Risk Assessment supplied to Project N.			



				F	RISK MATRIX			
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE MA	JOR CATASTROPH			HIERARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH		4 4 JTE ACUTE	SCORE	ACTION	Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	U U U U U U U U U U U U U U U U U U U	4 4 JTE ACUTE	4A ACUTE	DO NOT PROCEED	Substitution Replace the hazard. Isolation	
POSSIBLE	1 LOW	2 MODERATE		4 JTE ACUTE	3H HIGH	Rev before work art	Isolate People from the hazard Engineering Isolate the	
UNLIKELY	1 LOW	1 LOW		3 Z GH ACU E	MC RATE	Ensure control measures in place.	Activité istrativ e Chang	
RARE	1 LOW	1 LOW		3 GH H. 1	1L LOW	Monitor and keep records.	PP	
Risk Rating & Required Action:         4A       Stop work. The risk is intolerable, cominate the hazard predesign the activity before proceeding. A Safe Work Method Statement (SWMS) or hit er-level authorisation is required.         3H       Review and approve additional controls to compare and effective. Proceed with caution; monitor conditions.         2M       Ensure all nominated controls are imprace and effective. Proceed with caution; monitor conditions.         1L       Proceed, following standard operating procedurer wonitor and keep records.         Consequence Scale:							Notes on Hierarchy of Controls:         Remember to apply controls in the preferred order shown by the coloured pyramid:         1.       Eliminate         2.       Substitute         3.       Isolate         4.       Engineering         5.       Administrative         6.       PPE	
Consequence		injury/illness)	Project / Ass	Significant regula	pliance / Reputat		Always document why a lower-order control is accepted if	
Catastrophic Major	Fatality or perma Serious injury/illr days)			wn prosecution	Significant regulator intervention; criminal prosecution		elimination or substitution is not reasonably practicable. aligned with Safe Work Australia's Managing the risk of fatigue at	
Moderate	Medical-treatmen	nt injury; lost-tim	e > 1 moderate dela	y Minor breach; ad	Minor breach; adverse client comment		work (2023) and ISO 45001:2018 clauses 6–8.	
Minor	First-aid only, no	lost time	negligible dela	y Isolated non-con	formance			
			no schedule		Deviation caught and corrected on site			



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	lack of training, incorrect fit testing	ЗН	<ul> <li>Conduct comprehensive training for all workers on a spirator use</li> <li>Ensure fit testing is performed by certified performel</li> <li>Use visual aids and demonstration for efficiency understanding</li> <li>Verify training with follow-up competence as a strategy</li> <li>Implement a training schedule and retraining scholons as recrued</li> <li>Keep updated records of training sessions and centrations</li> <li>Use training features us provious bequent training sessions</li> <li>Distribute training materia on multiplication ges if needed</li> <li>Ensure asy press transferency as unance during training</li> <li>Regula preview unning content to ensure it is up to date</li> </ul>	2M
2. Selection of Respirators	inadequate protection level allergic reactions	3	<ul> <li>Consul Safe a Data senets (SDS) for correct respirator choice</li> <li>choose espirates certified by Australian standards</li> <li>Consult of fit test for each respirator model available</li> <li>dminister allergy tests for materials used in respirators</li> <li>Provide alternative respirators for those with allergies</li> <li>Keep a variety of respirators sizes in stock</li> <li>Regularly review respirator performance data</li> <li>Display respirator selection charts in accessible locations</li> <li>Ensure compatibility with other safety equipment</li> <li>Update selection process based on hazard analysis</li> </ul>	1L
3. Inspection of Equipment	damaged respirators, expired equipment	4A	<ul> <li>Implement a regular inspection schedule by trained personnel</li> <li>Develop a checklist for the inspection process</li> <li>Tag and remove faulty equipment immediately from service</li> <li>Keep records of inspections and maintenance activities</li> <li>Rotate stock to ensure older equipment is used first</li> <li>Provide clear instructions for reporting damaged items</li> <li>Supply repair kits and replacement parts for minor fixes</li> <li>Regularly update and replace all expiration-sensitive parts</li> </ul>	1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
4. Usage Protocols	incorrect donning, failure to conduct fit check	3Н	<ul> <li>Assign personnel responsible for inspection and maintenance</li> <li>Ensure only trained personnel conduct inspections</li> </ul>	2M
5. Monitoring Work Environment	unexpected fume usels, equipment interference	44		2М
6. Fit Testing and User Seal Checks	incorrect fit, non-compliance with checks	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Maintenance Procedures	poor hygiene, inadequate maintenance	ЗН		2M
8. Storage of Respirators	contamination risk samages in improper storage	зн		1L
9. Emergency Procedures	equipment failure, inadequate emergency response	4A		2M

Version 2.5

Review #



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Disposal of Used Respirators	biological contamination, environmental pollution	ЗН		1L
11. Review and Audit Process	unknown risks, procedure non- compliance	ЗН		1L
12. Communication and Reporting	miscommunication, information delay	ЗН		2М

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Transportation of Respirators	damage during transport, loss of respirators	ЗН		1L
14. New Equipment Integration	compatibility issues, use of farming	ЗН		1L
15. Ventilation Systems	inadequate system performance, unexpected system failure	4A		2M

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. Health Monitoring	undetected health issues, inadequate response to arising issues	ЗН		2M
17. Policy Update and Documentation	outdated policies, incomplete documentation	ЗН		1L
18. Risk Communication and Consultation	stakeholder misunderstanding, resistance to change	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
19. Equipment Calibration	instrument inaccuracy, delayed calibration schedule	ЗН		1L
20. Workforce Engagement and Participation	lack of participation, worker dissatisfaction	2М		1L



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE RI	
	EPERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGIS	SLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Orgapational Health and Safety Action 4 Occupational Health and Safety Action 4 Legis alon VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulat</u> Sultas on vactice VIC <u>enttps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales           Work Health and Safety Act 2011           Work Health and Safety Regulations 2017           Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislati">https://www.safework.nsw.gov.au/legal-obligations/legislati</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislati</a>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/worplace-straws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formed-resourcestraws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legulation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/worf_aces/codes-of-practice#COPs</u>	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes
Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012         Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a> Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a>	<ul> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> </ul>
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	<ul> <li>Work health and safety consultation, cooperation and coordination</li> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>