

Working Near Conveyors Risk Assessment

| | | |
|-------------------|--------|--------|
| Business Name: | ABN: | |
| Business Address: | | |
| Contact Person: | Phone: | Email: |

THIS RISK ASSESSMENT IS APPROVED BY THE PCBU ON THIS PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a RISK ASSESSMENT is prepared before the proposed work starts.

| | | |
|------------|--------|-------|
| Full Name: | | |
| Signature: | Title: | Date: |

CLIENT OR PRINCIPAL CONTRACTOR DETAILS

| | |
|---|----------------|
| Client: | SCOPE OF WORKS |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Date Risk Assessment supplied to Project Manager: | |

| RISK MATRIX | | | | | | | | | |
|---|---|---------------|--------------------|------------|--|----------------|-----------------------------------|--|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | SCORE | ACTION | HIERARCHY OF CONTROLS | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | | | Elimination Remove the hazard. | |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. | |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review before work starts. | Isolation Isolate People from the hazard | |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | Engineering Isolate the hazard | |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | Monitor and keep records. | Administrative Change | |
| | | | | | | | | PPE | |
| Risk Rating & Required Action: | | | | | | | | Notes on Hierarchy of Controls: | |
| 4A Stop work. The risk is intolerable. Eliminate the hazard or redesign the activity before proceeding. A Safe Work Method Statement (SWMS) or higher-level authorisation is required. | | | | | | | | Remember to apply controls in the preferred order shown by the coloured pyramid: | |
| 3H Review and approve additional controls before task starts. Senior supervisor sign-off needed. | | | | | | | | 1. Eliminate | |
| 2M Ensure all nominated controls are in place and effective. Proceed with caution; monitor conditions. | | | | | | | | 2. Substitute | |
| 1L Proceed, following standard operating procedures. Monitor and keep records. | | | | | | | | 3. Isolate | |
| | | | | | | | | 4. Engineering | |
| | | | | | | | | 5. Administrative | |
| | | | | | | | | 6. PPE | |
| Consequence Scale: | | | | | | | | Always document why a lower-order control is accepted if elimination or substitution is not reasonably practicable. | |
| Consequence | People (injury/illness) | | Project / Assets | | Compliance / Reputation | | | | |
| Catastrophic | Fatality or permanent total disability | | project shutdown | | Significant regulator intervention; criminal prosecution | | | | |
| Major | Serious injury/illness (hospital > 5 days) | | critical delay | | Improvement notice; major media coverage | | | | |
| Moderate | Medical-treatment injury; lost-time > 1 day | | moderate delay | | Minor breach; adverse client comment | | | | |
| Minor | First-aid only, no lost time | | negligible delay | | Isolated non-conformance | | | | |
| Insignificant | No injury | | no schedule impact | | Deviation caught and corrected on site | | | | |
| | | | | | | | | <i>aligned with Safe Work Australia's Managing the risk of fatigue at work (2023) and ISO 45001:2018 clauses 6–8.</i> | |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------------|--|--------------|---|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Slips due to wet surfaces, Miscommunication | 3H | <ul style="list-style-type: none"> - Conduct a pre-start meeting to clarify roles and responsibilities - Ensure all walkways are dry and marked clear - Use walkie-talkies for clear communication on the site - Supervisor to oversee all preparations - Display clear signage indicating active work areas - Conduct a site inspection before starting - Verify that all workers have received appropriate training - Confirm that personal protective equipment is worn - Ensure all relevant permits are in place - Review emergency procedures | 2M |
| 2. Inspect Equipment | Malfunctioning safety guards, Lack of equipment inspection logs | 3H | <ul style="list-style-type: none"> - Follow a detailed equipment inspection checklist - Ensure all safety guards are installed and operational - Maintain up-to-date equipment inspection logs - Conduct spot checks of inspections by supervisors - Replace or repair faulty guards immediately - Verify all lights and alarms are functioning properly - Conduct routine audits of inspection processes - Provide refresher training on inspection requirements - Keep spare parts for common faults - Review records of any recent maintenance | 1L |
| 3. Isolate Energy Sources | Uncontrolled machinery startup, Inadequate lockout/tagout | 4A | <ul style="list-style-type: none"> - Implement a lockout/tagout (LOTO) procedure - Provide LOTO training to all workers - Use signs to mark isolated equipment - Supervisors to oversee the LOTO process - Verify that all energy sources are disconnected - Conduct a test to confirm isolation - Record LOTO activities in a log book - Review and update LOTO procedures regularly | 2M |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--------------------------|--|--------------|---|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | <ul style="list-style-type: none"> - Use checklists to ensure all steps are followed - Store LOTO equipment in an accessible location | |
| 4. Install Barriers | Barriers not secured, Lack of visible warnings | 3H | <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> | 1L |
| 5. Worker Briefing | Incomplete training, Failure to report hazards | 3H | <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> | 2M |
| 6. Start Conveyor System | Unsecured tools, Unexpected system activation | 4A | <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> | 2M |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--------------------------------|--|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 7. Monitor Operations | Inattentiveness, Unsafe operation speed | 3H | | 1L |
| 8. Regular Maintenance | Inadequate maintenance, Delayed response to issues | 3H | | 1L |
| 9. Emergency Response Training | Delayed response, Lack of drills | 3H | | 1L |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------|--|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 10. Shutdown Procedure | Incorrect shutdown sequence, Residual machinery energy | 3H | | 1L |
| 11. Clean-Up Procedures | Improper waste disposal, Chemical exposure | 3H | | 1L |
| 12. Conduct Post-Work Review | Overlooked safety lapses, Inadequate documentation | 2M | | 1L |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---|--|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 13. Communication and Feedback Loop | Information silos, Delayed issue resolution | 2M | | 1L |
| 14. Personal Protective Equipment (PPE) Use | Improper PPE use, PPE equipment failure | 3H | | 1L |
| 15. Emergency Contact Information | Unavailable contact numbers, Outdated contact list | 2M | | 1L |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|------------------------|--------------|---|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> | |
| | | | | |

SAMPLE

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.