Accessing Roof Via La	dder SAFE WORK METHO	D STATEMENT (SWMS)	
TASK C	OR ACTIVITY: Accessing Roof Via	a Ladder	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E Jil:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or under the (PC - U is	required to en that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	poliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN PHAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with a gislative requirements to first identify any site hazards, such a companie hicas those hazards and then to further take steps to either eliminate or control each hazard.			
If an incident or a near miss occurs, all work must stop an ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS		
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.		
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution		
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.		
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard		
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.		
is the second me	RARE 1 2 3 3 1L Initian and keine records Isolate the hazard. Isolate the hazard. Isolate the hazard. Isolate the hazard. Isolate the hazard. otes on Hierarchy of Controls: Elimination methods are the most effective and preferrence on converting a hazard. Substitution the second most effective method of controlling a hazard. Engineering by isolation is the virtual protective equipment), while Administrative ontrols by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), whe least effective Change the work. Dependent										

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements						Mandatory Qualifications and Training				



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Improper training, Lack of personal protective equipment	ЗН	 Conduct thorough training sessions for all convers on proper ladder use and safety standards. Provide employees with comprehensive gui once on the correct wearing and adjustment of personal protective equipment (PPE). Implement routine skill assuments to ensure to kers are completent in safe ladder usage. Supply and mandate the use to appropriate PPE, such a melmets, harnesses, and non-slip shoes. Display clear and soncists afety to mage at all access points to roofs. Establish a ustern for rectain insperions, unadders and PPE to identify wear and tear or defects. Device a chemistry thorworkers must complete before accessing ladders, ensuring all safety measures are mist. Assign a under standards who have completed the required training programs are permitted to use ident is throw on the oversee ladder operations and enforce safety protocols. Ensure that the worket who have completed the required training programs are permitted to use idens in roof to ress. Keen neared so of all training and safety briefing sessions undertaken by each worker. Nevelop a culture of safety where workers are encouraged to report any faulty ladders or missing PPE in ediately. Arrange frequent refresher training courses to keep all staff updated with any changes in safety measures. Enforce disciplinary actions on non-compliance to emphasise the importance of adhering to safety measures. Collaborate with external certified trainers for specialised training modules on rooftop access and ladder safety. 	2M
2. Pre-Start Inspection	Faulty equipment, Non-compliance with operating instructions	ЗН	 Conduct a visual inspection of the ladder to check for any visible damage, including cracks, corrosion, or bent rungs. Verify that all ladder components, such as hinges and locks, are functioning correctly and are secure. Ensure the ladder has a legible safety rating label, indicating it is appropriate for the specific task and load requirements. Confirm that the ladder is placed on a stable, level surface free from debris or loose materials to prevent slipping or tipping. Check that the ladder's feet have non-slip rubber pads or similar to ensure stability during use. Review the manufacturer's operating instructions for proper ladder use, and ensure all workers understand compliance requirements. 	2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Provide training sessions for workers on safe ladder usage, focusing on recognising potential hazards and preventative measures.	
			- Assign a competent person to oversee the pre-strumspection and ensure compliance with all safety protocols.	
			- Maintain a logbook for documenting inspections, finding and corrective actions taken before commencing work.	
			- Replace or repair any ladder that fails the pre-totinspection immediately to mitigate the risk of using faulty equipment.	
			- Select a ladder the use, popriate for the task, ensuing it is the correct height and weight capacity.	
			- Inspect the ader before e to court it is good condition, with no visible signs of damage or wear.	
			- Place he lade on a secure, level subject, away from any uneven ground or obstructions.	
	Incorrect positioning, Unstable or uneven platform		- Use to trillevely an the ground is uneven to maintain a stable base.	
			- Ensue the older have at the correct angle (approximately 75 degrees) to minimise the risk of tipping or sliding.	
			ecure top d bottom of the ladder to prevent movement, using ropes or stabilisers as necessary.	
3. Setting Up Ladder			Avon a rng up the ladder near doorways, edges, or electrical hazards to reduce accidental impacts or nocks.	1L
			- sure the area around the base of the ladder is clear of debris, tools, or materials to maintain a safe workspace.	
			- Set up safety barriers or cones around the work area to alert others to the potential hazard of a ladder in use.	
			- Allocate an observer or spotter when possible to help stabilise the ladder and to provide assistance in emergencies.	
			- Educate personnel on proper climbing techniques, including maintaining three points of contact and avoiding overreaching.	
			- Restrict access to the roof by ladder only to trained personnel who are competent in ladder safety procedures.	
4. Climbing the Ladder	Slips and falls, Overreaching	3H		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Accessing the Roof	Falls from heights, Roof collapse	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Working on the Roof	Trips and falls, Exposure to elements (sun, rain, etc.)	3Н		2М
7. Using Tools/Equipment	Falls from moving equipment, Misuse of tools	ЗН		2M








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Bending/Stooping	Strains and sprains, Repetitive motion injuries	2М		1L
10. Walking on uneven surfaces	Trip and fall accidents, ankle sprains	ЗН		2М

Version 2.5

Date of Issue:





Version 2.5







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Maintenance and Storage	Incorrect storage procedures, lack of maintenance checks	21/4		1L
15. Dealing with Emergencies	Lack of emergency training, Inadequate emergency equipment/procedure	4A		2M

Version 2.5

Date of Issue:








SPECCIFIC WORK STEPS HAZARDS THAT MAY ARISE MITAL RISK SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS PECIFIC RIS 17. Reviewing Work Procedures Unidentified hazards, Miscommunication of changes 3H Image: Control the risk of	JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
Revisit Training if Inadequate knowledge, Misinterpretation	SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUA RISK
Revisit Training if Inadeguate knowledge, Misinterpretation					
8. Revisit Training if ecessary 2M 2M 2M 2M 1L	7. Reviewing Work rocedures	of changes	ЗН		1L
	8. Revisit Training if lecessary	Inadequate knowledge, Misinterpretation of instructions	2М		1L

Date of Issue:







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
20. Completion & Sign Off	Accidental damage on property owned or operated, Non-compliance to sign off procedures	ЗН		1



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE					
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health au Safety Act and 4 Occupational Health and a fety or gulations 2017 Legistron VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulations</u> of thes on mactice VIC <u>extps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>				
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis <a acts-and-regulations"="" href="https://www.safework.nsw.gov.gov.gov.gov.gov.gov.gov.gov.gov.gov</td><td>Western Australia
Work Health and Safety Act 2020
Work Health and Safety Regulations 2022
Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u>
Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u></td></tr><tr><td>Northern Territory
Work Health and Safety (National Uniform Legislation) Act 2011
Work Health and Safety (National Uniform Legislation) Regulation 2011
Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-serv-laws</u>
Codes of Practice NT: <u>https://worksafe.nt.gov.au/ferresourcest/compliance/weiplace-serv-laws</u></td><td>Safe Work Australia Links
Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u>
Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-</u>
<u>codes-of-practice</u>
Model Codes of Practice</td></tr><tr><td>South Australia
Work Health and Safety Act 2012 (SA)
Work Health and Safety Regulations 2012 (SA)
Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u>
Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u></td><td> Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes </td></tr><tr><td>Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination 				
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Work nearth and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 				



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	\boxtimes		
Foreseeable hazards are identified and documented for each step.	\boxtimes		
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes		
Check control measures added to the SWMS are the most effective selection	\boxtimes		
Responsible person is assigned and listed on the property of the importation control measures.	\boxtimes		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes		
SWMS identifies plant and equipment to be use	\boxtimes		
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes		
Applicable personal protective equipment is selected on the SWMS.	\boxtimes		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes		
REVIEWED BY	DATE REVIEWED		
SIGNATURE	DATE COMPLETED		