Adjustment Of Light Fitt	tings   SAFE WORK METH	DD STATEMENT (SWMS)	
TASK O	R ACTIVITY: Adjustment Of Ligh	t Fittings	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E Jil:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or under the (Po - U) is	required to en the that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	opliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAS PHAVE THE FOLLOWING COMMUNICATED	NATE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with gislative requirements to first identify any site hazards, such to compare those hazards and then to further take steps to either eliminate or contract each hazard.			
If an incident or a near miss occurs, all work must stop an added. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	$\square$ is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
RARE       LOW       LOW       MODERATE       HIGH       HIGH       LOW       Reserved       Isolate the hazard.         Iotes on Hierarchy of Controls:       Elimination methods are the most effective and preferre usen consult of a hazard. Substitution a the second most effective method of controlling a hazard. Engineering by isolation is the increase the five, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), the least effective       Administrative       Change the work.         PPE       PPE       PPE       PPE       PPE       PPE										

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
Permit or Licenses Requirements					Mandatory Qualifications and Training						



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Electric shock, Fall from height	4A	<ul> <li>Ensure all workers are trained and competencin electrical safety and working at heights.</li> <li>Conduct a pre-work risk assessment to idence potent mazards.</li> <li>Isolate power by switching off the circuit break metore starting any work on light fittings.</li> <li>Use lockout/tagout procedume to ensure that the ower struky remains off during the task.</li> <li>Wear appropriate proceedure to ensure that the ower struky remains off during the task.</li> <li>Wear appropriate proceedure to ensure that the ower struky remains off during the task.</li> <li>Wear appropriate proceedure to ensure that the ower struky remains off during the task.</li> <li>Wear appropriate proceedure to ensure that the ower struky remains of during the task.</li> <li>Wear appropriate proceedure to ensure that the ower struky remains of during the task.</li> <li>Wear appropriate proceedure to ensure that the ower struky remains off during the task.</li> <li>Wear appropriate proceedure to ensure that the ower struky remains of during the task.</li> <li>Wear appropriate proceedure to ensure the ower struky remains of during the task.</li> <li>Use stable as secure laters or more struktoring to access light fittings, ensuring they are set up on a flat source.</li> <li>Main there points of contact when climbing ladders and use ladder safety devices where possible.</li> <li>Avoid vehenching the aning while on ladders; reposition the ladder for better access if needed.</li> <li>Inspections of equipment before use to ensure they are in good condition and suitable for the task.</li> <li>Durlow oftage power tools or battery-operated equipment to minimise the risk of electric shock.</li> <li>Assign upotter or observer to monitor safety compliance during the work process.</li> <li>Itablish clear communication protocols among all team members, especially if any unforeseen incidents occur.</li> </ul>	2М
2. Ladder Placement	Fall from ladder, Struck by moving vehicles	ЗН	<ul> <li>Select a ladder that is suitable for the task and rated for the weight it will support.</li> <li>Ensure the ladder is in good condition, free from damage, and all safety mechanisms are functioning correctly.</li> <li>Position the ladder on stable, flat ground to prevent wobbling or tipping.</li> <li>Place the ladder at the correct angle, typically 1:4 ratio, meaning 1 unit out for every 4 units up.</li> <li>Secure the ladder at the base or top to prevent movement during use, especially if on unstable surfaces.</li> <li>Ensure no overhead obstacles like power lines can be contacted when setting up or using the ladder.</li> <li>Use barricades or signs to create a safe work zone around the base of the ladder to warn others nearby.</li> <li>Ensure workers using the ladder maintain three points of contact at all times to reduce the risk of falls.</li> <li>Limit the time spent working from a ladder to reduce fatigue and loss of concentration.</li> <li>Provide a spotter if practical to stabilize the ladder and alert the worker of potential hazards.</li> <li>Prohibit the use of the top rung of the ladder unless designed for standing.</li> <li>Always face the ladder while ascending or descending to maintain control and balance.</li> </ul>	1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Identify and mark any nearby vehicle pathways, and implement traffic control measures to manage moving vehicles.	
3. Isolate Power Supply	Electric shock, Burn injuries	ЗН	<ul> <li>Conduct a pre-start safety briefing to ensure a workers are aware of the isolation procedures.</li> <li>Verify and confirm that the correct circuit tracker has be videntified for the light fittings being adjusted.</li> <li>Use lockout/tagout devices on the circuit brever are unrevent accidental re-energisation during work.</li> <li>Ensure all workers involved have applied their parsonal lockers or tagout device before commencing work.</li> <li>Test the power success a new contact voltage test or to ensure it is fully de-energised.</li> <li>Clearly labeling isolated to built an communitie its status to all personnel in the area.</li> <li>Keep a writtenecord of the isolation mass, including time, date, and personnel involved.</li> <li>Use value to a new contact when working near electrical components to reduce the risk of electrical values.</li> <li>Mainth na near work rea around the electrical panel to avoid trip hazards that could lead to accidental contact with line components.</li> <li>Secure at only qualified and trained personnel perform electrical isolation tasks.</li> <li>Have a unregency response plan in place, including first aid measures for potential electric shock idents.</li> <li>Viera rappropriate personal protective equipment (PPE), such as rubber gloves and protective footwear, when performing the isolation.</li> <li>Display visible warning signs indicating "Electrical Work In Progress" to alert other workers.</li> <li>Verify the absence of potential back-feed from external sources before beginning the work.</li> </ul>	2M
4. Removing Existing Light Fittings	Cut by sharp edges, Eye injuries from flying debris	2М		1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Safe Disposal of Old Fittings	Injuries from improved lifting approved to harmful substance	P.M.		1L
6. Inspecting New Fittings	Faulty equipment, Injury from handling heavy fittings	ЗН		2M










Version 2.5

Date of Issue:

8







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Testing and Tagging	Equipment malfunction, Electric shock	ЗН		1L
12. Documenting Work	Strain injuries, Inaccurate record keeping	1L		1L

Version 2.5




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Demonstration To Client	Inadequate knowledge transferentiont injury	2M		1L
14. End Of Shift Site	Slips, trips and falls, Incorrect waste	ЗH		1L
Clean Up	disposal	эп		

Version 2.5

Date of Issue:












JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
17. Equipment Maintenance	Equipment malfunction, Injury during maintenance			2М
18. Safety Audit and Review	Unidentified hazards, Non-compliance to safety standards	4A		2М


Version 2.5

Date of Issue:











JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	S			



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE							
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health all Safety Act and Occupational Health and onfetro egulations 2017 Legis non VIC: <u>https://www.ecuxsafe.vic.gov.au/occupational-health-and-safety-act-and- rulations</u> ordes of mactice VIC <u>cuttps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>						
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislatic">https://www.safework.nsw.gov.au/legal-obligations/legislatic</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislatic</a>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>						
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-servelaws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formediatestations</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>						
South Australia         Work Health and Safety Act 2012 (SA)         Work Health and Safety Regulations 2012 (SA)         Legislation for SA: <a href="https://www.safework.sa.gov.au/resources/legislation">https://www.safework.sa.gov.au/resources/legislation</a> Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/word">https://www.safework.sa.gov.au/resources/legislation</a> Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/word">https://www.safework.sa.gov.au/word</a> Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Consequential Provisions         Work Health and Safety (Transitional and Consequential Provisions)         Work Health and Safety (Transitional Act 2012)	Model Codes of Practice  - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes - First aid in the workplace - Managing the risk of falls at workplaces - Hazardous manual tasks - Managing the risk of falls in housing construction						
Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u> Details of permits, licenses or access required by regulatory bodies (add or delete as required):	<ul> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> </ul>						
<ul> <li>Permits from local council</li> <li>Authorisation to commence work</li> <li>Any required documents.</li> </ul>	- Managing risks of plant in the workplace - Construction work						



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	$\boxtimes$	
Foreseeable hazards are identified and documented for each step.	$\boxtimes$	
Any hazards listed in any site risk assessments have been added to the SWMs	$\boxtimes$	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	$\boxtimes$	
Check control measures added to the SWMS are the most effective selection	$\boxtimes$	
Responsible person is assigned and listed on the property of the importation control measures.	$\boxtimes$	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	$\boxtimes$	
SWMS identifies plant and equipment to be use	$\boxtimes$	
Details of inspection checks required for any equipment listed protection on the SWMS.	$\boxtimes$	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	$\boxtimes$	
Applicable personal protective equipment is selected on the SWMS.	$\boxtimes$	
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$	
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMPLETED	