



Anchor Point and Static Line I	nstallation   SAFE WORK I	METHOD STATEMENT (SWM	S)
TASK OR ACT	IVITY: Anchor Point and Static L	ine Installation	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E qil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PCL OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undo	required to en. sthat a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	roliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS 5 MS M HAVE THE FOLLOWING COMMUNICATED	NAL 2 OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND C THIS SWMS	OMMUNICATED TO IN THE
Safety meetings or toolbox talks will be scheded in accordance with gislative requirements to first identify any site hazards, and then to further take steps to either eliminate or continuous each hazard.			
If an incident or a near miss occurs, all work must sto, quately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUCTOR	ON WO K BEIN O KRIED OUT
☐ involves a risk of a person falling more than 2 meters	☐ is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	☐ is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical integration of a ructure	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
☐ involves structural alteration or repair that — quires term — ov sup — rt to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
☐ is carried out in/near a shaft or trench deeper tha tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2



RISK MATRIX											
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION		HEIRARCHY OF CONTROLS		
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.		
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution		
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.		
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard		
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and		Engineering Isolate the hazard.		
is the second m	Notes on Hierarchy of Controls: Elimination methods are the most effective and preferre to an control of control of controlling a hazard. Engineering by isolation is the five to steel the least effective method. PPE (Personal Protective Equation). The least effective steel of										

				PERS		TIVE EQUIPM					
		Select the app	ropriate PPL	abo. ~uitab	ic or the equip	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	ARING STION	F' CTIO	RL PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	equired:										
	Pe	ermit or Licen	ses Requirem	ents		Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Pre-start planning and documentation	Unidentified live services     Inadequate structural capacity     Unclear access and egress     Uncontrolled high risk construction work     Adverse weather exposure	зн	<ul> <li>Review current construction plans, as-built awings and service locations before commencing any work on the roof or structure</li> <li>Consult building owner or principal contracto. Committee roof design loads and any known structural limitations for anchor installation</li> <li>Obtain and review relevant and MS, Safe Operating Programes, rescue plan and permits for working at height and roof access.</li> <li>Identify and roof design and account routes, explicition zones and emergency egress paths on site plan</li> <li>Schedule was to avoid a treme wearboard NOT commence roof work during lightning, heavy rain, strong linds on then roof surfaces are put or icy</li> <li>Veril was kers have equired high risk work licences, VOCs and training for height safety and fall arrest system</li> <li>Conduct a to hox tands communicate task sequence, hazards, control measures and emergency rocedules to a prorkers</li> <li>Country at aid kit, trained first aider and emergency contact numbers are available and accessible on ite</li> </ul>	2M
Access and roof entry setup	Falls from height at access points     Unstable ladders     Falling tools and materials     Unauthorised roof access     Manual handling strains	4A	<ul> <li>Suect roof access points away from leading edges, fragile surfaces and overhead powerlines wherever reasonably practicable</li> <li>Install fixed or temporary edge protection, guardrails or scaffolding to AS/NZS 4994 and AS/NZS 1576 where feasible</li> <li>Set up ladders on firm, level ground at 4:1 angle and secure top and base using ladder brackets or tied connections</li> <li>Ensure ladders extend at least 1 m above landing point and are industrial rated to AS/NZS 1892 with capacity checked against user and tools</li> <li>Establish a no-go zone beneath access points using barriers and signage to prevent persons walking under ladder or access areas</li> <li>Use tool lanyards on hand tools and maintain orderly material staging away from edges to prevent dropped objects</li> <li>Lift tools and equipment to roof using mechanical means where possible; if manual, use tag lines and maintain three points of contact</li> <li>Control roof access with lockable gates or controlled key system and sign-in register for authorised personnel only</li> </ul>	2M
Roof condition and structural assessment	Fragile roofing materials     Roof sheet failure	4A	Inspect roof from safe vantage point before full access to identify skylights, brittle sheeting, fibreglass panels and other fragile areas	2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE     Hidden corrosion or rot     Trip hazards on roof     Penetration through ceiling cavities	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  Mark fragile surfaces and install temporary covers or barriers to prevent stepping or loading on these areas  Assess purlins, rafters, roof sheets and fixings for curosion, deformation and signs of water damage before installing anchors  Use crawl boards or temporary walkways—anning structral members where roof capacity is uncertain  DO NOT walk on unsupported roof sheets, selicitation guttering at any time  Remove or tidy loose materials, offcuts, cabling and debris for cluce trip hazards on the roof surface  Confirm structural engineer are oval or manufacture of capacity in ance for anchor installation into the specific roof or substrate type  Record finding of roof in section of suspers work if any signs of structural inadequacy are identified	RESIDUAL RISK
Fall protection system planning	Inadequate fall distance clearance Incorrect anchor layout Pendulum fall poterar Incompatible corrects Ineffective rescue		until assesse, by a competinit person	2M
Install temporary edge and fall restraint	<ul> <li>Exposure to leading edges</li> <li>Incorrect temporary anchorage</li> <li>Overloading guardrails</li> <li>Improvised attachment points</li> <li>Dropped tools over edges</li> </ul>	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Anchor point installation and fixing	Anchor pull-out failure     Incorrect fasteners selection     Penetration of hidden     Metal swarf and so up edges     Noise and vibration from driff	4^		2M
Static line and deadman anchor setup	Static line tension failure     Incorrect deadman burial depth     Anchor misalignment     Overloading multiple user systems     System component mismatch	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Inspection, certification and recertification	Use of uncertified anchors Undetected corrosion or damage Unauthorised modifications Expired inspection intercels Incomplete recorr ceping			1L
Using safety lines and anchor points	Incorrect harness fitment Incompatible lanyard connection Inadequate attachment points Trip hazards from lines Pendulum falls when moving	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Anchor point use for routine work	Overloading single anchors Side loading of connectors Incorrect anchor selection Dynamic loading from falls Suspension trauma	4A		2M
Deadman anchor system operation	Soil shear failure     Incorrect load direction     Ground disturbance collapse     Vehicle or plant interference     Anchor relocation without assessment	3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Fall protection system monitoring during works	Component loosening over time     Weather-related deterioration     Worker fatigue at heights     Complacency with controls     Communication failures	ЗН		1L
Completion, handover and documentation	Unmarked anchor locations     Incomplete system information     Residual sharp edges     Loose components on roof     Future misuse of systems	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR			
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK			
				_			



### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE AT ARE NOT APPLICABLE.

### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations
Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

## New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2025

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis

### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Codes of Practice NT: https://worksafe.nt.gov.au/f

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le\_\_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor/ aces/codes-of-practice#COPs

### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Or pational Health a. Safety Act J4

Occational Health and afety gulations 2017

Legis on VIC: https://www.safe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

tes of actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <a href="https://www.commerce.wa.gov.au/worksafe/legislation">https://www.commerce.wa.gov.au/worksafe/legislation</a> Codes of Practice WA: <a href="https://www.commerce.wa.gov.au/worksafe/codes-practice">https://www.commerce.wa.gov.au/worksafe/codes-practice</a>

### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

## SAFE WORK N. THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains fective of must be reviewed (and revised if necessary) if relevant control measures are rovised. The view respectively should be carried out in consultation with workers (including contractors as a sub-intractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

Version 2.5 Authorised by Review # Date of Issue: Review Date: 12





## SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.	k	
Adequate risk assessment of any identified hazards has been completed.	$\boxtimes$	
Foreseeable hazards are identified and documented for each step.	$\boxtimes$	
Any hazards listed in any site risk assessments have been added to the SWMS		
SWMS initial risk (IR) column as well as residual risk (RR) colum mpleted.	$\boxtimes$	
Check control measures added to the SWMS are the most effective selections.		
Responsible person is assigned and listed on the part of the important of	$\boxtimes$	
Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc.	$\boxtimes$	
SWMS identifies plant and equipment to be use	$\boxtimes$	
Details of inspection checks required for any equipment listed an onthe SWMS.	$\boxtimes$	
Describes any mandatory qualifications, experience, use or skills required to perform the work.	$\boxtimes$	
Applicable personal protective equipment is selected on the SWMS.		
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$	
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$	
REVIEWED BY	DATE REV	/IEWED
SIGNATURE	DATE COM	PLETED