Assembling Large Furn	iture   SAFE WORK METHO	DD STATEMENT (SWMS)					
TASK O	R ACTIVITY: Assembling Large I	Furniture					
Business Name:		ABN:	SWMS#				
Business Address:							
Contact Person:	Phone:	E fil:					
THIS SAFE WORK METHOD	STATEMENT IS APPRO						
Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or under the group of (PC, U) is required to enume that a safe work method statement (SWMS) is prepared before the proposed work starts.							
Full Name:							
Signature:	NK	Title:	Date:				
Details of the person(s) responsible for ensuring implementation, monitoring	opliance i the VMS a well as review	s and modifications of the SWMS.					
Full Name:		Title:	Phone:				
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN PHAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNI EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE				
Safety meetings or toolbox talks will be sched ed in according with gislative requirements to first identify any site hazards, such to compare hicas those hazards and then to further take steps to either eliminate or contineach hazard.							
If an incident or a near miss occurs, all work must stop an attely. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.							
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.							
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.							



CLIENT OR PRINCIPAL CONTRACTOR DETAILS						
Client:	SCOPE OF WORKS					
Project Name:						
Project Address:						
Project Manager:						
Contact Phone:						
Date SWMS supplied to Project Manager:						
ANY HIGH-RISK CONSTRUC						
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping					
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines					
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services					
□ involves demolition of an element related to the physical integ. Y of a sucture	$\square$ is carried out in an area that may have a contaminated or flammable atmosphere					
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete					
involves structural alteration or repair that quires terrar by supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor					
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant					
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.					
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.					
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY					



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	

	PERS_VAL TECTIVE EQUIPMENT (PPE) Select the appropriate PPL above suitably for the equipment used or the job task being performed (if applicable).										
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements Mandatory Qualifications and Training										




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Mishandling of tools, Exertion and awkward posture, Slips and trips	ЗН	<ul> <li>Provide proper training on manual handline uchniques to all workers involved in the assembly process.</li> <li>Ensure all tools are inspected and maintain a regulation of prevent malfunctions or injuries from mishandling.</li> <li>Use safe lifting techniques, such as bending the nees and tooping the back straight, to avoid exertion and awkward postures.</li> <li>Encourage team the growneaver awkward furniture components to minimise physical strain.</li> <li>Apply ergonnear principle by usin adjustate admitture assembly tables or benches to maintain a comfortable withing heigh.</li> <li>Cleineark are not excessary clutter to reduce risks of slips and trips during the assembly process.</li> <li>Ensure all quate withing in the workspace to improve visibility and help identify potential hazards.</li> <li>Wear opprovide period all protective equipment, such as gloves and safety shoes, to safeguard against pishand ng on only or copped objects.</li> <li>So to virkstations with sufficient space to allow for easy movement and avoid awkward positions.</li> <li>Mark karen trip hazards with high-visibility tape or signage to alert workers of potential risks.</li> <li>Induct routine briefings to remind workers about safety protocols and encourage reporting of any new hazards identified during the assembly process.</li> </ul>	2M
2. Inspection	Sharp objects, Failing to follow instructions, Manual handling related injuries	ЗН	<ul> <li>Conduct a pre-inspection briefing to ensure all workers understand the inspection process and potential hazards.</li> <li>Use personal protective equipment such as gloves to protect against sharp objects.</li> <li>Provide clear, step-by-step instructions for the inspection process and ensure all workers have understood them.</li> <li>Implement manual handling training to educate workers about proper lifting techniques to prevent injuries.</li> <li>Ensure a tidy work area free of clutter and debris that could cause trips or falls during inspection.</li> <li>Designate a team leader to oversee the inspection process and provide guidance to workers.</li> <li>Keep a comprehensive checklist to ensure all aspects of the furniture are inspected without omissions.</li> <li>Use appropriate tools to handle and move heavy parts of the furniture to reduce the risk of manual handling injuries.</li> <li>Assign tasks according to each worker's physical capability to prevent overexertion.</li> <li>Use barriers or signs to delineate the inspection area and keep unauthorised personnel away.</li> </ul>	2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
3. Setup Area	HAZARDS THAT MAY ARISE	INITIAL RISK	<ul> <li>SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS</li> <li>Ensure adequate lighting is available to clearly see and identify any issues with the furniture components.</li> <li>Have a first aid kit readily available and accessible case of any minor injuries during the inspection.</li> <li>Regularly remind the team to take breaks and avoid fatigue which can lead to lapses in concentration and accidents.</li> <li>Keep a communication plan in place so team users use using alert others of hazards or changes in procedure.</li> <li>Conduct a pre-task briefing to usure all workers user user the available to proceedure.</li> <li>Use mechanical aids such is dollie on troller to transport heavy furniture components whenever possible.</li> <li>Ensure the available are a restricted zone around the assembly area to prevent unauthorised access and redue the lisk of the ractions.</li> <li>Usenge for a spliter or additional personnel to assist with guiding and balancing large items during setup.</li> <li>Sheck the work area for any potential trip hazards and remove obstructions that could interfere with safe numerent.</li> <li>Ensure the floor surface is clean and dry; use anti-slip mats if necessary to minimise the risk of slipping.</li> <li>Store tools and loose parts in a secure container to prevent them from falling to lower levels or causing trips.</li> <li>Consider using temporary guardrails or barriers if objects need to be elevated during the assembly process.</li> <li>Provide appropriate personal protective equipment (PPE) such as gloves and non-slip footwear to all team members.</li> </ul>	1L
			<ul> <li>Implement a communication plan for workers to signal when they require assistance, ensuring support is available quickly.</li> <li>Regularly inspect and maintain all equipment used during the assembly process to ensure it is in good working order.</li> </ul>	
4. Unpacking Materials	Splinters, Cuts from sharp edges, Excessive noise	2M		1L








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Reading Instructions	Unclear instructions leading to incorrect assembly, Eye strain	21/1		1L
7. Marking Out	Miscalculations causing waste material	ЗН		2M

Version 2.5

Date of Issue:






Version 2.5




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Assembly	Incorrect use of screws and bolts, Skipped steps in the assembly process	4A		ЗН
10. Adjustments	Pinches and crushes, Repetitive motion injuries	ЗН		2M

Version 2.5












JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Moving Furniture	Manual handling injuries, Incorrect lifting and moving techniques	44		2M
14. Cleaning Up	Tripping hazards, Slips on wet floors, Improper disposal of waste materials	3Н		1L 







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. Documentation	Misstatement or omission of information in reports, Loss of documents leading to lack of traceability	2М		1L
17. Unutilised Materials	Tripping by unorganised materials, Fire hazard due to pile-up of wastes	2M		1 1L 1





Version 2.5

Date of Issue:







JOB STEP POTENTIAL HAZARDS CONTROL MEASURES RR RESIDUAL RISK INITIAL SPECIFIC WORK STEPS HAZARDS THAT MAY ARISE SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS RISK 5



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE							
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health an Safety Actor 04 Occupational Health and offety orgulations 2017 Legis of VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- oulations</u> Codes of mactice VIC <u>entips://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>						
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislati-codes">https://www.safework.nsw.gov.au/legal-obligations/legislati-codes</a> (Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislati-codes</a> (Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislati-codes</a> (Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/resource-library/lis</a> (Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/resource-library/lis</a> (Codes-o, ract)	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>						
<b>Northern Territory</b> Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-servelaws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/fecture.com_stice</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>						
South Australia         Work Health and Safety Act 2012 (SA)         Work Health and Safety Regulations 2012 (SA)         Legislation for SA: <a href="https://www.safework.sa.gov.au/resources/legislation">https://www.safework.sa.gov.au/resources/legislation</a> Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/work">https://www.safework.sa.gov.au/resources/legislation</a> Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/work">https://www.safework.sa.gov.au/work</a> Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012         Work Health and Safety Regulations 2012	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes - First aid in the workplace - Managing the risk of falls at workplaces - Hazardous manual tasks - Managing the risk of falls in housing construction Managing diatrial risks in the workplace						
Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations">https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</a> Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a> Details of permits, licenses or access required by regulatory bodies (add or delete as required):         - Permits from local council         - Authorisation to commence work         - Any required documents.	<ul> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>						



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	$\boxtimes$		
Foreseeable hazards are identified and documented for each step.	$\square$		
Any hazards listed in any site risk assessments have been added to the SWMs	$\boxtimes$		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	$\boxtimes$		
Check control measures added to the SWMS are the most effective selection	$\boxtimes$		
Responsible person is assigned and listed on the property of the importation control measures.	$\boxtimes$		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	$\boxtimes$		
SWMS identifies plant and equipment to be use	$\boxtimes$		
Details of inspection checks required for any equipment listed protection on the SWMS.	$\boxtimes$		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	$\boxtimes$		
Applicable personal protective equipment is selected on the SWMS.	$\boxtimes$		
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$		
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$		
REVIEWED BY	DATE RE	VIEWED	
SIGNATURE	DATE COMPLETED		