Automated Line Manage	ment SAFE WORK METH	OD STATEMENT (SWMS)	
TASK OF	R ACTIVITY: Automated Line Mar	nagement	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E jii:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	ting a business or under the (PC - I) is	required to en the that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:	NX	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	poliance the VMS a vell as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN PHAVE THE FOLLOWING COMMUNICATED	NACE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with gislative requirements to first identify any site hazards, so the company hica those hazards and then to further take steps to either eliminate or contineach hazard.			
If an incident or a near miss occurs, all work must stop an adately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
TORKE LOW LOW MODERATE HIGH HIGH LOW Reseconds Isolate the hazard. Iotes on Hierarchy of Controls: Elimination methods are the most effective and preferre usen con minute a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the increase the five, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), the least effective Administrative Change the work. PPE PPE PPE PPE PPE PPE PPE										

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements						Ма	andatory Qual	ifications and	Training	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Slips, trips and falls, Contact with electric current	2М	 Conduct a thorough site inspection to identically potential slip, trip, or fall hazards and remove any obstructions or spills promptly. Ensure all work surfaces are clean, dry, and there in hazards before beginning preparations. Provide non-slip mats in and to where liquid spin are likely to accur to prevent slips. Require workers to wear approxiate footwear within the poles to enhance stability on potentially slippery surfaces. Clearly mathemy uneven or faces to hazard to be with high-visibility warning signs or tape to alert workers. Import and align proper cable management systems to avoid running extension cords across walky v. Before contenencing reparation, ensure all electrical equipment is regularly inspected and tested per safety sundary of an analysis or wear. Ise Resound Current Devices (RCDs) where applicable to provide an extra layer of protection against electric shock during operation. Establish strict procedures for the safe use and handling of electrical equipment, including ensuring devices are switched off before plugging or unplugging. Provide adequate lighting throughout the workspace to ensure hazards are easily visible at all times. Develop and distribute an emergency procedure plan that includes response steps for any incidents involving electrocution or falls. 	1L
2. Inspection	Contact with sharp objects, Repetitive strain injury	2М	 Provide appropriate personal protective equipment (PPE) such as cut-resistant gloves and sleeves to protect against sharp objects. Implement ergonomic guidelines, including adjustable workstations and tools to minimise the risk of repetitive strain injury. Use machine guards and barriers to prevent accidental contact with sharp components on the automated line. Conduct regular training sessions for workers on proper handling techniques and posture to reduce strain and enhance safety awareness. Ensure routine maintenance and inspections are conducted on equipment to identify and rectify any potential hazards from worn or damaged parts. Rotate tasks among workers to limit prolonged exposure to repetitive movements and reduce the risk of strain or injury. 	1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			 Use anti-fatigue mats in areas where workers stand for extended periods to alleviate stress on feet and legs. Implement administrative controls such as scheduler breaks to allow workers to rest and stretch, reducing fatigue. 	
			- Install clear signage and indicators aroun azardous acts to alert workers and promote awareness of potential risks.	
			- Develop a reporting system for workers to reput dazards or net r-misses promptly, allowing for immediate corrective actions	
			 Regularly inspect tions, training machinery to prevent equipment failure. Implement outline scheme for two ng any subrating automated systems. 	
			- Train taff the lighty of the use of all supprent to recognise early signs of malfunction.	
			- Instate argence op mechanisms and ensure they are easily accessible.	
			- Ensul, all, prkers of ar appropriate personal protective equipment (PPE) such as gloves and eye protection.	
			tilise machine marding to prevent accidental contact with moving parts.	
3. Processing	Equipment failure, Worker fatigue	2M	- Dev. and practice emergency shutdown procedures regularly.	1L
			otate worker shifts to minimise fatigue and ensure adequate breaks during work hours.	
			- E, courage workers to report fatigue and provide a suitable rest area for breaks.	
			- Conduct regular risk assessments to identify potential hazards with new equipment or processes.	
			- Use signage and alarms to alert workers of potential dangers, particularly in high-risk areas.	
			- Ensure good lighting and ventilation in workspaces to reduce physical strain and enhance focus.	
			- Limit shifts to reasonable working hours and discourage excessive overtime to prevent exhaustion.	
			- Incorporate ergonomic workstation adjustments to reduce physical strain on workers.	
4. Sorting	Noise exposure, Lifting heavy objects	ЗH		2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Quality Control	Exposure to haza ous substances, Psychosocial risks	ЗН		2M
6. Packaging	Manual handling injuries, Crush injuries	ЗН		2M

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Storing	Machinery entanglement, Fire or explosion	4A		2М








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL
9. Maintenance	Electric shock, Machine guarding hazards			2М
10. Cleaning	Chemical exposure, Eye injury	2M		1L












JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Safety Training	Inadequate training, Non-compliance with protocols	44		2М
14. Equipment Updating	Defective equipment, Delay in replacing old equipment	ЗН		2M







JOB STEP POTENTIAL HAZA	DS IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS HAZARDS THAT MAY A	ISE INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
C			



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES							
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCES DANY STATE DAT ARE NOT APPLICABLE						
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health au Safety Act 204 Occupational Health and onfety or gulations 2017 Legis from VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- oular</u> or the one of the state of the sta						
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>						
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-sector-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-sector-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice						
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes 						
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination 						
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 						



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selection	\boxtimes	
Responsible person is assigned and listed on the part the importation ontrol measures.	\boxtimes	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMPLETED	