Bench Drilling S	SAFE WORK METHOD STA	TEMENT (SWMS)	
Т	ASK OR ACTIVITY: Bench Drillin	ıg	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E Bil:	
THIS SAFE WORK METHOD			
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.		required to en the that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:	NK	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	opliance i the VMS a vell as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NATE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in account with gislative requirements to first identify any site hazards, such a communication those hazards and then to further take steps to either eliminate or contineach hazard.			
If an incident or a near miss occurs, all work must stop an attely. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
is the second me	RARE 1 LOW 1 LOW 2 MODERATE 3 HIGH 1 HIGH LOW Inition and LOW Isolate the hazard. otes on Hierarchy of Controls: Elimination methods are the most effective and preferrence on a magnetic structure on the second most effective method of controlling a hazard. Engineering by isolation is the structure of the second most effective method. PPE (Personal Protective Equipment), the least effective Substitution Isolate the hazard. Determine Determine Determine Determine Determine Determine									

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
Permit or Licenses Requirements					Mandatory Qualifications and Training						



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Slipping, tripping hazards, improper use of equipment	2М	 Conduct a pre-work site inspection to identiciand remove any slipping or tripping hazards. Use signage and barriers to cordon off the work area and alert other workers to potential hazards. Ensure the work area is well-lit to improve viscues and reduce the risk of trips and slips. Provide adequate training to the personnel on proceeding equiption to use and safety protocols. Wear appropriate proceeding productive equipment (Programcluding non-slip footwear, gloves, and eye protection. Keep the work area tidy to egularly provide debris and cleaning spills immediately. Chornell tools and excoment for defense before use and ensure they are in good working condition. Use is unyards apprevent tools from falling and causing trip hazards. Establish on a communication protocols among team members to coordinate safe equipment handling. Place equipment on stable ground, using pads if necessary, to prevent it from toppling or moving before using any from walkways to avoid clutter. ingularly review and update safety procedures to incorporate any new risks identified during operations. Ensure all workers understand emergency procedures in case of an accident or hazardous spill. Encourage a culture of safety where employees feel empowered to report hazards and unsafe practices. 	1L
2. Equipment Check	Electric shock, equipment failure	ЗН	 Conduct a thorough visual inspection of all electrical cords and equipment for signs of wear or damage before use. Ensure that all electrical equipment is tested and tagged according to Australian standards, and check the date of the last test. Use Residual Current Devices (RCDs) or safety switches to prevent electric shock in case of an electrical fault. Confirm the availability and functionality of emergency stop buttons on relevant equipment. Verify that all operators are trained and competent in using the bench drilling equipment safely. Maintain a regular servicing and maintenance schedule for all equipment to prevent unexpected failures. Keep work areas dry and free from water to reduce the risk of electric shock when operating electrical equipment. Use insulated tools and personal protective equipment, such as gloves, when necessary to further protect against electricity-related hazards. 	1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Instruct workers not to overload power outlets or circuits with multiple high-demand devices to mitigate the risk of electrical faults.	
			- Secure all equipment parts and accessories process before operation to prevent mechanical failure during use.	
			- Display clear operational and safety instructions near excipment to ensure all users can follow safe practices.	
			- Ensure workers are provide with and wear appenriate respectory protective equipment, such as P2 masks, to mitigate dust inhala.	
			- Set up water surveyes, experience or dust extraction equipment at the drilling site to minimise airborne dust particles	
			- Implement a coular main chance provide for drilling equipment to ensure proper functioning of dust supportion attractment	
			- Limit correst to the trilling area to essential personnel only, reducing exposure to dust and noise.	
3. Drilling Process	Dust inhalation, noise pollution	2М	- Establish so work, actices by maintaining an adequate distance from the drilling site for workers not involved in the villing process.	1L
Initiation			- nduc air qua exponentioning in the workplace to assess dust levels and implement additional controls if	
			Provide workers with appropriate hearing protection, such as earmuffs or earplugs, complying with AUZS 1270 standards.	
			Schedule regular breaks away from high-noise areas to minimize prolonged exposure to noise pollution.	
			- Ensure machinery is fitted with noise-reducing mufflers or enclosures where practical, to lower sound levels produced during operation.	
			- Display clear signage around the worksite indicating areas of high noise and dust risks, reminding personnel of required personal protective equipment.	
4. Material Alignment	Misalignment, material slippage	2M		1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Actual Drilling	Accidental contact with units prepetitive motion injuries			2M
6. Drill Bit Change	Incorrect bit installation, accidental drill activation	ЗН		1L

Version 2.5

Date of Issue:







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Inspection of Completed Work	Improper handling of drilled material	2М		1L
9. Maintenance & Cleaning	Cutting oneself on sharp equipment edges, exposure to harmful cleaning chemicals	2M		1L






Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Storage of Equipment	Tripping or falling over improperly stored equipment	1L		1L
I2. Emergency Procedure Familiarisation	Confusion or panic during an emergency situation	ЗН		1L
rsion 2.5	Authorised by		Review # Date of Issue: Review Date:	








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Record Keeping	Paper cuts, incorrect logging of procedures	1L		1L
15. Waste Disposal	Exposure to hazardous waste, improper lifting technique	2M		1L







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
17. Communications	Miscommunication leading to accidents, confusion during procedures	ЗН		1L
18. Review & Update SWMS	Inadequate or outdated safety measures, complacency with safety protocols	2М		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
19. Personal Protective Equipment Selection	Improper protection leading to potential for accident	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
20. Sign Off & Completion	Missed procedure steps, incomplete logging of final tasks	214		



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE					
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Or opational Health an Safety Act and Occupational Health and onfety or gulations 2017 Legis from VIC: https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- rulations of the solution of the state of the state of the state of the solution of the state				
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>				
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/worplace-servelaws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formations/second-se</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>				
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_saces/codes-of-practice#COPs</u> Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes - First aid in the workplace - Managing the risk of falls at workplaces - Hazardous manual tasks - Managing the risk of falls in housing construction				
Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u> Details of permits, licenses or access required by regulatory bodies (add or delete as required):	 Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks 				
 Permits from local council Authorisation to commence work Any required documents. 	- Managing risks of plant in the workplace - Construction work				



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selection	\boxtimes	
Responsible person is assigned and listed on the property of the importation control measures.	\boxtimes	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE RE	VIEWED
SIGNATURE	DATE CO	MPLETED