



| Blasting Activity | SAFE WORK METHOD ST | ATEMENT (SWMS) | |
|--|---|--|-------------------------------------|
| TA | ASK OR ACTIVITY: Blasting Activ | rity | |
| Business Name: | | ABN: | SWMS# |
| Business Address: | | | |
| Contact Person: | Phone: | E 111: | |
| THIS SAFE WORK METHOD | STATEMENT IS ADDROVED BY | THE PC. OF THE ROJECT | |
| THIS SAFE WORK METHOD | STATEMENT IS APPRO' 'D BY | | |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts. | cting a business or under a (PC 1) is | required to en that a safe work method s | statement (SWMS) is prepared before |
| Full Name: | | | |
| Signature: | NY | Title: | Date: |
| Details of the person(s) responsible for ensuring implementation, monitoring a | ppliance the VMS a well as review | s and modifications of the SWMS. | |
| Full Name: | | Title: | Phone: |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SUMS IN HAVE THE FOLLOWING COMMUNICATED | NA 2 OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF | EL WHO HAVE BEEN CONSULTED AND COTHIS SWMS | OMMUNICATED TO IN THE |
| Safety meetings or toolbox talks will be sched ed in account with gislative requirements to first identify any site hazards, comparing those hazards and then to further take steps to either eliminate or continuous each hazard. | | | |
| If an incident or a near miss occurs, all work must sto, an attely. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





| CLIENT OR PRINCIPAL | CONTRACTOR DETAILS |
|--|---|
| Client: | SCOPE OF WORKS |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Date SWMS supplied to Project Manager: | |
| ANY HIGH BIOK CONSTRUCTOR | NAME OF THE POLIT |
| ANY HIGH-RISK CONSTRUCTOR | N WC & BEIN C ARIED OUT |
| ☐ involves a risk of a person falling more than 2 meters | is carried out on or near pressurised gas mains or piping |
| ☐ is carried out on a telecommunication tower | carried out on or near chemical, fuel or refrigerant lines |
| ☐ involves demolition of an element of a structure that is load-bearing | \square is carried out on or near energised electrical installations or services |
| ☐ involves demolition of an element related to the physical integral of a functure | ☐ is carried out in an area that may have a contaminated or flammable atmosphere |
| ☐ involves, or is likely to involve, disturbing asb | ☐ involves tilt-up or precast concrete |
| ☐ involves structural alteration or repair that —quires term — v sup —rt to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| ☐ is carried out in or near a confined space | ☐ is carried out in an area of a workplace where there is any movement of powered mobile plant |
| ☐ is carried out in/near a shaft or trench deeper that. tunnel involving use of explosives | ☐ is carried out in areas with artificial extremes of temperature. |
| \square is carried out in or near water or other liquid that involves a risk of drowning. | ☐ involves diving work. |
| ANY HIGH-RISK MACHINER | Y OR EQUIPMENT NEARBY |
| | |
| | |
| | |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2



| RISK MATRIX | | | | | | | | | | |
|-------------------|--|--------------------|-----------------|------------------|--------------------|----------------|---|---------|--------------------------------------|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | SCORE | ACTION | HEI | RARCHY OF CONTROLS | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | SCORE | ACTION | | Elimination Remove the hazard. | |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCE | | Substitution | |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review before work starts. | | Replace the hazard. | |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | Isolate | e People from the hazard | |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | nitor and | | Engineering Isolate the hazard. | |
| is the second m | rchy of Controls: ost effective metho nging the work is th | d of controlling a | hazard. Enginee | ering by isolati | on is the in ost e | en 'ive, while | rd. Substitution Administrative effective | | Administrative Change the work. PPE | |

| | | | | PERS | | TIVE EQUIPM | | | | | |
|--------------------|--------------------|--------------------|------------------|-------------|--------------|--------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
| | | Select the app | ropriate PPŁ | abo v uitab | cor the equi | pment used or | the job task | being perforr | ned (if applica | ıble). | |
| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | HEARING ETION | P ECTION | PROTECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Other PPE R | equired: | | | | | | | | | | |
| | Pe | ermit or Licen | ses Requirem | ents | | | Ma | andatory Qual | ifications and | Training | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1.Set up and preparation | Inadequate training, improper tools or equipment | 2M | Conduct thorough training sessions for all connel involved in blasting activities to ensure they understand the risks and safety procedures. Verify that all workers have the necessary centro ons and qualifications for handling blasting materials and equipment. Develop a detailed work plan but includes step-by tep-ocedures and communicate it clearly to all personnel. Use only approach and contrated olds and equipment specific to the blasting activity to prevent malfunctions. Implications. Implications are construction and materials and signals for the blasting equipment to ensure it is in good to ling color. Estatish char construction protocols and signals for the blasting team to minimise misund statings duting operations. Set up nitricates and signage around the blasting site to restrict access and inform others of the positial hazards. Ensure as sonal protective equipment (PPE) like helmets, ear protection, and safety glasses are worn all personnel at the site. Perform a risk assessment to identify potential hazards associated with the specific blasting activity and develop mitigation strategies. Assign a competent person to oversee the set-up and preparation phase and ensure compliance with safety procedures. Develop emergency response plans tailored to the site conditions and make sure all personnel are familiar with them. Keep an up-to-date inventory of all explosives and related materials, ensuring accurate record-keeping and secure storage. Coordinate with relevant authorities and obtain necessary permits before commencing any blasting activities. Schedule regular safety briefings to update employees on potential hazards, recent incidents, and best practices. | 1L |
| 2.Mark out the blasting area | Inaccurate marking, ignoring warning signage | 2M | Conduct a pre-operational site inspection to confirm that the area is properly identified and matches the approved blasting plan. Use high-visibility marking paint or flags to clearly delineate the blasting area and ensure it is easily visible to workers and equipment operators. Implement a double-check system where a second qualified person verifies the accuracy of the marked boundaries against the design plans. | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--------------------------|--|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Provide detailed, site-specific training for all personnel involved in marking activities to ensure they understand the importance of accurate marking. | |
| | | | - Install clear and weather-resistant warning signaturound the perimeter of the blasting area to alert workers and visitors. | |
| | | | - Use GPS technology or surveying equipment for precise arking in particularly large or complex areas. | |
| | | | - Schedule marking activities during periods of the traffic to minimise disturbances and reduce the chance of accidental errors. | |
| | | | - Clearly communicate the mage and blasting area deads to some personnel through daily briefings and distribute updated many showil, the designated zon | |
| | | | - Establish a symmetry for one ling in clitoring and raintenance of marks and signage, including regular checks before and after en commence change are heavy rain or wind. | |
| | | | - Develop an extragency ammunication an advising personnel on steps to take if they suspect mark a have be excluded or tampered with, ensuring immediate corrective actions can be implemented. | |
| | | | - Ensure that 'Il staffy olved in the delivery of explosives possess the appropriate licences and certifications. | |
| | | | - lem It stric access control measures to prevent unauthorised personnel from accessing the exploract during delivery. | |
| | | | Ise clearly marked and secure vehicles specifically designed for the transportation of explosives, a pring to Australian regulations. | |
| | | | Conduct regular inspections of vehicles and equipment used for transporting explosives to ensure they are in good working condition. | |
| | | | - Schedule deliveries during off-peak hours to minimise interaction with the general public and reduce risk. | |
| 3.Delivery of explosives | Unauthorised access to explosives, improper transportation methods | 4A | - Maintain detailed records of explosive inventory and transport logs to track movement and verify authorised access. | 2M |
| • | improper transportation retinues | | - Train all personnel involved in the transport process on emergency response procedures and hazard awareness related to explosives. | |
| | | | - Use signage and warning systems to alert others of the presence of high-risk materials during delivery. | |
| | | | - Establish secure holding areas for explosives en route, with restricted access and surveillance to enhance security. | |
| | | | - Coordinate with local authorities and emergency services to be prepared for any incidents that may occur during transportation. | |
| | | | - Ensure that explosives are securely packed and stowed within the vehicle to prevent movement or accidental detonation. | |
| | | | - Develop and enforce a clear communication protocol for all stages of the delivery, keeping relevant parties informed and coordinated. | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 4.Handling of explosives | Incorrect handling, static electricity ignition | 4A | | 2M |
| 5.Preparation of charges | Wrong calculation of charge size, using defective fuse or igniter | 4A | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 6.Placing of charges | Poor placement leading valuing objects during drilling | 4A | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 7.Clearing and securing the area | Failure to fully evacuate blast area, insufficient securement causing fly rocks | ЗН | | 1L |
| 8.Electric or non- electric blasting | Improper connection of blasting circuit, failure of blasting machine | 3H | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 9.Initiation and firing | Premature detonation, failure to ignit and leaving a live charge | 4A | | 2M |
| 10.Inspect the site after blast | Breathing in dust, unstable rubble or face walls | ЗН | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 11.Collection and removal of debris | Manual handling injuries, sharp object injuries | 3Н | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 12.Discard damaged / unusable explosives | Accidental ignition of damaged explosives, Improper disposal | 4A | | 1L |
| | | | | • |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 13.Equipment checks and maintenance | Faulty or inadequate maintenance of the equipment, Ignoring minor faults | ЗН | | 1 L |
| 14.Reporting and documentation | Delayed reporting, unrecorded data | 2M | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | 1 |
| 15.Disposal of waste material | Hazardous materials exposure, my or slip hazards | ЗН | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAI RISK |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatide

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health at Safety Act 34

Occupational Health and affety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
| | | |
| | | |
| | | |
| | | |
| | | |

SAFE WORK IN THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains a fective of must be reviewed (and revised if necessary) if relevant control measures are revised. The view process should be carried out in consultation with workers (including contractors as support ractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU mast ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 16





SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | COMMENTS | |
|---|----------------|----------|--|
| | | | |
| The company details have been entered, including the project name and address. | | | |
| All relevant personnel consulted during the development of the SWMS. | | | |
| Name, signature, position and date signed of the person approving the SWMS. | | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | 7 | | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | | |
| Adequate risk assessment of any identified hazards has been completed. | | | |
| Foreseeable hazards are identified and documented for each step. | | | |
| Any hazards listed in any site risk assessments have been added to the SWMS | | | |
| SWMS initial risk (IR) column as well as residual risk (RR) column mpleted. | | | |
| Check control measures added to the SWMS are the most effective selectives | | | |
| Responsible person is assigned and listed on the property the improvement of measures. | | | |
| Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc. | | | |
| SWMS identifies plant and equipment to be us | | | |
| Details of inspection checks required for any equipment listed noted on the SWMS. | | | |
| Describes any mandatory qualifications, experience, and g or skills required to perform the work. | | | |
| Applicable personal protective equipment is selected on the SWMS. | | | |
| Reflects and documents any legislative references and/or Australian Standards. | | | |
| dentifies any hazardous substances used with specific control measures in line with any SDS. | | | |
| | | | |
| REVIEWED BY | DATE REVIEWED | | |
| SIGNATURE | DATE COMPLETED | | |