Boring Holes In Metal Or 1	Timber   SAFE WORK METI	HOD STATEMENT (SWMS)	
TASK OR	ACTIVITY: Boring Holes In Metal	Or Timber	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E 11:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	sting a business or under the (PC - U is	required to end of that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:	NK	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	opliance i the VMS a vell as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ad in account with gislative requirements to first identify any site hazards, so the companies those hazards and then to further take steps to either eliminate or contact hazard.			
If an incident or a near miss occurs, all work must stop an alately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	$\square$ is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
LOW       LOW       MODERATE       HIGH       HIGH       LOW       Revecode       Isolate the hazard.         Index on Hierarchy of Controls:       Elimination methods are the most effective and preferre usen continue a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the increase the five, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), the least effective       While Administrative       PPE										

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements						Ма	andatory Qual	ifications and	Training	




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Improper setup, Exposure to hazards without appropriate PPE pair	ЗН	<ul> <li>Conduct a thorough site inspection to identically potential hazards or obstacles before commencing work.</li> <li>Ensure all workers have attended a mandate it to too x talk focused on the specific tasks and associated risks involved in boring holes.</li> <li>Verify that all workers are equipped with suitable to E including safety glasses, gloves, steel-toed boots, and hearing protection neces u.y.</li> <li>Check that the forming equipment to properly metalined and inspected for defects or wear before use.</li> <li>Set up physic barriers dovarning to associated the work area to prevent unauthorized access and minimum interface.</li> <li>Estat is scommutation signals or protocols among team members to ensure cohesive workflow and aware uses to each to er's locations.</li> <li>Ensurgapping tate dorgency equipment is accessible, such as a first aid kit and fire extinguisher, in ise of to fores in incidents.</li> <li>Commutatal workers understand and comply with lockout and tag-out procedures when servicing or etting subtachinery.</li> <li>Insistion ventilation systems or fans if needed to disperse dust particles or fumes generated during the driving process.</li> <li>Designate a clear and organised workspace, ensuring all cords, tools, and materials are neatly arranged to prevent tripping hazards.</li> <li>Verify that workers are trained in manual handling techniques to safely move and position metal or timber pieces without strain or injury.</li> </ul>	2М
2. Inspection of equipment	Equipment failure, Accidental start-up	ЗН	<ul> <li>Conduct a thorough visual inspection of all equipment before use to identify any visible damage or wear and tear.</li> <li>Ensure all equipment has been serviced and maintained according to the manufacturer's guidelines and records are up-to-date.</li> <li>Verify that all safety guards and protective devices are in place and functioning correctly on drilling machinery and tools.</li> <li>Display clear signage on equipment to indicate its operational status to prevent accidental start-up or use by unauthorized personnel.</li> <li>Implement a lockout/tagout procedure to ensure equipment is not accidentally energized during maintenance or inspection.</li> <li>Train workers on identifying potential hazards related to equipment failure and the importance of reporting defects immediately.</li> </ul>	1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Use only certified and compatible parts when replacing any components on the equipment to ensure integrity and safety standards are met.	
			- Assign qualified personnel to conduct regular instructions and verify functional tests of safety controls on equipment.	
			- Ensure all workers are wearing appropriate personal projective equipment (PPE) such as safety glasses, gloves, and protective footwear during inspecting and peration.	
			- Establish a system for labeling and removing the y equipment from service until it is fully repaired and deemed safe for use.	
			- Document all equipment inspections and repairs contracted wensively and store them in an accessible location for account and fut or reference.	
			- Use accurate beasuring cols, such the pe measure or ruler, to ensure precise marking.	
			- Em, the centre the artool to create an indentation at the mark, reducing the risk of the drill bit slipping.	
			- Verify menurement twice to confirm accuracy before proceeding with drilling.	
			- Wear, pteche glove designed for dexterity and grip to minimise the risk of hand injury from slipping nois.	
3. Marking the hole	Incorrect marking, Tool slips causing	2M	- Entry pper lighting in the work area to improve visibility and accuracy of markings.	1L
location	hand injury		Provide uning on the correct use of marking and measuring tools to all workers involved in the task.	
			- clamps or vices to secure the material in place, preventing movement during marking and drilling.	
			Conduct a pre-work inspection of tools to ensure they are in good condition and suitable for the task.	
			- Implement a buddy system where another team member cross-verifies the marks before drilling.	
			- Maintain a clean work surface free from debris or obstructions that could cause tools to slip or markings to be inaccurate.	
4. Setting up the drilling machine	Improper installation causing machine failure, Electric shock	ЗH		2M
	, ,			







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Drill Bit Selection	Mismatched bit, Inappropriate use leading to breakage	2М		1L
7. Drilling process	Flying debris, Noise, Vibration, Drill defect	ЗН		2М




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Breakthrough completion	Splintering or chipping, Sharp edge	υfi		2М
9. Hole cleaning and de-burring	Eye irritation from shavings/dust, Hand injury from burrs	ЗН		1L

Version 2.5

Date of Issue:






Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Adjustment if required	Re-exposure to drilling hazards	2М		1L
12. Unloading the material	Manually handling heavy objects, Slips/trips/falls	2M		1L








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Maintenance and storage of equipment	Unsafe conditions due to poor maintenance, Elevated risk during maintenance activities	ЗН		2M
15. Reporting and documentation	Errors or omissions in reporting can neglect potential risks	2M		1L





Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	S			



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLA	ATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health as Safety Act and 4 Occupational Health and pfety regulations 2017 Legistron VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulatures</u> Codes of mactice VIC <u>extps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislati">https://www.safework.nsw.gov.au/legal-obligations/legislati</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislati</a>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>
South Australia         Work Health and Safety Act 2012 (SA)         Work Health and Safety Regulations 2012 (SA)         Legislation for SA: <a href="https://www.safework.sa.gov.au/resources/legislation">https://www.safework.sa.gov.au/resources/legislation</a> Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs">https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</a> Tasmania	<ul> <li>Model Codes of Practice</li> <li>Managing noise and preventing hearing loss at work</li> <li>Confined spaces</li> <li>Labelling of workplace hazardous chemicals</li> <li>Managing risks of hazardous chemicals in the workplace</li> <li>Welding processes</li> <li>First aid in the workplace</li> </ul>
Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u>	<ul> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> </ul>
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	<ul> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	$\boxtimes$		
Foreseeable hazards are identified and documented for each step.	$\boxtimes$		
Any hazards listed in any site risk assessments have been added to the SWMS	$\boxtimes$		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	$\boxtimes$		
Check control measures added to the SWMS are the most effective selections	$\boxtimes$		
Responsible person is assigned and listed on the part the importation control measures.	$\boxtimes$		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	$\boxtimes$		
SWMS identifies plant and equipment to be use	$\boxtimes$		
Details of inspection checks required for any equipment listed protection on the SWMS.	$\boxtimes$		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	$\boxtimes$		
Applicable personal protective equipment is selected on the SWMS.	$\boxtimes$		
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$		
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$		
REVIEWED BY	DATE RE	DATE REVIEWED	
SIGNATURE	DATE COMPLETED		