Breaking Road Surfac	es SAFE WORK METHOD	STATEMENT (SWMS)	
TASK	OR ACTIVITY: Breaking Road Su	urfaces	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.		required to en that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	opliance i the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched red in according with regislative requirements to first identify any site hazards, such a comparison hicas those hazards and then to further take steps to either eliminate or contrast each hazard.			
If an incident or a near miss occurs, all work must stop an ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
Low Low MODERATE HIGH HIGH LOW Ke records Isolate the fazard. Notes on Hierarchy of Controls: Elimination methods are the most effective and preferre usen consultation is the second most effective method of controlling a hazard. Engineering by isolation is the second most effective, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), the least effective Administrative Work. PPE PPE PPE PPE PPE PPE PPE PPE										

	PERS_VAL 1TECTIVE EQUIPMENT (PPE)										
	Select the appropriate PPL above suitable for the equipment used or the job task being performed (if applicable).										
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements					Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Tripping over tools, Exposure to noise	2М	 Conduct a site inspection prior to commence of work to identify potential hazards. Clearly mark the work area with barriers, cruck, or working signs to alert others about the ongoing work. Organise tools and equipment neatly in design to areas to minimise clutter and trip hazards. Ensure all workers are weak appropriate perster I protentive equipment (PPE), including steel-cap boots and high-visibility vests. Implement a new many members in, ensuring all workers use hearing protection such as earmuffs or earplugs. Limit access any the two are dimensional workers of the importance of keeping the workspace tidy and noise to the introl. Use care cores for any temporary wiring to prevent trips and falls. Sovide training for workers on how to effectively communicate the presence of hazards to each other. Evablish a buddy system where workers look out for each other's safety regarding tool placement and noise exposure. Position noise-generating equipment as far from the active worksite as possible to reduce sound intensity at the source. Regularly monitor noise levels with a sound level meter and adjust work practices accordingly to ensure compliance with safe exposure limits. 	1L
2. Equipment Check	Faulty equipment, Falling objects	ЗН	 Conduct regular inspections and maintenance of all equipment prior to use to ensure they are in good working condition. Ensure all equipment is checked by a qualified person before operation, with any faults reported and addressed immediately. Keep an updated logbook documenting maintenance and inspection records for each piece of equipment. Use equipment that is appropriate for the specific task and environment to minimise risks associated with misuse. Ensure all operators are adequately trained and competent in using the specific equipment required for the task. 	2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Provide personal protective equipment (PPE) such as hard hats, safety glasses, gloves, and steel- capped boots to all workers.	
			- Utilise equipment with inherent safety features success guards and automatic shut-off systems.	
			- Implement a secure storage system for tool and equipment when not in use to prevent them becoming falling hazards.	
			- Establish exclusion zones around the area we remark is being conducted to prevent unauthorised personnel from entering.	
			- Use signage to clearly indice hazard areas and the regulation ment for PPE within those zones.	
			- Ensure lifting equire the cruces or hoists is properly rated for the load being lifted and certified regularly.	
			- Train works in safe lifting technique to finder reduce the chance of falling objects during manual handling tasks.	
			- Adjuined many work schedules to allow for adequate supervision and support, particularly when using that machine v.	
			- Emplo sports or suct y observers who can provide guidance to operators regarding potential hazards including overhind obstructions.	
			Use we suppression techniques to minimise dust generation during the breaking process.	
			- uip all workers with appropriate personal protective equipment (PPE), including P2 dust masks and his visibility clothing.	
			- Implement a traffic management plan to control vehicle movements around the worksite and ensure safe passage for both workers and public.	
			- Set up physical barriers and warning signage to clearly delineate the work area from traffic lanes.	
			- Schedule work during low traffic periods to reduce exposure to vehicles and allow safer working conditions.	
3. Breaking Surface Process	Dust inhalation, Exposure to traffic	4A	- Ensure all machinery used in the breaking process is well-maintained and equipped with effective emission controls.	2M
			- Conduct regular air quality monitoring to assess the levels of dust and adjust control measures as needed.	
			- Provide training for all workers on the potential health risks associated with dust inhalation and proper use of PPE.	
			- Establish a designated clean zone away from the work area where workers can take breaks and remove PPE safely.	
			- Rotate tasks among workers to limit prolonged exposure to both dust and traffic.	
			- Assign a trained spotter or traffic controller to monitor vehicle and pedestrian movements, ensuring that they do not enter the restricted work area.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Implement an emergency response plan specific to potential incidents related to dust exposure and nearby traffic.	
			- Ensure communication devices are available for the kers to quickly relay information regarding any hazards or required assistance.	
4. Removal of Broken Materials	Struck by moving vehicles, Manual lifting injuries	ЗН		11
5. Repairing Surface	Exposure to harmful substances, Slips and trips	ЗH		2M





Date of Issue:

7








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Assessing Finished Work	Slips and trips, Falls from height			2М
10. Reporting and Documentation	Inadequate reporting, Miscommunication	2M		1L

Version 2.5








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Storage and Disposal	Hazardous substances leaks, Incorrect manual handling	ЗН		2M
13. Emergency Procedures	Lack of training, Failure to follow protocols	4A		2М






Version 2.5




SPECIFIC WORK STEPS MAZARDS TIAT MAY ARISE IMITAL RISK SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS PERSON 15. Review and Update Procedure Non-compliance, OutdateLanocodures 24 Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS Imital Account of the put in PLACE TO ELIMINATE OR CONTROL THE RISKS 15. Review and Update Non-compliance, Outdated account of the put in PLACE TO ELI	JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
16. Post-Operation	SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. Post-Operation					
16. Post-Operation Checks Unidentified hazards, Faulty equipment 3H 3H Image: Comparison of the c	15. Review and Update Procedure	Non-compliance, Outdated procedures	2M		1L
	16. Post-Operation Checks	Unidentified hazards, Faulty equipment	ЗН		2M

Version 2.5









Version 2.5







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	S			



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health at Safety Act and Occupational Health and orfety orgulations 2017 Legis non VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- rulations</u> ordes of mactice VIC <u>autps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes rach. Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes-ou rach.	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/we_place-serv-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/f</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-</u> <u>codes-of-practice</u> Model Codes of Practice
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selection	\boxtimes	
Responsible person is assigned and listed on the property of the importation control measures.	\boxtimes	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMPLETED	