Bridge Saw   SA	AFE WORK METHOD STAT	EMENT (SWMS)	
	TASK OR ACTIVITY: Bridge Saw	1	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD			
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or under the (PC 1) is	required to en that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:	NX	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	ppliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with gislative requirements to first identify any site hazards, such to compare hicas those hazards and then to further take steps to either eliminate or contineach hazard.			
If an incident or a near miss occurs, all work must stop an alately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	$\square$ is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
DARE       LOW       LOW       MODERATE       HIGH       HIGH       LOW       Revecods       Isolate the hazard.         Iotes on Hierarchy of Controls:       Elimination methods are the most effective and preferre even control to a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the Vir unost environ to a hazard. Substitution controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), the least effective       Administrative       Change the work.         PPE       PPE       PPE       PPE       PPE       PPE       PPE										

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements						Ма	andatory Qual	ifications and	Training	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Trips and falls, Unauthorised access	2М	<ul> <li>Inspect and set up barricades or delineating upe around the working area to create a boundary and prevent unauthorised access. Signage indicting restrict access should be displayed prominently.</li> <li>Remove any potential trip hazards, such as promords, debris, tools or equipment, from walkways and work areas before beginning the task. Maintain a rean and orochised workspace throughout the job.</li> <li>Implement daily toolbox talks a safety briefings to scurptine specific hazards and control measures for the day's activities, and the safety briefings to scurptine specific hazards and control measures for the day's activities, and the safety briefings to scurptine equipment (PPE), including slip-resistant footwent, high stibility year, and protective equipment (PPE), including slip-resistant footwent, high stibility year, and protective equipment (PPE), including slip-resistant footwent, high stibility year, and protective equipment (PPE), including slip-resistant footwent, high stibility and the safety protocols are being followed.</li> <li>Designate to ompete a person to oversee the work area, ensuring that only authorised and trained workers have a ness toore site and that safety protocols are being followed.</li> <li>Designate to prove the site and that safety protocols are being followed.</li> <li>Burre equate signifing is available to clearly illuminate the work area, reducing the risk of trips and falls to thoor visibility.</li> <li>Stabilish an emergency response plan, outlining actions to be taken in case of an accident or injury. The should include relevant contact information for first aid providers and emergency services.</li> <li>Create a clear walkway system within the workspace, marked with lines or signage, to help direct workers and pedestrians around potential hazards and prevent trips.</li> <li>Conduct regular spot checks and audits of work practices, PPE usage, and site conditions to ensure ongoing compliance with health and safety standards, continually identifying hazards and im</li></ul>	1L
2. Site Evaluation	Falling objects, Uneven surfaces	ЗН	<ul> <li>Conduct a thorough site inspection and risk assessment before the commencement of any work in the area, ensuring that potential falling objects and uneven surfaces have been accounted for.</li> <li>Brief all team members on the identified hazards, their possible consequences, and the control measures put in place to mitigate risks involved with falling objects and uneven surfaces.</li> <li>Install appropriate barricades or temporary fencing around the working area to prevent unauthorised access to potentially hazardous areas, especially where falling objects may occur.</li> <li>Clearly mark uneven surfaces with appropriate signs, bright colors, or delineation tape so that workers are aware of the hazards and can take necessary precautions.</li> <li>Use suitable Personal Protective Equipment (PPE), such as hard hats, high-visibility vests, steel-toed boots, and slip-resistant footwear, to minimise the risk of injury from falling objects and uneven surfaces.</li> <li>Provide fall protection equipment, such as harnesses and lanyards, when working at elevated heights or above hazardous surfaces to prevent falls and injuries.</li> </ul>	2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Properly maintain tools and equipment within the work area to ensure they are securely stored, reducing the likelihood of items accidentally falling or becoming dislodged.	
			- Implement the use of tool tethers, netting system or other similar methods for holding tools and materials while working on the bridge saw, to reace the risk of objects falling from elevated heights.	
			- Verify that any scaffolding or access plations are constructed and maintained by competent personnel following manufacturer guidelines and releval Australian Standards, ensuring a safe and stable work environment.	
			- Store materials and objects in the ground or low levels where possible, minimising the need for handling them at heights that and result in falling the ect	
			- Implement the binary symmetry is an analysis workers, encouraging communication and vigilance toward detecting and morting has do when the work of including falling objects and uneven surfaces.	
			- Ensure that propriate contenance of ousekeeping protocols are in place to address onsite temper visurface report reduce clutte anat can lead to uneven surfaces, and minimise debris or objects that can become using hazards.	
			- Sche alle controls a paudits to re-evaluate the work environment for emerging hazards, ensuring that control beas as for high g objects and uneven surfaces remain effective and relevant throughout the project's juration	
			- In ther a lafety-conscious culture within the workplace, encouraging workers to report any hazards they encould use and ensuring that management takes prompt action to resolve issues related to falling objects of unever surfaces.	
			Conduct routine inspections of the bridge saw and its components, looking for any signs of damage, wear, or malfunction.	
			- Develop and maintain a regular maintenance schedule for the bridge saw, ensuring that all equipment is serviced in accordance with the manufacturer's recommendations.	
			- Ensure that all electrical connections and cords on the piece of equipment are in good condition, free from fraying, exposed wires, kinks, or other hazards.	
			- Verify operation of the built-in safety features of the bridge saw, such as emergency stops, blade guards, and interlocks, to guarantee proper function during use.	
3. Equipment Inspection	Faulty equipment, Electrical hazards	3H	- Provide appropriate training to workers on how to safely operate the bridge saw, including how to identify potential hazards and what to do in case of an issue.	1L
			- Guarantee proper grounding of the bridge saw, minimising risk of electric shock to operators and nearby workers.	
			- Use only extension cords that are rated for the type and level of electrical current used by the bridge saw to avoid overloading circuits and prevent fires.	
			- Keep a detailed log of all equipment inspection results, maintenance performed, and any repairs made, documenting the entire history of the bridge saw.	
			- Ensure ample lighting is available in the workspace to allow for proper visual inspection of the equipment.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Restrict access to the area containing the bridge saw to only authorised personnel who have received appropriate training.	
			- Use a lockout/tagout system to control access to the oridge saw during required maintenance, repairs or whenever it is left unattended, preventing unarransed use.	
			- Establish a protocol for reporting faulty equipment, enabling immediate action to mitigate potential hazards associated with continued use.	
			- Require all workers to wear appropriate person protective exponent (PPE) while operating or working near the bridge saw, such as a fety glasses, heat protection gloves, and closed-toe shoes.	
			- Foster a culture of safety with, the workplace, enclosuring open communication among workers and management to access of contrains regarding equipment, hazards or potential risks.	
4. PPE Check	Inadequate PPE, Damaged PPE	2M		1L







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Material Handling	Manual handling, trudck by objects	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Cutting Process	Dust inhalation, Noise exposure	4A		2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Blade Replacement	Hand injuries, Blade breakage			I 1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Maintenance & Cleaning	Slips and trips, Chemical exposure	2M		
10. Waste Disposal	Sharp debris, Environmental hazards	2M		1L










Date of Issue:







#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

	EFERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGIS	SLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health an Safety Act word Occupational Health and a fetver gulations 2017 Legis of VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulature</u> Codes of watche VIC <u>enttps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislati-codes of Practice NSW:">https://www.safework.nsw.gov.au/legal-obligations/legislati-codes of Practice NSW:</a> <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislati-codes of Practice NSW:</a> <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislati-codes of Practice NSW:</a> <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/resource-library/lis</a>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u>	<ul> <li>Managing noise and preventing hearing loss at work</li> <li>Confined spaces</li> <li>Labelling of workplace hazardous chemicals</li> <li>Managing risks of hazardous chemicals in the workplace</li> <li>Welding processes</li> </ul>
Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012         Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations">https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</a> Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a>	<ul> <li>Weiding processes</li> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> </ul>
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work Any required documents	<ul> <li>Work health and safety consultation, cooperation and coordination</li> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>

- Any required documents.



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	$\boxtimes$		
Foreseeable hazards are identified and documented for each step.	$\boxtimes$		
Any hazards listed in any site risk assessments have been added to the SWMS	$\boxtimes$		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	$\boxtimes$		
Check control measures added to the SWMS are the most effective selections	$\boxtimes$		
Responsible person is assigned and listed on the part the importation control measures.	$\boxtimes$		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	$\boxtimes$		
SWMS identifies plant and equipment to be use	$\boxtimes$		
Details of inspection checks required for any equipment listed protection on the SWMS.	$\boxtimes$		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	$\boxtimes$		
Applicable personal protective equipment is selected on the SWMS.	$\boxtimes$		
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$		
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$		
REVIEWED BY	DATE RE	DATE REVIEWED	
SIGNATURE	DATE COMPLETED		