Cartridge Operated To	ols SAFE WORK METHO	O STATEMENT (SWMS)							
TASK	OR ACTIVITY: Cartridge Operate	d Tools							
Business Name:		ABN:	SWMS#						
Business Address:									
Contact Person:	Phone:	E jil:							
THIS SAFE WORK METHOD	STATEMENT IS APPRO								
Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or under transforming (PCUI) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.									
Full Name:									
Signature:	NK	Title:	Date:						
Details of the person(s) responsible for ensuring implementation, monitoring a	poliance the VMS a well as review	s and modifications of the SWMS.							
Full Name:		Title:	Phone:						
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAKEN HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	OMMUNICATED TO IN THE						
Safety meetings or toolbox talks will be sched ad in according with egislative requirements to first identify any site hazards, a company nical those hazards and then to further take steps to either eliminate or contract hazard.									
If an incident or a near miss occurs, all work must sto, an anately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.									
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.									
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.									



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terrar by supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX												
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	000DF			HEIRARCHY OF CONTROLS				
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	SCORE	SCORE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution				
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.				
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard				
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.				

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
Permit or Licenses Requirements			Mandatory Qualifications and Training								




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Trip hazards, Incorrect use of tools	ЗН	 Conduct a site walk-through to identify and move any potential trip hazards such as loose cables, tools, or debris from the work area. Ensure all workers are wearing appropriate proceeding and tripping over objects or equipment (PPE) including safety boots, high visibility vests, and gloves. Provide comprehensive trainer on the use of can be or material tools, focusing on proper handling techniques and safety tocols. Use warning the standard burgers to calculate tools or provide comprehensive trainer on the use of can be or material tools, focusing on proper handling techniques and safety tocols. Use warning the standard burgers to calculate the use of calculates or material tools, focusing on proper handling techniques and safety tocols. Use warning the standard burgers to calculate the use of calculates or material tools, focusing on proper handling techniques and safety tocols. Use warning the standard burgers to calculate the use of calculates or material tools, focusing on proper handling techniques and safety to tocols. Vest warning the standard burgers to calculate the use of an experiment (PPE) including safety boots, and the surrounding work area. Keep a check st of safety tocols. Assi on complex tools and burgers to calculate the use of calculates or the surrounding work area. Keep a check st of safety tocols. Verify that an operative barson to inspect the tool and its components before each use to ensure they are in safe witkin conditi. Verify that an operative barson to prevent unauthorized use of calculate-operated tools when not in the surrounding on the use of the prevent unauthorized use of calculate-operated tools when not in the reaction. Ensure all workers are familiar with the emergency shutdown procedures and the location of the nearest first-aid kit. Maintain a clean and organized workspace to minimize the risk of slipping and tripping over objects or equip	2M
2. Tool Inspection	Faulty equipment, Untrained personnel	3Н	 Ensure all staff are adequately trained and deemed competent to perform tool inspections before commencing any work. Conduct regular training sessions on the proper inspection of cartridge operated tools and update them as necessary. Develop a comprehensive checklist for the inspection of cartridge operated tools to ensure all crucial components are examined. 	2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	
		ruore	- Before each use, visually inspect tools for any signs of wear, damage, or defects.	HUGH	
			- Implement a tag-out system for equipment deemed faulty to prevent accidental use.		
			- Regularly schedule maintenance checks by certed technicians to assess tool conditions and functionalities.		
			- Verify that all safety mechanisms and content on the cus are fully operational during inspections.		
			- Store all tools in a clean, dry environment to the use risk of deterioration and damage.		
			- Create an inventory log with stails of inspection stes, issue round, and corrective actions taken.		
			- Replace damaged or more pair, immediately to many or the safety and effectiveness of the tools.		
			- Ensure that provide the second provide the second se		
			- Post clear stage in the prkplace the anglets the importance of checking tools before use.		
			- End to ge operation among team members to report any faults or concerns regarding tool operation a condition immediately.		
	C		- Conduct a lighting as a sment to ensure that the work area is well-lit, using additional portable lighting if		
			- Enume that there are no shadows or glares that could obscure visibility or create a distraction.		
			Position gnts at various angles to provide even lighting across the entire workspace.		
			- up non-slip mats or stable grounding surfaces to provide a suitable base for the use of cartridge operated tools.		
			- Ensure the work surface is level and free from clutter to prevent tools from slipping or rolling.		
			- Clearly mark the designated workspace to prevent unauthorised personnel from entering the area during operations.		
8. Work Area Set Up	Poorly lit area, Unsuitable work surf	2M	- Secure all cords and cables for portable lights to avoid tripping hazards or disconnection.	1L	
			- Utilize adjustable, ergonomic workstations that can be adapted to various user heights and comfort levels.		
			- Inspect the work surface for any damage or weaknesses that might compromise stability during tool operation.		
			- Conduct routine inspections of lighting equipment and work surfaces for maintenance needs or repairs.		
			- Provide training for employees on identifying unsuitable lighting and work surface conditions.		
			- Install emergency lighting systems to maintain visibility in case of power failures during operations.		
			- Regularly review and update safety procedures based on feedback and incident reports from the worksite.		
. Safety Equipment Check	Non-compliant safety equipment, Missing personal protective equipment (PPE)	ЗН		1L	





















JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Non-operative Periods Handling	Unsecured tool, Accidental discharge	ЗН		1 1L
11. Tool Maintenance	Defective parts, Inappropriate tools for maintenance tasks	ЗН		2M

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Dealing with Jammed Cartridge	Mishandling causing fire convolosion, Inadequate PPE			2M
13. Exhausted Cartridge Removal	Exposure to chemical residues, Combustible materials	4A		2M

Version 2.5









JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Final Clean-up	Risks due to overlooked tools and materials, Mishandling of cleaning substances	ЗН		2М



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health au Safety Act 204 Occupational Health and onfetve gulations 2017 Legis non VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- rulations</u> onles of mactice VIC <u>entps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formediate-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formediate-serve-laws</u>	Safe Work Australia Links Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: https://www.safework.sa.gov.au/resources/legislation Codes of Practice for SA: https://www.safework.sa.gov.au/work_dces/codes-of-practice#COPs	Model Codes of Practice Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes First aid in the workplace
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First and in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Work freath and safety constitution, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.	\square	
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selection	\boxtimes	
Responsible person is assigned and listed on the property of the importation control measures.	\boxtimes	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE RE	VIEWED
SIGNATURE	DATE CO	MPLETED