Centreless Grinder   SAFE WORK METHOD STATEMENT (SWMS)							
TAS	SK OR ACTIVITY: Centreless Grin	nder					
Business Name:		ABN:	SWMS#				
Business Address:							
Contact Person:	Phone:	E ail:					
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY 1						
THIS SAFE WORK METHOD STATEMENT IS APPRO' '0 BY THE PC. ' OF TP' ROJECT Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or under the group of the proposed work starts.							
Full Name:							
Signature:	NK	Title:	Date:				
Details of the person(s) responsible for ensuring implementation, monitoring .	ppliance the VMS a well as review	s and modifications of the SWMS.					
Full Name:		Title:	Phone:				
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE				
Safety meetings or toolbox talks will be sched and in account with agislative requirements to first identify any site hazards, such a to compare hicas those hazards and then to further take steps to either eliminate or contact each hazard.							
If an incident or a near miss occurs, all work must stop an alately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.							
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.							
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.							



CLIENT OR PRINCIPAL CONTRACTOR DETAILS						
Client:	SCOPE OF WORKS					
Project Name:						
Project Address:						
Project Manager:						
Contact Phone:						
Date SWMS supplied to Project Manager:						
ANY HIGH-RISK CONSTRUC						
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping					
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines					
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services					
□ involves demolition of an element related to the physical integ. Y of a sucture	$\square$ is carried out in an area that may have a contaminated or flammable atmosphere					
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete					
involves structural alteration or repair that quires terrar by supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor					
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant					
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.					
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.					
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY					



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	

						TIVE EQUIPM					
	Select the appropriate PPL above suitably for the equipment used or the job task being performed (if applicable).										
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements Mandatory Qualifications and Training										



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Incorrect PPE, Slipping hazards	2M	<ul> <li>Conduct a comprehensive risk assessment erfore starting the grinding process to identify potential hazards and determine the required PPE for orkers.</li> <li>Ensure all workers receive proper training on an every safety precautions, procedures, and equipment operation before they begin working with the cell every safety precautions, procedures, and equipment operation before they begin working with the cell every safety precautions, procedures, and equipment operation before they begin working with the cell every safety graves, safety glasses or face shields, earplugs or earmuffs or elsturg, ork shoes with slip every stant soles.</li> <li>Provide anti-showats are done organised workspace to prevent clutter, reducing potential tripping hazards around a conguinder.</li> <li>Mainon a cle and the organised workspace to prevent clutter, reducing potential tripping hazards around a conguinder.</li> <li>Imple ren regular naintenance programme to ensure the centreless grinder remains in proper working tone and process grinder is signification or wear that may pose a safety risk.</li> <li>Ingle ren regular naintenance programme to ensure the operator, allowing them to quickly shut off the machine ineeded.</li> <li>Ise appropriate guards on the centreless grinder to protect users from flying sparks, metal chips, and on debris.</li> <li>Establish designated walking paths around the centreless grinder, ensuring workers can move safely without crossing slippery or tripping hazard areas.</li> <li>Utilise adequate ventilation systems to maintain proper air quality and keep smoke, dust, and other airborne particles to a minimum in the workstation.</li> <li>Develop a clear and concise communication system between workers to share critical safety information, ensuring everyone is aware of potential brazards and ongoing tasks in the area.</li> <li>Encourage workers to take regular breaks and rotate tasks to avoid repetitive motion injuries, excessive exposure to noise or vibration, and fatigue-related accidents.</li> <l< td=""><td>1L</td></l<></ul>	1L
2. Pre-operation Inspection	Electrical hazards, Loose components	2M	<ul> <li>Ensure all workers operating and working around the Centreless Grinder have attended proper training on machine operation, maintenance procedures, and relevant Workplace Health and Safety regulations.</li> <li>Inspect the power supply cables, connectors, and switchboards regularly for any visible damage or wear that could pose a risk of electrical hazards.</li> </ul>	1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Check to ensure that appropriate circuit breakers and other electrical safety equipment are in place and operational to minimise the risk of electrical shock during the pre-operation inspection.	
			- Clearly label and display instructions for workers an alling precautions they must take while carrying out inspections near powered equipment, as well a mergency shut-off procedures.	
			- Use lockout/tagout procedures to prevent a cidental storage of the machine while a worker is conducting the pre-operation inspection.	
			- Regularly inspect and tighten all bolts, fasteness and other corponents to minimise the risk of loose parts posing a danger to operations and bystander, furing properation checks.	
			- Keep the work area clean and the from debris, club and unnecessary equipment that may pose a tripping hazard or many cleass the gress from the invinediate vicinity of the Centreless Grinder during the inspection cleass.	
			- Ensure that workers a provided with a propriate personal protective equipment (PPE), such as safet misses, we a steel-toed busis, during the pre-operation inspection process.	
			- Compute ate insection results and any identified issues with the appropriate personnel swiftly and ensure pportiate a cons are taken to rectify issues before commencing operation.	
			- Development and continuously improve standard operating procedures (SOPs) for pre-operation inspection to sure bost practices are followed by every worker.	
	•		- Course reekly toolbox talks ahead of shift starts to discuss safety topics and remind teams of essential afety in a ures specific to the pre-operation inspection process.	
			- courage workers to participate in health and safety initiatives and reward the reporting of potential hazards, near-misses or observed unsafe behaviours.	
			- Carry out regular safety audits of the work environment, focusing on potential hazards and control measures for pre-operation inspection. Rectify any identified deficiencies during the audit process.	
	G		- Review and update risk assessments for the Centreless Grinder and its pre-operation inspection process regularly to ensure that risks are mitigated and managed effectively at all times.	
			- Ensure that only qualified and trained personnel are allowed to perform grinding wheel installation tasks.	
			- Conduct proper inspection of the grinding wheel before installation, checking for any cracks or defects that may cause shattering while in use.	
3. Grinding Wheel	Wheel shattering, Improper wheel	0.1	- Verify that the grinding wheel complies with the manufacturer's specifications and suitable for the specific centreless grinder.	014
Installation	installation	ЗH	- Maintain and clean the centreless grinder regularly, ensuring that there is no debris that can interfere with the wheel installation process.	2M
			- Use the appropriate tools and equipment when installing the grinding wheel, including the right-sized wrenches and flanges.	
			<ul> <li>Inspect the mounting surfaces of the wheel for any damage or wear, which could lead to improper seating or securing of the wheel during installation.</li> </ul>	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<ul> <li>Make sure the grinding wheel is securely fastened onto the centreless grinder using the appropriate locking mechanism as per the manufacturer's guideline.</li> </ul>	
			- Ensure the direction of the installed wheel is compared with the rotation of the grinder's spindle, minimising the risk of accidental dislodgement	
			- Implement a mandatory "no-load" test run ofer installing the grinding wheel, verifying that the wheel runs smoothly and without vibrations or wobbles.	
			- Install safety guards and shields to prevent dependent of the gripting process from causing harm to nearby workers.	
			- Implement an emergency stop stem on the centre grinder, allowing immediate shutdown in case of issues during or the stem of	
			- Provide new sary person protective equivalent (PPE) to workers, including safety goggles, face masks, glove, and earply , to mining possure to hazards.	
			- Esta a reg. requeedule for grinding wheel replacement to prevent using excessively worn or dama, c heels, ucing the risk of shattering.	
			- Conduct roume saturation training and briefings for all operators, emphasising the importance of proper wheel in tallact, and a series to safe operating procedures.	
4. Machine Start-Up	Unexpected movement, sources moving parts	ЗН		1L






Version 2.5

Date of Issue:







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Coolant Application	Thermal burns, Skin irritations	21		1L
3. Material Support Adjustment	Trapping hazard, Misalignment-related incidents	2M		1L


Version 2.5

Date of Issue:




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Quality Check	Repeated strain injury, Eye hazard due to inspection process	2M		1L






Version 2.5











JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES					
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE						
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health at Safety Act and 4 Occupational Health and an effective gulations 2017 Legistron VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulations</u> of the source VIC <u>extps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>					
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislative">https://www.safework.nsw.gov.au/legal-obligations/legislative</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislative</a>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>					
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formediateserve-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>					
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: https://www.safework.sa.gov.au/resources/legulation Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs Tasmania Work Health and Safety Act 2012	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes - First aid in the workplace - Managing the risk of falls at workplaces					
Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u>	<ul> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> </ul>					
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	<ul> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>					



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	$\boxtimes$		
Foreseeable hazards are identified and documented for each step.	$\boxtimes$		
Any hazards listed in any site risk assessments have been added to the SWMs	$\boxtimes$		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	$\boxtimes$		
Check control measures added to the SWMS are the most effective selection	$\boxtimes$		
Responsible person is assigned and listed on the part the importation ontrol measures.	$\boxtimes$		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	$\boxtimes$		
SWMS identifies plant and equipment to be use	$\boxtimes$		
Details of inspection checks required for any equipment listed protection on the SWMS.	$\boxtimes$		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	$\boxtimes$		
Applicable personal protective equipment is selected on the SWMS.	$\boxtimes$		
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$		
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$		
REVIEWED BY	DATE RE	VIEWED	
SIGNATURE	DATE COMPLETED		