| Changing Hvac Filter   | rs   SAFE WORK METHOD                                       | STATEMENT (SWMS)                               |                                    |
|--|---|--|------------------------------------|
| TASP   | COR ACTIVITY: Changing Hvac F                               | Filters  |                                    |
| Business Name:   |   | ABN:   | SWMS#                              |
| Business Address:  |   |  |                                    |
| Contact Person:  | Phone:  | E ail:   |                                    |
|  | STATEMENT IS APPROVID BY                                    |  |                                    |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.   |   | required to en that a safe work method s       | tatement (SWMS) is prepared before |
| Full Name:   |   |  |                                    |
| Signature:   | NY  | Title:   | Date:                              |
| Details of the person(s) responsible for ensuring implementation, monitoring   | opliance the VMS a well as review                           | s and modifications of the SWMS.               |                                    |
| Full Name:   |   | Title:   | Phone:                             |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAS PHAVE THE FOLLOWING COMMUNICATED   | NAME OF ALL RELEVANT PERSONNE<br>EVELOPMENT AND APPROVAL OF | EL WHO HAVE BEEN CONSULTED AND CO<br>THIS SWMS | DMMUNICATED TO IN THE              |
| Safety meetings or toolbox talks will be sched ed in according with a gislative requirements to first identify any site hazards, such to compare those hazards and then to further take steps to either eliminate or contact each hazard.  |   |  |                                    |
| If an incident or a near miss occurs, all work must stop an ately. Depending<br>on the severity of the incident, a meeting will be called with all workers to amend<br>the SWMS if required. The meeting may also be an educational opportunity.   |   |  |                                    |
| Any changes made to the SWMS after an incident or a near miss must be<br>approved by the Person Conducting Business or Undertaking and<br>communicated to all relevant personnel.  |   |  |                                    |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. |   |  |                                    |



| CLIENT OR PRINCIPAL   | CONTRACTOR DETAILS  |
|---|---|
| Client:   | SCOPE OF WORKS  |
| Project Name:   |   |
| Project Address:  |   |
| Project Manager:  |   |
| Contact Phone:  |   |
| Date SWMS supplied to Project Manager:  |   |
| ANY HIGH-RISK CONSTRUC  |   |
| ☐ involves a risk of a person falling more than 2 meters                                  | I is carried out on or near pressurised gas mains or piping   |
| □ is carried out on a telecommunication tower   | carried out on or near chemical, fuel or refrigerant lines  |
| ☐ involves demolition of an element of a structure that is load-bearing                   | □ is carried out on or near energised electrical installations or services                          |
| □ involves demolition of an element related to the physical integ. Y of a sucture         | $\square$ is carried out in an area that may have a contaminated or flammable atmosphere            |
| □ involves, or is likely to involve, disturbing asb                                       | ☐ involves tilt-up or precast concrete  |
| involves structural alteration or repair that quires terminary supart to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor     |
| □ is carried out in or near a confined space  | $\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant |
| is carried out in/near a shaft or trench deeper that tunnel involving use of explosives   | ☐ is carried out in areas with artificial extremes of temperature.                                  |
| ☐ is carried out in or near water or other liquid that involves a risk of drowning.       | ☐ involves diving work.   |
| ANY HIGH-RISK MACHINER  | RY OR EQUIPMENT NEARBY  |
|   |   |
|   |   |
|   |   |



|                   | RISK MATRIX  |                    |                 |                  |                     |                             |  |  |  |  |  |
|-------------------|--|--------------------|-----------------|------------------|---------------------|-----------------------------|--|--|--|--|--|
| LIKELIHOOD        | INSIGNIFICANT  | MINOR              | MODERATE        | MAJOR            | CATASTROPHIC        | SCORE                       |  |  | HEIRARCHY OF CONTROLS                        |  |  |
| ALMOST<br>CERTAIN | 3<br>HIGH  | 3<br>HIGH          | 4<br>ACUTE      | 4<br>ACUTE       | 4<br>ACUTE          | SCORE                       | ACTION   |  | Elimination<br>Remove the hazard.            |  |  |
| LIKELY            | 2<br>MODERATE  | 3<br>HIGH          | 3<br>HIGH       | 4<br>ACUTE       | 4<br>ACUTE          | 4A<br>ACUTE                 | DO NOT<br>PROCE                                |  | Substitution                                 |  |  |
| POSSIBLE          | 1<br>LOW   | 2<br>MODERATE      | 3<br>HIGH       | 4<br>ACUTE       | 4<br>ACUTE          | 3H<br>HIGH                  | Review befor<br>work starts.                   |  | Replace the hazard.                          |  |  |
| UNLIKELY          | 1<br>LOW   | 1<br>LOW           | 2<br>MODERATE   | 3<br>HIGH        | 4<br>ACUTE          | 2M<br>MODERATE              | Ensure control<br>measures in<br>place.        |  | Isolate People from the hazard               |  |  |
| RARE              | 1<br>LOW   | 1<br>LOW           | 2<br>MODERATE   | 3<br>HIGH        | 3<br>HIGH           | 1L<br>LOW                   | nitor and<br>k⊾ records                        |  | Engineering<br>Isolate the hazard.           |  |  |
| is the second me  | rchy of Controls:<br>ost effective metho<br>nging the work is th | d of controlling a | hazard. Enginee | ering by isolati | on is the in post e | en. <sup>t</sup> ive, while | d. Substitution<br>Administrative<br>effective |  | Administrative<br>Change the<br>work.<br>PPE |  |  |

|                    |                     |                    |               |             |                            | TIVE EQUIPM        |                                       |                        |                    |                   |                           |
|--------------------|---------------------|--------------------|---------------|-------------|----------------------------|--------------------|---------------------------------------|------------------------|--------------------|-------------------|---------------------------|
|                    |                     | Select the ap      | propriate PPL | abo, ruitab | i or the equi              | oment used or      | the job task                          | being perform          | ned (if applica    | able).            |                           |
| FOOT<br>PROTECTION | HAND<br>PROTECTION  | HEAD<br>PROTECTION |               | P ECTION    | R⊾ ⇒PIRATORY<br>PROTECTION | FACE<br>PROTECTION | HIGH-VIS<br>CLOTHING                  | PROTECTIVE<br>CLOTHING | FALL<br>PROTECTION | SUN<br>PROTECTION | HAIR/JEWELLERY<br>SECURED |
|                    |                     |                    |               |             |                            |                    |                                       |                        |                    |                   |                           |
|                    |                     |                    |               |             |                            |                    |                                       |                        |                    |                   |                           |
| Other PPE R        | Other PPE Required: |                    |               |             |                            |                    |                                       |                        |                    |                   |                           |
|                    | Pe                  | ermit or Lice      | nses Requirem | ients       |                            |                    | Mandatory Qualifications and Training |                        |                    |                   |                           |
|                    |                     |                    |               |             |                            |                    |                                       |                        |                    |                   |                           |




| JOB STEP                       | POTENTIAL HAZARDS                           | IR              | CONTROL MEASURES  | RR               |
|--------------------------------|---|-----------------|---|------------------|
| SPECIFIC WORK STEPS            | HAZARDS THAT MAY ARISE                      | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK |
| 1. Preparation                 | Incorrect information, Inadequate training  | ЗН              | <ul> <li>Ensure workers have access to up-to-date normation on the specific HVAC system and its filter requirements.</li> <li>Verify that detailed procedural guidelines for the neg HVAC filters are available and easily accessible to all workers.</li> <li>Conduct a pre-job briefing to necuss the task, pointial theorems, and control measures with all personnel involved.</li> <li>Provide comparison ensive theorems of the systems of HVAC systems, filter replacement procedures, at safety provides.</li> <li>Assent the consetence workers through regular skills evaluations and practical demonstrations before wing the perform tasks independently.</li> <li>Display instruction reliagrams or visual aids near the worksite as quick reference guides for workers.</li> <li>Implement a suddy system so inexperienced workers are paired with knowledgeable colleagues for indance.</li> <li>One sis periodic refresher courses to keep workers updated on best practices and new developments a HVAC summance.</li> <li>Post safety signs indicating the need for PPE and proper attire at strategic locations around the maintenance site.</li> <li>Review and update the SWMS regularly to incorporate feedback from workers and any changes in legal requirements or industry standards.</li> <li>Encourage open communication between workers and supervisors for reporting unclear or insufficient instructional materials.</li> </ul> | 2M               |
| 2. Gathering Tools & Equipment | Inadequate tools, Improper use of equipment | 3Н              | <ul> <li>Ensure all necessary tools and equipment are identified and verified as adequate for the task prior to starting work.</li> <li>Conduct a pre-task inspection of tools and equipment to identify any damage or defects that could lead to misuse.</li> <li>Establish clearly labelled storage areas for tools and instruct workers on proper organisation to prevent confusion and tool swapping.</li> <li>Provide training for workers on the correct usage, limitations, and handling of each tool and piece of equipment relevant to the job.</li> <li>Use only tools that are ergonomically designed to reduce strain and risk of injury during use.</li> <li>Implement a tool check-out system to track usage and ensure accountability for each tool.</li> </ul>  | 1L               |



| JOB STEP            | POTENTIAL HAZARDS                           | IR              | CONTROL MEASURES   | RR               |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                      | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK |
|                     |   |                 | - Make personal protective equipment (PPE) such as gloves and safety goggles readily available and ensure they are worn when handling tools. |                  |
|                     |   |                 | - Regularly maintain and service tools to manufact the specifications to prevent malfunctions during use.                                    |                  |
|                     |   |                 | - Install clear signage in work areas indicating which tools are to be used for specific tasks to prevent improper usage.                    |                  |
|                     |   |                 | - Develop emergency procedures and provide this for workers to respond appropriately if equipment failure or accidents occur.                |                  |
|                     |   |                 | - Conduct a pre-work site inspection to identify potent azards and assess stability.   |                  |
|                     |   |                 | - Use signs and aniers to rearly wrk off the wrk area, alerting others to stay clear.  |                  |
|                     |   |                 | - Ensure that equipment including older and scaffolding, is stable and in good working condition before se.                                  |                  |
|                     |   |                 | - Utilian el platenes or stabilisers to prevent any movement when working at heights.  |                  |
|                     |   |                 | - Impletion, buddy stem to have an additional person assist with holding or steadying equipment as needed                                    |                  |
| 3. Area Setup       | Unstable working area, Uncontrolled factors | 2M              | dear a proprice personal protective equipment (PPE) such as non-slip footwear, hard hats, and glo.   | 1L               |
|                     |   |                 | Keep the work area clean and free of clutter to minimise tripping risks.   |                  |
|                     |   |                 | - curely fasten tools and materials on elevated areas to prevent them from falling.  |                  |
|                     |   |                 | Regularly communicate with colleagues using hand signals or radios to coordinate movements.  |                  |
|                     |   |                 | - Monitor weather conditions and cease work during high winds or rain that could destabilise the setup.                                      |                  |
|                     |   |                 | - Establish a clear emergency response plan and ensure all workers are familiar with it.   |                  |
|                     |   |                 | - Review and adjust control measures regularly based on feedback and observed effectiveness.   |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
| 4. Power Isolation  | Electric shock, Fire hazard                 | 3H              |  | 1L               |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |
|                     |   |                 |  |                  |








| JOB STEP                   | POTENTIAL HAZARDS                     | IR              | CONTROL MEASURES   | RR               |
|----------------------------|---------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS        | HAZARDS THAT MAY ARISE                | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 6. Inspecting HVAC<br>Unit | Electric shock, Mechanical hazards    | ЗН              |  | 2M               |
| 7. Cleaning HVAC Unit      | Chemical exposure, Biological hazards | ЗН              |  | 2M               |

Date of Issue:







| JOB STEP              | POTENTIAL HAZARDS                      | IR              | CONTROL MEASURES   | RR               |
|-----------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS   | HAZARDS THAT MAY ARISE                 | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 9. Testing New Filter | Failure of materials, Excessive noise  | 2М              |  |                  |
| 10. Clean Up          | Slips, trips and falls, Waste disposal | 2М              |  | 1L               |

Version 2.5



| JOB STEP            | POTENTIAL HAZARDS                   | IR              | CONTROL MEASURES   | RR              |
|---------------------|-------------------------------------|-----------------|--|-----------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE              | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUA<br>RISK |
|                     |                                     |                 |  |                 |
| 11. Reporting       | Inaccurate reporting, Failto report | 2M              |  | 1L              |
| 12. De-energisation | Electric shock, Burns               | 3H              |  | 1L              |



| JOB STEP             | POTENTIAL HAZARDS              | IR              | CONTROL MEASURES   | RR               |
|----------------------|--------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS  | HAZARDS THAT MAY ARISE         | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                      |                                |                 |  |                  |
| 13. Final Inspection | Missed defects, Non-compliance | 2M              |  | 1L               |









| JOB STEP                        | POTENTIAL HAZARDS                                    | IR              | CONTROL MEASURES   | RR       |
|---------------------------------|--|-----------------|--|----------|
| SPECIFIC WORK STEPS             | HAZARDS THAT MAY ARISE                               | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL |
| 15. Post Work<br>Evaluation     | Incomplete evaluation, Wrong feedbat                 | ⊐M              |  | 1L       |
| 16. Disposal of Used<br>Filters | Environmental impact, Exposure to hazardous material | ЗН              |  | 1L       |









Version 2.5

Date of Issue:







| JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   | RR               |
|---------------------|------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |                        |                 |  |                  |
|                     |                        |                 |  |                  |
|                     |                        |                 |  | -                |
|                     |                        |                 |  |                  |
|                     |                        |                 |  |                  |
|                     |                        |                 |  |                  |
|                     | C                      |                 |  |                  |



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE REFERENCES  |   |  |  |  |  |
|---|---|--|--|--|--|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE   |   |  |  |  |  |
| Queensland & Australian Capital Territory<br>Work Health and Safety Act 2011<br>Work Health and Safety Regulations 2011<br>Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws<br>Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice<br>Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations<br>Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice  | Victoria<br>Or opational Health an Safety Act and<br>Occupational Health and onfety or gulations 2017<br>Legis from VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-<br/>rulations</u><br>or des on a actice VIC <u>wttps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>  |  |  |  |  |
| New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislati">https://www.safework.nsw.gov.au/legal-obligations/legislati</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislati</a>  | Western Australia<br>Work Health and Safety Act 2020<br>Work Health and Safety Regulations 2022<br>Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u><br>Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>   |  |  |  |  |
| Northern Territory<br>Work Health and Safety (National Uniform Legislation) Act 2011<br>Work Health and Safety (National Uniform Legislation) Regulation 2015<br>Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/worplace-servelaws</u><br>Codes of Practice NT: <u>https://worksafe.nt.gov.au/formations/second-se</u> | Safe Work Australia Links<br>Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u><br>Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-<br/>codes-of-practice</u>  |  |  |  |  |
| South Australia<br>Work Health and Safety Act 2012 (SA)<br>Work Health and Safety Regulations 2012 (SA)<br>Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u><br>Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_saces/codes-of-practice#COPs</u><br>Tasmania<br>Work Health and Safety Act 2012<br>Work Health and Safety (Transitional and Consequential Provisions) Act 2012<br>Work Health and Safety Regulations 2012  | Model Codes of Practice  - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes - First aid in the workplace - Managing the risk of falls at workplaces - Hazardous manual tasks - Managing the risk of falls in housing construction |  |  |  |  |
| Work Health and Safety (Transitional) Regulations 2012<br>Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u><br>Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u><br>Details of permits, licenses or access required by regulatory bodies (add or delete as required):  | <ul> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> </ul>   |  |  |  |  |
| <ul> <li>Permits from local council</li> <li>Authorisation to commence work</li> <li>Any required documents.</li> </ul>   | - Managing risks of plant in the workplace<br>- Construction work   |  |  |  |  |



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |

#### SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME          |   |   |   |   |   |   |   |
| INITIALS      |   |   |   |   |   |   |   |
| DATE          |   |   |   |   |   |   |   |



#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS  | COMPLETED      | COMMENTS |  |
|---|----------------|----------|--|
|   |                |          |  |
| The company details have been entered, including the project name and address.                    |                |          |  |
| All relevant personnel consulted during the development of the SWMS.                              |                |          |  |
| Name, signature, position and date signed of the person approving the SWMS.                       |                |          |  |
| Specific personnel and qualifications, experience is noted in the SWMS.                           |                |          |  |
| Provides a step-by-step process of tasks required to carry out the activity or task.              |                |          |  |
| Adequate risk assessment of any identified hazards has been completed.                            | $\boxtimes$    |          |  |
| Foreseeable hazards are identified and documented for each step.                                  | $\boxtimes$    |          |  |
| Any hazards listed in any site risk assessments have been added to the SWMs                       | $\boxtimes$    |          |  |
| SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.                       | $\boxtimes$    |          |  |
| Check control measures added to the SWMS are the most effective selection                         | $\boxtimes$    |          |  |
| Responsible person is assigned and listed on the property of the importation control measures.    | $\boxtimes$    |          |  |
| Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.    | $\boxtimes$    |          |  |
| SWMS identifies plant and equipment to be use   | $\boxtimes$    |          |  |
| Details of inspection checks required for any equipment listed protection on the SWMS.            | $\boxtimes$    |          |  |
| Describes any mandatory qualifications, experience, and g or skills required to perform the work. | $\boxtimes$    |          |  |
| Applicable personal protective equipment is selected on the SWMS.                                 | $\boxtimes$    |          |  |
| Reflects and documents any legislative references and/or Australian Standards.                    | $\boxtimes$    |          |  |
| Identifies any hazardous substances used with specific control measures in line with any SDS.     | $\boxtimes$    |          |  |
|   |                |          |  |
| REVIEWED BY   | DATE REVIEWED  |          |  |
| SIGNATURE   | DATE COMPLETED |          |  |