Chemicals - Handling and	d Use SAFE WORK METH	OD STATEMENT (SWMS)	
TASK OR	ACTIVITY: Chemicals - Handling	g and Use	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	sting a business or under the (Pour I) is	required to en that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	voliance i the VMS a vell as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with egislative requirements to first identify any site hazards, such to compare hicas those hazards and then to further take steps to either eliminate or contineach hazard.			
If an incident or a near miss occurs, all work must stop an ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL CONTRACTOR DETAILS					
Client:	SCOPE OF WORKS				
Project Name:					
Project Address:					
Project Manager:					
Contact Phone:					
Date SWMS supplied to Project Manager:					
ANY HIGH-RISK CONSTRUC					
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping				
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines				
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services				
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere				
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete				
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor				
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant				
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.				
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.				
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY				



					RISK	MATRIX			
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION	Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE	Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.	Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records	Engineering Isolate the hazard.	
LOW LOW MODERATE HIGH HIGH LOW kapecords Isolate the flazaid. Iotes on Hierarchy of Controls: Elimination methods are the most effective and preferre or en concursor a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the tractost en tive, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment) whe least effective PPE PPE PPE PPE PPE PPE PPE PPE									

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Other PPE Required:										
	Permit or Licenses Requirements				Mandatory Qualifications and Training						



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	RISK	 Chemical inventory: Maintain an up-to-date or of all chemicals present at the workplace, including details such as quantities, storage locations and hazarch assifications. Material Safety Data Sheets (MSDS): Ensure concepts are available for all chemicals in use or storage, and that employees have easy access a mis informatic. Personal protective equipment (PPE): Based on the hazarch sidentified in the MSDS, provide appropriate PPE for employees including glases, goggles, face scalas, aprons, and respirators if necessary. Training and incluction: Invide comprehension raining and clear instructions to employees on the safe handling and use of chemic s, including understanding MSDS information, wearing appropriate PPE, and following estatushed productes. Vence on systementstall and maintain proper ventilation systems throughout the workplace, ensuring adequipe an circulu on to minimise exposure to chemical fumes and vapors. Safe sprag practice of store chemicals in designated areas with proper ventilation, temperature control, 	RISK
1. Preparation	Chemical exposure, Fire hazard	3H	 spill corn inme and socure access limited to authorised personnel only. Respect the storage provide the storage of th	1L
			 ensure compliance with safety regulations and adherence to established protocols. Proper disposal methods: Implement appropriate waste disposal procedures for used or expired chemicals, following local environmental and waste management guidelines to minimise potential hazards. Restricted access: Limit access to chemical handling areas to authorised personnel who have completed necessary training to minimise exposure risk. Communicate with employees: Regularly communicate with employees about the importance of adhering to safe practices when handling chemicals, seeking feedback on any concerns or suggestions they may have to improve the safety of the workplace environment. 	
2. Storage	Leakage, Poor ventilation	ЗН	 Ensure appropriate and approved storage containers are used for chemicals, with clear and accurate labeling of contents, hazard ratings, and expiry dates. Implement a proper storage system that segregates incompatible chemicals and ensures the recommended minimum safe distances between them. 	2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Use secondary containment such as spill trays or bunds to minimise the risk of chemical leakage or spillage during storage.	
			- Regularly inspect all stored chemicals for any sign of damage, corrosion, or deterioration in their containers, and replace or repair them as need	
			- Install adequate ventilation systems such a fans, venter and air exchange units to ensure proper airflow and prevent any build-up of hazardous vapore of gas	
			- Ensure that storage areas have enough space of are not overprowded, making it easier to access, handle, and monitor chemica	
			- Provide relevant training and a purces to employe and understanding the purces, including understanding the purce provide particles to avoid potential hazards.	
			- Establish an eventory management system mutack and regulate the amount of chemicals being stored, ensuring that the levels main with the mainties at all times.	
			- Create and regret to pdate emergency response plans for potential chemical leakage or spills, including the identical designated responders and clean-up procedures.	
			- Instal has pointorin and alarm systems to detect any hazardous gas releases promptly, allowing immedia action to be see.	
			- st vise le sign ge around storage areas indicating the type of chemicals stored, along with appropriate haza, we hings and emergency contact information.	
			Aaintain good housekeeping practices within chemical storage areas, ensuring that floors are kept clean and dry, and aisles are free of obstructions.	
			Develop and implement regular inspection schedules for all storage facilities to identify potential issues proactively and rectify them as necessary.	
			- Periodically review and evaluate the effectiveness of the control measures implemented, and make any necessary adjustments or improvements based on findings.	
			- Proper labeling and signage: Ensure all chemicals are clearly labelled with their name, hazard level, and any specific handling instructions. This will help prevent accidental mixing of incompatible chemicals that could react with each other and provide clear guidance for workers.	
3. Transportation	Spillage, Reaction with other chemicals	4A	 Use of appropriate containers: Transport chemicals only in approved, leak-proof, sealed containers designed specifically for storing those chemicals. The containers should be sturdy, clean, and well- maintained to prevent any leakage during transportation. 	2M
·			- Chemical compatibility segregation: Store and transport incompatible chemicals separately, following the chemical compatibility guidelines provided by regulatory standards and safety data sheets (SDS) of the specific chemicals being used.	
			 Leak containment equipment: Provide appropriate spill management tools such as absorbents, neutralizers, and containment materials to deal with potential spills quickly and effectively, ensuring minimal impact on the environment and worker safety. 	




POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
		- Regular inspection and maintenance of transport equipment: Conduct periodic checks on transportation equipment such as trolleys, pallets, and forklifts to ensure they are in good working order and can handle the weight and size of the chemical containers safe	
		- Proper loading and unloading techniques: Transvorkers on proper techniques for lifting, carrying, and placing chemical containers to avoid dropping or puncturing them, and reducing the risk of a spill.	
		- Limit access to authorised personnel: Rest, access of areas where chemicals are being transported or stored to trained and authorised personnel only or unimise the risk of accidents due to lack of knowledge or experience.	
		- Personal Protective Equipment (PPE): Require we are undling and transporting chemicals to wear suitable PPE, such and respirator up reduce the risk of exposure to hazardous substances.	
		- Emergency sponse plan Developend proceasin an emergency response plan for dealing with any spills of accide to that proceed during the insportation, including trained first aiders and relevant emergency control process.	
		- Employee training and awareness: Regularly train staff on the proper handling, storage, and transportation of chernials, including emergency response procedures, to ensure they are competent and confident in managing the ential risks.	
		e optilat in: Ensure proper ventilation in areas where chemicals are transported or stored to avoid the built, optilazardous vapors and maintain good air quality for workers.	
		Clear access routes: Keep transportation routes clear of obstacles and maintain clean, slip-resistant hors to minimise the risk of trips, slips, and spills during chemical transportation.	
		Safe stacking and storage: Ensure chemical containers are stacked securely and safely to prevent accidents involving falling, toppling, or instability of stored containers.	
5		- Inspection and documentation: Conduct regular inspections of chemicals in transit and their storage areas, documenting any issues, corrective actions taken, and maintaining a log for auditing and regulatory purposes.	
Formation of fumes, Splash risk	4A		2M
		HAZARDS THAT MAY ARISE RISK	PREARUS FIRM MAY PRISE SPECIFIC MEASURES ID BE PITAINONE OR CONTROL THE MISTS 0 - Regular inspectoria and maintenace of transport equipment: Conduct periodic checks on transportation equipment such as trolleys, pallets, and forking safely. - Proper loading and unloading techniques: The workers on proper techniques for lifting, carrying, and placing chemical containers to avoid dropping or puncturing them, and reducing the misk of a spill. - Lifting access to authorised personnel: Resting access areas where chemicals are being transported or to trained and authorised personnel: Resting access areas where chemicals to wear suitable PPE; such and authorised personnel on the mismise the risk of exposure to hazardous suitable PPE; such and authorised personnel in the proper handling, and transporting chemicals to wear suitable PPE; such and authorised personnel respirato, or response plan for dealing with any spills asaccing in the proper handling. - Emprise Yation of the proper ventilition in areas where chemicals are transported to avoid the builts on user and transportation, including trained first aiders and relevant emerging vents properse procedures, to ensure they are competent and transportation, including trained first aiders and relevant emerging vents in a set of chemicals are transported or stored to avoid the builts on user sets. - Emprise Variating da wareness: Regularly train staff on the proper handling, storage, and transportation routes of act of obstacles and maintain clean, slip-resistant first on minimise the risk of resportation routes clear of obstacles and maintain clean, slip-resistant first on minimise the risk of resportation routes clear of obstacles and maintain clean, slip-resistant has to minimise the risk of traps, slips, and spills during chemical transportation.





















Version 2.5











Version 2.5

Date of Issue:











JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	S			



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health at Safety Act and A Occupational Health and orfety orgulations 2017 Legis non VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- rulations</u> ordes of mactice VIC <u>autps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes rach. Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes-ou rach.	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/we_place-serv-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/f</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-</u> <u>codes-of-practice</u> Model Codes of Practice
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3 Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selection	\boxtimes	
Responsible person is assigned and listed on the part the importation ontrol measures.	\boxtimes	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE RE	VIEWED
SIGNATURE	DATE CO	MPLETED