

## Coating Removal From Boreholes | SAFE WORK METHOD STATEMENT (SWMS)

### TASK OR ACTIVITY: Coating Removal From Boreholes

|                   |        |        |
|-------------------|--------|--------|
| Business Name:    | ABN:   | SWMS#  |
| Business Address: |        |        |
| Contact Person:   | Phone: | Email: |

### THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PCBU OF THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

|   |        |        |
|---|--------|--------|
| Full Name:  |        |        |
| Signature:  | Title: | Date:  |
| Details of the person(s) responsible for ensuring implementation, monitoring compliance of the SWMS as well as reviews and modifications of the SWMS. |        |        |
| Full Name:  | Title: | Phone: |

### ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED

Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, then to communicate those hazards and then to further take steps to either eliminate or control each hazard.

If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.

Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.

The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.

### NAME OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE DEVELOPMENT AND APPROVAL OF THIS SWMS

### CLIENT OR PRINCIPAL CONTRACTOR DETAILS

|  |                |
|--|----------------|
| Client:                                | SCOPE OF WORKS |
| Project Name:                          |                |
| Project Address:                       |                |
| Project Manager:                       |                |
| Contact Phone:                         |                |
| Date SWMS supplied to Project Manager: |                |

### ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT

- |  |  |
|--|--|
| <input type="checkbox"/> involves a risk of a person falling more than 2 meters  | <input type="checkbox"/> is carried out on or near pressurised gas mains or piping                                     |
| <input type="checkbox"/> is carried out on a telecommunication tower   | <input type="checkbox"/> is carried out on or near chemical, fuel or refrigerant lines                                 |
| <input type="checkbox"/> involves demolition of an element of a structure that is load-bearing                           | <input type="checkbox"/> is carried out on or near energised electrical installations or services                      |
| <input type="checkbox"/> involves demolition of an element related to the physical integrity of a structure              | <input type="checkbox"/> is carried out in an area that may have a contaminated or flammable atmosphere                |
| <input type="checkbox"/> involves, or is likely to involve, disturbing asbestos  | <input type="checkbox"/> involves tilt-up or precast concrete  |
| <input type="checkbox"/> involves structural alteration or repair that requires temporary support to prevent collapse    | <input type="checkbox"/> is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| <input type="checkbox"/> is carried out in or near a confined space  | <input type="checkbox"/> is carried out in an area of a workplace where there is any movement of powered mobile plant  |
| <input type="checkbox"/> is carried out in/near a shaft or trench deeper than 1.5m or tunnel involving use of explosives | <input type="checkbox"/> is carried out in areas with artificial extremes of temperature.                              |
| <input type="checkbox"/> is carried out in or near water or other liquid that involves a risk of drowning.               | <input type="checkbox"/> involves diving work.   |

### ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY

| RISK MATRIX    |               |               |               |            |              |                |                                   |  |  |
|----------------|---------------|---------------|---------------|------------|--------------|----------------|-----------------------------------|--|--|
| LIKELIHOOD     | INSIGNIFICANT | MINOR         | MODERATE      | MAJOR      | CATASTROPHIC | SCORE          | ACTION                            | HEIRARCHY OF CONTROLS  |  |
| ALMOST CERTAIN | 3<br>HIGH     | 3<br>HIGH     | 4<br>ACUTE    | 4<br>ACUTE | 4<br>ACUTE   |                |                                   |  <p><b>Elimination</b><br/>Remove the hazard.</p> <p><b>Substitution</b><br/>Replace the hazard.</p> <p><b>Isolation</b><br/>Isolate People from the hazard</p> <p><b>Engineering</b><br/>Isolate the hazard.</p> <p><b>Administrative</b><br/>Change the work.</p> <p><b>PPE</b></p> |  |
| LIKELY         | 2<br>MODERATE | 3<br>HIGH     | 3<br>HIGH     | 4<br>ACUTE | 4<br>ACUTE   | 4A<br>ACUTE    | DO NOT PROCEED                    |  |  |
| POSSIBLE       | 1<br>LOW      | 2<br>MODERATE | 3<br>HIGH     | 4<br>ACUTE | 4<br>ACUTE   | 3H<br>HIGH     | Review before work starts.        |  |  |
| UNLIKELY       | 1<br>LOW      | 1<br>LOW      | 2<br>MODERATE | 3<br>HIGH  | 4<br>ACUTE   | 2M<br>MODERATE | Ensure control measures in place. |  |  |
| RARE           | 1<br>LOW      | 1<br>LOW      | 2<br>MODERATE | 3<br>HIGH  | 3<br>HIGH    | 1L<br>LOW      | Monitor and keep records          |  |  |

**Notes on Hierarchy of Controls:** Elimination methods are the most effective and preferred when controlling a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the third most effective, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment) is the least effective method.

| PERSONAL PROTECTIVE EQUIPMENT (PPE)   |  |  |  |  |   |  |  |  |  |  |  |
|---|--|--|--|--|---|--|--|--|--|--|--|
| Select the appropriate PPE above suitable for the equipment used or the job task being performed (if applicable). |  |  |  |  |   |  |  |  |  |  |  |
| FOOT PROTECTION   | HAND PROTECTION  | HEAD PROTECTION  | HEARING PROTECTION   | EYE PROTECTION   | RESPIRATORY PROTECTION  | FACE PROTECTION  | HIGH-VIS CLOTHING  | PROTECTIVE CLOTHING  | FALL PROTECTION  | SUN PROTECTION   | HAIR/JEWELLERY SECURED   |
|                                 |  |  |  |  |  |  |  |  |  |  |  |
| <input type="checkbox"/>  | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>  | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   | <input type="checkbox"/>   |
| Other PPE Required:   |  |  |  |  |   |  |  |  |  |  |  |
| Permit or Licenses Requirements   |  |  |  |  |   | Mandatory Qualifications and Training  |  |  |  |  |  |
|   |  |  |  |  |   |  |  |  |  |  |  |

| JOB STEP                   | POTENTIAL HAZARDS                 | IR           | CONTROL MEASURES   | RR            |
|----------------------------|-----------------------------------|--------------|--|---------------|
| SPECIFIC WORK STEPS        | HAZARDS THAT MAY ARISE            | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL RISK |
| 1. Preparation             | Inadequate training, Improper PPE | 2M           | <ul style="list-style-type: none"> <li>- Conduct thorough training sessions for all workers involved in coating removal to ensure they understand the procedures and risks.</li> <li>- Verify that each worker has received appropriate certifications or qualifications specific to coating removal tasks.</li> <li>- Develop a refresher training schedule to keep workers updated on best practices and new safety guidelines.</li> <li>- Assess the experience level of each employee, pairing less experienced workers with those who are more skilled.</li> <li>- Implement a buddy system where experienced workers mentor newer ones during initial projects.</li> <li>- Ensure personal protective equipment (PPE) is available, correctly sized, and suitable for the specific chemicals and materials involved.</li> <li>- Maintain an inventory of PPE and regularly inspect it for damage or wear.</li> <li>- Provide specialised PPE for identified hazards such as respirators, gloves, goggles, and full-body suits.</li> <li>- Hold toolbox briefings to go over the importance of using PPE and check that everyone understands how to properly don and doff equipment.</li> <li>- Establish clear signage indicating areas where PPE is mandatory and the types required.</li> <li>- Create a checklist of PPE requirements for staff, reviewing it at the start and end of each shift.</li> <li>- Foster an environment that encourages employees to report damaged or inadequate PPE without fear of reprimand.</li> <li>- Schedule routine inspections to ensure work areas meet safety standards and PPE is used correctly.</li> <li>- Use safety data sheets to inform workers of chemical hazards and proper first aid measures, reinforcing the necessity of correct PPE usage.</li> </ul> | 1L            |
| 2. Borehole Identification | Miscommunication, Lack of signage | 2M           | <ul style="list-style-type: none"> <li>- Conduct a pre-start meeting to clarify roles and responsibilities among all team members.</li> <li>- Use clear and concise language during communication to minimise confusion.</li> <li>- Implement a site-specific signage plan, ensuring appropriate warning signs are placed at each borehole location.</li> <li>- Designate a team member to oversee communication and signage implementation on-site.</li> <li>- Utilise two-way radios or reliable communication devices to ensure effective real-time communication between team members.</li> <li>- Train all personnel in standardised communication protocols specific to the project requirements.</li> <li>- Conduct regular checks of signage to ensure it remains visible and intact throughout the operation.</li> </ul>  | 1L            |

| JOB STEP                 | POTENTIAL HAZARDS                   | IR           | CONTROL MEASURES   | RR            |
|--------------------------|-------------------------------------|--------------|--|---------------|
| SPECIFIC WORK STEPS      | HAZARDS THAT MAY ARISE              | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL RISK |
|                          |                                     |              | <ul style="list-style-type: none"> <li>- Incorporate a buddy system to confirm messages have been received and understood by repeating key information.</li> <li>- Schedule daily toolbox talks that emphasise the importance of clear communication and proper signage usage.</li> <li>- Use high-visibility colours for signage to enhance visibility especially under low-light conditions.</li> <li>- Implement a handover checklist procedure to ensure continuity of communication across different shifts.</li> </ul>   |               |
| 3. Setting Up Equipment  | Equipment failure, Tripping hazards | 3H           | <ul style="list-style-type: none"> <li>- Conduct a pre-start equipment inspection to ensure all tools and machinery are in good working condition.</li> <li>- Use only equipment that is regularly maintained and serviced according to the manufacturer's specification.</li> <li>- Ensure all operators are trained and competent in using the specific equipment for coating removal from boreholes.</li> <li>- Clear work and barricade the work area to prevent unauthorised access and minimise tripping hazards.</li> <li>- Keep the work area tidy by properly storing tools and equipment when not in use to reduce potential trip risks.</li> <li>- Ensure adequate lighting is provided in the work area to improve visibility and identify obstacles or hazards.</li> <li>- Implement a tag-out and lockout procedure for defective or out-of-service equipment to prevent unintended operation.</li> <li>- Use non-slip mats or grip surfaces where necessary to provide stable footing around machinery and slippery areas.</li> <li>- Arrange cords and hoses neatly to avoid entanglement and create designated pathways for safe movement around the site.</li> <li>- Provide personal protective equipment (PPE) such as safety boots with slip-resistant soles, hard hats, and gloves.</li> <li>- Establish an emergency response plan including first aid facilities in case of equipment-related incidents.</li> <li>- Place warning signs to inform workers of potential hazards related to coating removal operations and tripping risks.</li> <li>- Regularly review and update safe work procedures to adapt to any changes in equipment or site conditions.</li> </ul> | 2M            |
| 4. Coating Removal Start | Chemical exposure, Noise pollution  | 4A           | <div></div> <div></div>  | 2M            |



| JOB STEP                  | POTENTIAL HAZARDS                 | IR           | CONTROL MEASURES   | RR            |
|---------------------------|-----------------------------------|--------------|--|---------------|
| SPECIFIC WORK STEPS       | HAZARDS THAT MAY ARISE            | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
|                           |                                   |              |  |               |
| 6. Manual Handling        | Overexertion, Back injury         | 3H           |  | 2M            |
| 7. Containment & Disposal | Mixed waste, Environmental damage | 3H           |  | 1L            |

[illegible]



[illegible]



A large, light blue rectangular area on the left side of the page, representing a placeholder for a figure or image.

A large, light blue rectangular area on the left side of the page, representing a placeholder for a figure or image.

A large, light blue rectangular area on the left side of the page, representing a placeholder for a figure or image.

A large, light blue rectangular area on the left side of the page, representing a placeholder for a figure or image.

A large, light blue rectangular area on the left side of the page, representing a placeholder for a figure or image.

A large, light blue rectangular area on the left side of the page, representing a placeholder for a figure or image.

A large, light blue rectangular area on the left side of the page, representing a placeholder for a figure or image.

A large, light blue rectangular area on the left side of the page, representing a placeholder for a figure or image.

A large, light blue rectangular area on the left side of the page, representing a placeholder for a figure or image.

A large, light blue rectangular area on the left side of the page, representing a placeholder for a figure or image.

A large, light blue rectangular area on the left side of the page, representing a placeholder for a figure or image.

A large, light blue rectangular area on the left side of the page, representing a placeholder for a figure or image.

A large, light blue rectangular area on the left side of the page, representing a placeholder for a figure or image.

A large, light blue rectangular area on the left side of the page, representing a placeholder for a figure or image.

A large, light blue rectangular area on the left side of the page, representing a placeholder for a figure or image.

|                                |                   |                   |
|--------------------------------|-------------------|-------------------|
| <p>nt, Undetected wear and</p> | <p>2M</p>         | <p>[REDACTED]</p> |
| <p>[REDACTED]</p>              | <p>[REDACTED]</p> | <p>[REDACTED]</p> |

Pressure (kPa)

2M

100

80

60

40

20

0

0

10

20

30

40

50

60

70

80

90

100

110

120

130

140

150

160

170

180

190

200

210

220

230

240

250

260

270

280

290

300

310

320

330

340

350

360

370

380

390

400

410

420

430

440

450

460

470

480

490

500

510

520

530

540

550

560

570

580

590

600

610

620

630

640

650

660

670

680

690

700

710

720

730

740

750

760

770

780

790

800

810

820

830

840

850

860

870

880

890

900

910

920

930

940

950

960

970

980

990

1000

1010

1020

1030

1040

1050

1060

1070

1080

1090

1100

1110

1120

1130

1140

1150

1160

1170

1180

1190

1200

1210

1220

1230

1240

1250

1260

1270

1280

1290

1300

1310

1320

1330

1340

1350

1360

1370

1380

1390

1400

1410

1420

1430

1440

1450

1460

1470

1480

1490

1500

1510

1520

1530

1540

1550

1560

1570

1580

1590

1600

1610

1620

1630

1640

1650

1660

1670

1680

1690

1700

1710

1720

1730

1740

1750

1760

1770

1780

1790

1800

1810

1820

1830

1840

1850

1860

1870

1880

1890

1900

1910

1920

1930

1940

1950

1960

1970

1980

1990

2000

2010

2020

2030

2040

2050

2060

2070

2080

2090

2100

2110

2120

2130

2140

2150

2160

2170

2180

2190

2200

2210

2220

2230

2240

2250

2260

2270

2280

2290

2300

2310

2320

2330

2340

2350

2360

2370

2380

2390

2400

2410

2420

2430

2440

2450

2460

2470

2480

2490

2500

2510

2520

2530

2540

2550

2560

2570

2580

2590

2600

2610

2620

2630

2640

2650

2660

2670

2680

2690

2700

2710

2720

2730

2740

2750

2760

2770

2780

2790

2800

2810

2820

2830

2840

2850

2860

2870

2880

2890

2900

2910

2920

2930

2940

2950

2960

2970

2980

2990

3000

3010

3020

3030

3040

3050

3060

3070

3080

3090

3100

3110

3120

3130

3140

3150

3160

3170

3180

3190

3200

3210

3220

3230

3240

3250

3260

3270

3280

3290

3300

3310

3320

3330

3340

3350

3360

3370

3380

3390

3400

3410

3420

3430

3440

3450

3460

3470

3480

3490

3500

3510

3520

3530

3540

3550

3560

3570

3580

3590

3600

3610

3620

3630

3640

3650

3660

3670

3680

3690

3700

3710

3720

3730

3740

3750

3760

3770

3780

3790

3800

3810

3820

3830

3840

3850

3860

3870

3880

3890

3900

3910

3920

3930

3940

3950

3960

3970

3980

3990

4000

4010

4020

4030

4040

4050

4060

4070

4080

4090

4100

4110

4120

4130

4140

4150

4160

4170

4180

4190

4200

4210

4220

4230

4240

4250

4260

4270

4280

4290

4300

4310

4320

4330

4340

4350

4360

4370

4380

4390

4400

4410

4420

4430

4440

4450

4460

4470

4480

4490

4500

4510

4520

4530

4540

4550

4560

4570

4580

4590

4600

<

A large, light blue rectangular area with a faint, diagonal watermark reading "SAMPLE". The watermark is in a bold, sans-serif font and is oriented from the bottom-left towards the top-right. The background of the rectangle is a solid light blue color.

se, Inefficient

Follow up, Missed health

4A

SAMPLE

**SAMPLE**



| JOB STEP            | POTENTIAL HAZARDS      | IR           | CONTROL MEASURES   | RR            |
|---------------------|------------------------|--------------|--|---------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
|                     |                        |              | <div></div> <div></div> <div></div> <div></div> <div></div>            |               |
|                     |                        |              |  |               |

SAMPLE

## EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

## LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

### Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

### Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

### New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

### Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

### Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

### Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

## SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |

## SAFE WORK METHOD STATEMENT MONITORING AND REVIEW

**The SWMS must be reviewed regularly** to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are revised. The review must be carried out in consultation with workers (including contractors and sub-contractors) who may be affected by the operation of the SWMS and their health and safety representatives who represent that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

**The SWMS must be monitored regularly** for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME          |   |   |   |   |   |   |   |
| INITIALS      |   |   |   |   |   |   |   |
| DATE          |   |   |   |   |   |   |   |

## SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS   | COMPLETED                           | COMMENTS |
|--|-------------------------------------|----------|
| The company details have been entered, including the project name and address.                       | <input checked="" type="checkbox"/> |          |
| All relevant personnel consulted during the development of the SWMS.                                 | <input checked="" type="checkbox"/> |          |
| Name, signature, position and date signed of the person approving the SWMS.                          | <input type="checkbox"/>            |          |
| Specific personnel and qualifications, experience is noted in the SWMS.                              | <input checked="" type="checkbox"/> |          |
| Provides a step-by-step process of tasks required to carry out the activity or task.                 | <input checked="" type="checkbox"/> |          |
| Adequate risk assessment of any identified hazards has been completed.                               | <input checked="" type="checkbox"/> |          |
| Foreseeable hazards are identified and documented for each step.                                     | <input checked="" type="checkbox"/> |          |
| Any hazards listed in any site risk assessments have been added to the SWMS.                         | <input checked="" type="checkbox"/> |          |
| SWMS initial risk (IR) column as well as residual risk (RR) column completed.                        | <input checked="" type="checkbox"/> |          |
| Check control measures added to the SWMS are the most effective selected.                            | <input checked="" type="checkbox"/> |          |
| Responsible person is assigned and listed on the SWMS for the implementation of control measures.    | <input checked="" type="checkbox"/> |          |
| Permit or licenses requirements specified, such as Hot Work, Electrical Work, Work at Heights etc.   | <input checked="" type="checkbox"/> |          |
| SWMS identifies plant and equipment to be used.  | <input checked="" type="checkbox"/> |          |
| Details of inspection checks required for any equipment listed as noted on the SWMS.                 | <input checked="" type="checkbox"/> |          |
| Describes any mandatory qualifications, experience, training or skills required to perform the work. | <input checked="" type="checkbox"/> |          |
| Applicable personal protective equipment is selected on the SWMS.                                    | <input checked="" type="checkbox"/> |          |
| Reflects and documents any legislative references and/or Australian Standards.                       | <input checked="" type="checkbox"/> |          |
| Identifies any hazardous substances used with specific control measures in line with any SDS.        | <input checked="" type="checkbox"/> |          |
|  |                                     |          |
| REVIEWED BY  |                                     |          |
| SIGNATURE  |                                     |          |
| DATE REVIEWED  |                                     |          |
| DATE COMPLETED   |                                     |          |